




2020

WINTER / SPRING

P R O M O P A C K



Special Offers for Milling, Drilling, Turning, and Grooving Solutions...

FREE UPS RED Next Day Shipping
on all Drop Ship Promo Pack Orders



VALID THROUGH
June 30, 2020

KPTI Company Overview

Established in April 2014, KPTI unifies two of the world's leading cutting tool manufacturers, Kyocera Tycom Corporation (KTC) and the Cutting Tool Division of Kyocera Industrial Ceramics Corporation (KICC-CT).

The new company creates a combined enterprise that optimizes the strengths of both organizations and facilitates expansion of Kyocera's overall cutting tool-related business in North America. The new combined entity will unify cutting tool resources to create greater efficiencies while positioning the new organization for continued success.

Customers will benefit from a unified sales and support team offering improved customer service and an expanded portfolio of cutting tool products and solutions for the automotive, aerospace, general machining, medical, power generation, printed circuit board and steel markets.

KPTI North American Operations



Costa Mesa, CA

Wapakoneta, OH

Hendersonville, NC



Administration & Manufacturing

- Administration & Accounting Center
- Micro-Tools Manufacturing
- Printed Circuit Board Drill Manufacturing
- Micro-Tools & PCB Sales & Customer Service Center



Steel Tool Holder Manufacturing

- Indexable Drills
- Milling End Mills & Face Mills
- Boring Bars
- Turning and Grooving Holders
- API Ring Groovers



Sales, Tech Center & Marketing


- North American Tech Center
- North American Sales, Marketing & Customer Service Center

KPTI

Manufactured Products



Steel Toolholders for Milling, Turning, Grooving, Threading and Drilling Metal



Indexable metal cutting inserts made of carbide, ceramic, cermet, Cubic Boron Nitride, and Polycrystalline diamond



Solid carbide cutting tools for tight tolerance and micro-diameter metal cutting applications

KPTI Markets Served



Automotive



Aerospace



Medical



Printed Circuit Board



Power Generation

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Explore the Many Ways to Save with the Kyocera 2020 Winter / Spring Promo Pack

In 2020 Kyocera Precision Tools, Inc. is offering more ways to advance your productivity while also reducing your tooling costs. With our wide array of indexable and solid round cutting tools, we strive to be your primary source for high-quality, cost-effective solutions for all of your metal cutting needs. Read below for our latest cost-savings opportunities.

To learn more about KPTI, please visit www.kyoceraprecisiontools.com.

High-Feed Milling Solutions

MFH-Micro High Feed Mills	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P4
MFH-Mini High Feed Mills	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P6
MFH-RAPTOR High Feed Mills	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P8

Drilling Solutions

DRV High-Performance Indexable Magic Drills	Cost-Efficient Kits Featuring (1) Drill Body, (10) Inside Inserts and (10) Outside Inserts	P12
	FREE Kyocera Ceramic Knife with DRV Test Report Submission	P20
DRA Replaceable Tip Magic Drills	Cost-Efficient Kits Featuring (1) Drill Body and (1) Replaceable Drill Tip	P22

Turning Solutions

Cast Iron Turning Kits featuring CVD Carbide Grade CA310	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P60
Steel Turning Kits featuring CVD Carbide Grade CA025P	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P62
Stainless Steel Turning Kits featuring CVD Carbide Grade CA65-Series	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P64
HRA Turning Kits featuring PVD Carbide Grade PR015S	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P66
CCX CVD Coated Cermet for Steel and Cast Iron Finishing	Buy 20 Inserts, Get 10 Inserts FREE	P68

Small Parts Turning Solutions

JCT-Series Coolant Through Turning Holders	Cost-Efficient Kits Featuring (1) Holder and (10) Inserts	P72
--	---	---------------------

Grooving & Cut-Off Solutions

KGD SwitchBlade Style	Buy 30 Inserts, Get a Free SwitchBlade Style Holder	P76
KGD-JCT Coolant-Through Integral Style	Buy 30 Inserts, Get a Free Integral Coolant Through Style Holder	P77
KGD Integral Style	Buy 20 Inserts, Get a Free Integral Style Holder	P78
KGD Integral Style for Small Parts	Buy 20 Inserts, Get a Free Integral Style Holder	P79

FREE UPS RED Next Day Shipping
on Drop Ship Promo Pack Orders

- Free UPS Red available on promo kits shipped directly from Kyocera to the end-user anywhere in the continental U.S.
- Promo items must be in stock and ship complete to qualify for free shipping offer
- Shipments from Kyocera to the Distributor or from the Distributor to the end-user do not qualify for free shipment offer



Locate a Distributor

Use our **Locate a Distributor** map at:
www.KyoceraPrecisionTools.com/locate

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.com

Official Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

MFH-RAPTOR MICRO

Smallest Diameter in High Feed Milling Series

Durable Design Aids in Chatter Resistance

Maximum D.O.C. 0.020" with stable high feed machining in a wide range of applications

Replaces Solid End Mills to Reduce Machining Costs

Suppresses chattering and increases milling efficiency

Advanced Coating Technology

MEGACOAT NANO Coating technology increases tool life when machining difficult-to-cut materials



Molded Convex Cutting Edge




High Precision G Class Insert

1 Stable Machining with Chattering Resistance


Molded Convex Cutting Edge Controls Initial Impact when Entering the Workpiece

Cutting Force Comparison (In-house Evaluation)



Cutting Conditions: $V_c = 390$ sfm, $f_z = 0.024$ ipt, D.O.C. = 0.016"
Cutter Dia. 0.0375", Slotting, Dry Workpiece: 1049

Increase in Cutting Force when Entering Work Piece (In-house Evaluation)




Cutting Conditions: $V_c = 390$ sfm, $f_z = 0.024$ ipt, D.O.C. $\times a_e = 0.016" \times 0.197"$
Cutter Dia. 0.0375", Dry Workpiece: 1049

2 Wide Range of Machining Applications

Wide Range of Machining Applications at a Maximum Depth of Cut of 0.020"

Stable Machining Even with Small Machining Centers

Cutting Performance Map (Cutter Dia. 0.0375")



All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

MEGACOAT NANO
PR1525

First Choice for Carbon Steel and Alloy Steel

MEGACOAT NANO
PR1535

First Choice for Titanium and
Austenitic Stainless Steel

CVD Coated Carbide
CA6535

First Choice For Heat-Resistant Alloys and
Martensitic Stainless Steel



MFH-Micro End Mill Kits


Includes (1) Cutter and (10) Inserts
Choose your Cutter and Insert Grade

FREE 
Next Day
Drop Shipping

See Page 3

	Pick 1 Cutter Part Number	Cutting Dia.	No. of Insert Pockets	Insert Part Number See Below	Pick 1 Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
Standard Shank (Cylindrical)	MFH 0500-S500-01-3T-3	0.500"	3	LPGT010210ER-GM	PR1525	MFH0500S500013T3 KIT1	\$200.00
					PR1535	MFH0500S500013T3 KIT2	
					CA6535	MFH0500S500013T3 KIT3	
	MFH 0625-S625-01-4T35	0.625"	4	LPGT010210ER-GM	PR1525	MFH0625S625014T35 KIT1	\$240.00
					PR1535	MFH0625S625014T35 KIT2	
					CA6535	MFH0625S625014T35 KIT3	

MFH-RAPTOR Micro Inserts

Usage Classification		P	Carbon Steel / Alloy Steel			★				
			Mold Steel			★				
★ Roughing / 1st Choice ☆ Roughing / 2nd Choice (When hardness is under 45HRC)	M		Austenitic Stainless Steel			★	☆			
			Martensitic Stainless Steel			☆		★		
	S		Heat Resistant Alloy (Ni-base)			☆		★		
			Titanium Alloy (Ti-6Al-4V)			★				
Insert		Part Number	Dimensions (in)					MEGACOAT NANO		CVD Coating
			W1	S	D1	INSL	RE	PR1535	PR1525	CA6535
		LPGT 010210ER-GM	0.165	0.086	0.083	0.247	0.039	●	●	●
General Purpose										

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

MFH-RAPTOR *Mini*

Small Diameter High Feed End Mills & Face Mills

Expanded Lineup

New MFH-Mini face mills now available in 1.500" and 2.000" diameters

Higher Productivity

Double-sided 4-edge inserts will save money and increase productivity

Advanced Coating Technology

MEGACOAT NANO Coating technology increases tool life when machining difficult-to-cut materials



MEGACOAT NANO
PR1525

First Choice for Carbon Steel and Alloy Steel

MEGACOAT NANO
PR1535

First Choice for Titanium and
Austenitic Stainless Steel

CVD Coated Carbide
CA6535

First Choice For Heat-Resistant Alloys and
Martensitic Stainless Steel



MFH-Mini Face Mill Kits

Includes (1) Cutter and (10) Inserts

Choose your Cutter and Insert Grade

FREE 
Next Day
Drop Shipping
See Page 3

Pick 1 Cutter Part Number		Cutting Dia.	No. of Insert Pockets	Insert Part Number See Page 7	Pick 1 Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
Face Mills	MFH 1500R-03-5T	1.500"	5	LOGU030310ER-GM	PR1525	MFH1500R035T KIT1	\$370.00
					PR1535	MFH1500R035T KIT2	
					CA6535	MFH1500R035T KIT3	
	MFH 1500R-03-6T	1.500"	6	LOGU030310ER-GM	PR1525	MFH1500R036T KIT1	\$380.00
					PR1535	MFH1500R036T KIT2	
					CA6535	MFH1500R036T KIT3	
	MFH 2000R-03-8T	2.000"	8	LOGU030310ER-GM	PR1525	MFH2000R038T KIT1	\$520.00
					PR1535	MFH2000R038T KIT2	
					CA6535	MFH2000R038T KIT3	

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.



MFH-Mini End Mill Kits

Includes (1) Cutter and (10) Inserts

Choose your Cutter and Insert Grade

FREE 
Next Day
Drop Shipping

See Page 3

	Pick 1 Cutter Part Number	Cutting Dia.	No. of Insert Pockets	Insert Part Number See Below	Pick 1 Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
End Mills Standard Shank (Weldon)	MFH 0625-W625-03-2T-3	0.625"	2	LOGU030310ER-GM	PR1525	MFH0625W625032T3 KIT1	\$260.00
					PR1535	MFH0625W625032T3 KIT2	
					CA6535	MFH0625W625032T3 KIT3	
	MFH 0750-W750-03-3T-4	0.750"	3	LOGU030310ER-GM	PR1525	MFH0750W750033T4 KIT1	\$300.00
					PR1535	MFH0750W750033T4 KIT2	
					CA6535	MFH0750W750033T4 KIT3	
	MFH 1000-W100-03-4T47	1.000"	4	LOGU030310ER-GM	PR1525	MFH1000W100034T47 KIT1	\$310.00
					PR1535	MFH1000W100034T47 KIT2	
					CA6535	MFH1000W100034T47 KIT3	
	MFH 1000-W100-03-5T47	1.000"	5	LOGU030310ER-GM	PR1525	MFH1000W100035T47 KIT1	\$330.00
					PR1535	MFH1000W100035T47 KIT2	
					CA6535	MFH1000W100035T47 KIT3	
	MFH 1250-W125-03-5T-5	1.250"	5	LOGU030310ER-GM	PR1525	MFH1250W125035T5 KIT1	\$340.00
					PR1535	MFH1250W125035T5 KIT2	
					CA6535	MFH1250W125035T5 KIT3	
	MFH 1250-W125-03-6T-5	1.250"	6	LOGU030310ER-GM	PR1525	MFH1250W125036T5 KIT1	\$350.00
					PR1535	MFH1250W125036T5 KIT2	
					CA6535	MFH1250W125036T5 KIT3	
End Mills Standard Shank (Cylindrical)	MFH 0625-S625-03-2T-6	0.625"	2	LOGU030310ER-GM	PR1525	MFH0625S625032T6 KIT1	\$280.00
					PR1535	MFH0625S625032T6 KIT2	
					CA6535	MFH0625S625032T6 KIT3	
	MFH 0750-S750-03-3T65	0.750"	3	LOGU030310ER-GM	PR1525	MFH0750S750033T65 KIT1	\$310.00
					PR1535	MFH0750S750033T65 KIT2	
					CA6535	MFH0750S750033T65 KIT3	
	MFH 1000-S100-03-4T-7	1.000"	4	LOGU030310ER-GM	PR1525	MFH1000S100034T7 KIT1	\$350.00
					PR1535	MFH1000S100034T7 KIT2	
					CA6535	MFH1000S100034T7 KIT3	
	MFH 1250-S125-03-5T-8	1.250"	5	LOGU030310ER-GM	PR1525	MFH1250S125035T8 KIT1	\$370.00
					PR1535	MFH1250S125035T8 KIT2	
					CA6535	MFH1250S125035T8 KIT3	

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

MFH-RAPTOR Mini Inserts

Usage Classification	P	Carbon Steel / Alloy Steel					★		
		Mold Steel					★		
★ Roughing / 1st Choice ☆ Roughing / 2nd Choice (When hardness is under 45HRC)	M	Austenitic Stainless Steel					★	☆	
		Martensitic Stainless Steel					☆		★
	S	Heat Resistant Alloy (Ni-base)					☆		★
		Titanium Alloy (Ti-6Al-4V)					★		
Insert	Part Number	Dimensions (in)					MEGACOAT NANO		CVD Coating
		W1	S	D1	INSL	RE	PR1535	PR1525	CA6535
 General Purpose	LOGU 030310ER-GM	0.244	0.156	0.136	0.469	0.039	●	●	●

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

MFH-RAPTOR

Anti-Vibration Design for High Feed Milling Applications

High Feed with Less Vibration

Offering a variety of options with 3 different insert designs

Higher Productivity

Available for ramping and helical milling

Advanced Coating Technology

MEGACOAT NANO Coating technology increases tool life when machining difficult-to-cut materials



MEGACOAT NANO
PR1525

First Choice for Carbon Steel and Alloy Steel

MEGACOAT NANO
PR1535

First Choice for Titanium and
Austenitic Stainless Steel

CVD Coated Carbide
CA6535

First Choice For Heat-Resistant Alloys and
Martensitic Stainless Steel



MFH-RAPTOR End Mill Kits

Includes (1) Cutter and (10) Inserts
Choose your Cutter and Insert Grade

FREE 
Next Day
Drop Shipping

See Page 3

	Pick 1 Cutter Part Number	Cutting Dia.	No. of Insert Pockets	Insert Part Number See Page 11	Pick 1 Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
End Mills Standard Shank (Weldon)	MFH 1000-W100-10-2T	1.000"	2	SOMT100420ER-GM	PR1525	MFH1000W100102T KIT1	\$230.00
					PR1535	MFH1000W100102T KIT2	
					CA6535	MFH1000W100102T KIT3	
	MFH 1250-W125-10-3T	1.250"	3	SOMT100420ER-GM	PR1525	MFH1250W125103T KIT1	\$270.00
					PR1535	MFH1250W125103T KIT2	
					CA6535	MFH1250W125103T KIT3	
	MFH 1500-W150-10-3T	1.500"	3	SOMT100420ER-GM	PR1525	MFH1500W150103T KIT1	\$350.00
					PR1535	MFH1500W150103T KIT2	
					CA6535	MFH1500W150103T KIT3	
	MFH 1500-W150-10-4T	1.500"	4	SOMT100420ER-GM	PR1525	MFH1500W150104T KIT1	\$390.00
					PR1535	MFH1500W150104T KIT2	
					CA6535	MFH1500W150104T KIT3	

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.



MFH-RAPTOR End Mill Kits (Continued)

Includes (1) Cutter and (10) Inserts

Choose your Cutter and Insert Grade

FREE 
Next Day
Drop Shipping

See Page 3

	Pick 1 Cutter Part Number	Cutting Dia.	No. of Insert Pockets	Insert Part Number See Page 11	Pick 1 Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
End Mills Long Shank (Cylindrical)	MFH 1000-S100-10-2T-8	1.000"	2	SOMT100420ER-GM	PR1525	MFH1000S100102T8 KIT1	\$280.00
					PR1535	MFH1000S100102T8 KIT2	
					CA6535	MFH1000S100102T8 KIT3	
	MFH 1250-S125-10-2T-8	1.250"	2	SOMT100420ER-GM	PR1525	MFH1250S125102T8 KIT1	\$300.00
					PR1535	MFH1250S125102T8 KIT2	
					CA6535	MFH1250S125102T8 KIT3	
	MFH 1500-S125-10-4T-10	1.500"	4	SOMT100420ER-GM	PR1525	MFH1500S125104T10 KIT1	\$370.00
					PR1535	MFH1500S125104T10 KIT2	
					CA6535	MFH1500S125104T10 KIT3	

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com



MFH-RAPTOR Face Mill Kits

Includes (1) Cutter and (10) Inserts

Choose your Cutter and Insert Grade

FREE 
Next Day
Drop Shipping



See Page 3 

	Pick 1 Cutter Part Number	Cutting Dia.	No. of Insert Pockets	Insert Part Number See Page 11	Pick 1 Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
Face Mills	MFH 2000R-10-4T	2.000"	4	SOMT100420ER-GM	PR1525	MFH2000R104T KIT1	\$390.00
					PR1535	MFH2000R104T KIT2	
					CA6535	MFH2000R104T KIT3	
	MFH 2000R-10-5T	2.000"	5	SOMT100420ER-GM	PR1525	MFH2000R105T KIT1	\$390.00
					PR1535	MFH2000R105T KIT2	
					CA6535	MFH2000R105T KIT3	
	MFH 2500R-10-5T	2.500"	5	SOMT100420ER-GM	PR1525	MFH2500R105T KIT1	\$400.00
					PR1535	MFH2500R105T KIT2	
					CA6535	MFH2500R105T KIT3	
	MFH 2500R-10-6T	2.500"	6	SOMT100420ER-GM	PR1525	MFH2500R106T KIT1	\$410.00
					PR1535	MFH2500R106T KIT2	
					CA6535	MFH2500R106T KIT3	
	MFH 3000R-10-7T	3.000"	7	SOMT100420ER-GM	PR1525	MFH3000R107T KIT1	\$420.00
					PR1535	MFH3000R107T KIT2	
					CA6535	MFH3000R107T KIT3	
	MFH 2000R-14-4T	2.000"	4	SOMT140520ER-GM	PR1525	MFH2000R144T KIT1	\$390.00
					PR1535	MFH2000R144T KIT2	
					CA6535	MFH2000R144T KIT3	
	MFH 2500R-14-5T	2.500"	5	SOMT140520ER-GM	PR1525	MFH2500R145T KIT1	\$390.00
					PR1535	MFH2500R145T KIT2	
					CA6535	MFH2500R145T KIT3	
	MFH 3000R-14-5T	3.000"	5	SOMT140520ER-GM	PR1525	MFH3000R145T KIT1	\$400.00
					PR1535	MFH3000R145T KIT2	
					CA6535	MFH3000R145T KIT3	
	MFH 3000R-14-6T	3.000"	6	SOMT140520ER-GM	PR1525	MFH3000R146T KIT1	\$450.00
					PR1535	MFH3000R146T KIT2	
					CA6535	MFH3000R146T KIT3	
	MFH 4000R-14-6T	4.000"	6	SOMT140520ER-GM	PR1525	MFH4000R146T KIT1	\$460.00
					PR1535	MFH4000R146T KIT2	
					CA6535	MFH4000R146T KIT3	
	MFH 4000R-14-7T	4.000"	7	SOMT140520ER-GM	PR1525	MFH4000R147T KIT1	\$490.00
					PR1535	MFH4000R147T KIT2	
					CA6535	MFH4000R147T KIT3	
	MFH 5000R-14-7T	5.000"	7	SOMT140520ER-GM	PR1525	MFH5000R147T KIT1	\$640.00
					PR1535	MFH5000R147T KIT2	
					CA6535	MFH5000R147T KIT3	
	MFH 6000R-14-8T	6.000"	8	SOMT140520ER-GM	PR1525	MFH6000R148T KIT1	\$840.00
					PR1535	MFH6000R148T KIT2	
					CA6535	MFH6000R148T KIT3	

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

MFH-Raptor Inserts

Usage Classification		P	Carbon Steel / Alloy Steel					★		
			Mold Steel					★		
★ Roughing / 1st Choice ☆ Roughing / 2nd Choice (When hardness is under 45HRC)		M	Austenitic Stainless Steel				★	☆		
			Martensitic Stainless Steel				☆		★	
		S	Heat Resistant Alloy (Ni-base)				☆		★	
Titanium Alloy (Ti-6Al-4V)				★						
Insert		Part Number	Dimensions (in)				Angle	MEGACOAT NANO		CVD Coating
			IC	S	D1	RE	AN	PR1535	PR1525	CA6535
		SOMT 100420ER-GM	0.406	0.180	0.181	0.079	16°	●	●	●
		SOMT 140520ER-GM	0.557	0.219	0.228	0.079	16°	●	●	●
General Purpose										

● : Standard Item

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF


DRV Magic Drill Kits

High Efficiency and High Speed Indexable Drill

2xD to 6xD drilling lineup with 4 chipbreakers for various machining applications

High speed and highly efficient machining with the combination of a CVD outer insert and PVD inner insert

Excellent hole accuracy with a highly rigid design for better chatter resistance




NEW Expanded Lineup from Ø0.500"~Ø1.500"


1 Excellent Drilling Precision with Less Variation in Cutting Diameter

Optimal Web Thickness and Low Cutting Force Design Reduces Chattering

Web Thickness Comparison
(Internal Evaluation)




Cutting Diameter Variation Comparison
(Internal Evaluation)



Cutting Conditions : $V_c = 490$ sfm, $f = 0.0024$ ipr
Cutting Dia. Ø0.812" (5D), Wet, Workpiece : 1049

Cutting Force Comparison
(Internal Evaluation)



Cutting Conditions : $V_c = 660$ sfm, $f = 0.0047$ ipr
Cutting Dia. Ø0.812" (3D), Wet, Workpiece : 1049

2

Unique Insert Design to Control Chip Flow

Outer Edge Insert

Unique Insert Pattern to Differentiate between Outside and Inside Inserts



Smooth Chip Evacuation with Compact Chips

Chip Shape Comparison of Outer Insert Cutting Edge (Internal Evaluation)



Cutting Conditions : $V_c = 490$ sfm, $f = 0.0024$ ipr, Cutting Dia. $\varnothing 0.812$ (3D), Wet Workpiece : 1049

Inner Edge Insert



Excellent Chip Evacuation with 6xD Maximum Deep-Hole Drilling

Weight per Unit of Length for Chips Generated by the Inner Insert (Internal Evaluation)




Cutting Conditions : $V_c = 820$ sfm, $f = 0.0031$ ipr, Cutting Dia. $\varnothing 0.812$ (5D), Wet Workpiece : 304


3

New Insert Grades Developed for Drilling

High Speed and Highly Efficient Machining with the Combination of CVD (Outer Edge) and PVD (Inner Edge) Inserts




Recommended Cutting Conditions (Maximum Values)



Cutting Dia. $\varnothing 0.812$ " (3D) Workpiece : 1049

Wear Resistance Comparison (Internal Evaluation)



Cutting Conditions : $V_c = 660$ sfm, $f = 0.0047$ ipr, Cutting Dia. $\varnothing 0.812$ " (3D), Wet Workpiece : 4140H

2D



DRV Magic Drill - 2D Kits

Includes (1) Drill and (10) Inside Inserts and (10) Outside Inserts

Choose Your Drill Size and 1 of 2 Insert Combinations

FREE **Next Day Drop Shipping**
See Page 3

Pick 1 Drill Body Part Number	Cutting Dia.	Shank Dia.	Pick 1 of 2 Combinations for Inside and Outside Inserts GM KIT for General Purpose / SM KIT for Stainless Steel				Kit Part Number (Use when Ordering)	U.S. Kit Price
			Inside Edge Insert	Insert Grade	Outside Edge Insert	Insert Grade		
S075-DRV0500-2-03	0.500"	0.750"	LCMT030205-GM-I	PR1535	LCMT030203-GM-E	CA520D	S075DRV0500203 GM KIT	\$340.00
			LCMT030205-SM-I	PR1535	LCMT030203-SM-E	PR1225	S075DRV0500203 SM KIT	
S075-DRV0562-2-04	0.562"	0.750"	SCMT040209-GM-I	PR1535	SCMT040205-GM-E	CA520D	S075DRV0562204 GM KIT	\$360.00
			SCMT040209-SM-I	PR1535	SCMT040205-SM-E	PR1225	S075DRV0562204 SM KIT	
S075-DRV0625-2-05	0.625"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0625205 GM KIT	\$360.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0625205 SM KIT	
S075-DRV0656-2-05	0.656"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0656205 GM KIT	\$360.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0656205 SM KIT	
S100-DRV0688-2-05	0.688"	1.000"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S100DRV0688205 GM KIT	\$360.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S100DRV0688205 SM KIT	
S100-DRV0750-2-06	0.750"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0750206 GM KIT	\$360.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0750206 SM KIT	
S100-DRV0812-2-06	0.812"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0812206 GM KIT	\$360.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0812206 SM KIT	
S100-DRV0875-2-06	0.875"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0875206 GM KIT	\$360.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0875206 SM KIT	
S100-DRV0938-2-07	0.938"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0938207 GM KIT	\$380.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0938207 SM KIT	
S100-DRV0984-2-07	0.984"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0984207 GM KIT	\$380.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0984207 SM KIT	
S100-DRV1000-2-07	1.000"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV1000207 GM KIT	\$380.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV1000207 SM KIT	
S125-DRV1062-2-09	1.062"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1062209 GM KIT	\$430.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1062209 SM KIT	
S125-DRV1125-2-09	1.125"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1125209 GM KIT	\$430.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1125209 SM KIT	
S125-DRV1188-2-09	1.188"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1188209 GM KIT	\$430.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1188209 SM KIT	
S150-DRV1250-2-09	1.250"	1.500"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S150DRV1250209 GM KIT	\$430.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S150DRV1250209 SM KIT	
S150-DRV1312-2-11	1.312"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1312211 GM KIT	\$470.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1312211 SM KIT	
S150-DRV1375-2-11	1.375"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1375211 GM KIT	\$470.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1375211 SM KIT	
S150-DRV1438-2-11	1.438"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1438211 GM KIT	\$470.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1438211 SM KIT	
S150-DRV1500-2-11	1.500"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1500211 GM KIT	\$470.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1500211 SM KIT	

Estimated Cutting Tolerance (2D)

Applicable Insert Information Page 19

ØDc	Estimated Cutting Tolerance (in)
Ø0.500" - Ø1.500"	+0.012 0

These values are estimates.
These values may change due to
machine, workpiece, clamping power,
and cutting conditions

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

3D



DRV Magic Drill - 3D Kits

Includes (1) Drill and (10) Inside Inserts and (10) Outside Inserts

Choose Your Drill Size and 1 of 2 Insert Combinations

FREE 
Next Day
Drop Shipping

See Page 3

Pick 1 Drill Body Part Number	Cutting Dia.	Shank Dia.	Pick 1 of 2 Combinations for Inside and Outside Inserts GM KIT for General Purpose / SM KIT for Stainless Steel				Kit Part Number (Use when Ordering)	U.S. Kit Price
			Inside Edge Insert	Insert Grade	Outside Edge Insert	Insert Grade		
S075-DRV0500-3-03	0.500"	0.750"	LCMT030205-GM-I	PR1535	LCMT030203-GM-E	CA520D	S075DRV0500303 GM KIT	\$350.00
			LCMT030205-SM-I	PR1535	LCMT030203-SM-E	PR1225	S075DRV0500303 SM KIT	
S075-DRV0562-3-04	0.562"	0.750"	SCMT040209-GM-I	PR1535	SCMT040205-GM-E	CA520D	S075DRV0562304 GM KIT	\$370.00
			SCMT040209-SM-I	PR1535	SCMT040205-SM-E	PR1225	S075DRV0562304 SM KIT	
S075-DRV0625-3-05	0.625"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0625305 GM KIT	\$370.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0625305 SM KIT	
S075-DRV0656-3-05	0.656"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0656305 GM KIT	\$370.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0656305 SM KIT	
S100-DRV0688-3-05	0.688"	1.000"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S100DRV0688305 GM KIT	\$370.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S100DRV0688305 SM KIT	
S100-DRV0750-3-06	0.750"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0750306 GM KIT	\$380.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0750306 SM KIT	
S100-DRV0812-3-06	0.812"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0812306 GM KIT	\$380.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0812306 SM KIT	
S100-DRV0875-3-06	0.875"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0875306 GM KIT	\$380.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0875306 SM KIT	
S100-DRV0938-3-07	0.938"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0938307 GM KIT	\$390.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0938307 SM KIT	
S100-DRV0984-3-07	0.984"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0984307 GM KIT	\$390.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0984307 SM KIT	
S100-DRV1000-3-07	1.000"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV1000307 GM KIT	\$390.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV1000307 SM KIT	
S125-DRV1062-3-09	1.062"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1062309 GM KIT	\$450.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1062309 SM KIT	
S125-DRV1125-3-09	1.125"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1125309 GM KIT	\$450.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1125309 SM KIT	
S125-DRV1188-3-09	1.188"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1188309 GM KIT	\$450.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1188309 SM KIT	
S150-DRV1250-3-09	1.250"	1.500"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S150DRV1250309 GM KIT	\$450.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S150DRV1250309 SM KIT	
S150-DRV1312-3-11	1.312"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1312311 GM KIT	\$490.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1312311 SM KIT	
S150-DRV1375-3-11	1.375"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1375311 GM KIT	\$490.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1375311 SM KIT	
S150-DRV1438-3-11	1.438"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1438311 GM KIT	\$490.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1438311 SM KIT	
S150-DRV1500-3-11	1.500"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1500311 GM KIT	\$490.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1500311 SM KIT	

■ Estimated Cutting Tolerance (3D)

Applicable Insert Information  Page 19

ØDc	Estimated Cutting Tolerance (in)
Ø0.500" - Ø1.500"	+0.012 0

These values are estimates.
These values may change due to
machine, workpiece, clamping power,
and cutting conditions

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.com

Official Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

4D



DRV Magic Drill - 4D Kits

Includes (1) Drill and (10) Inside Inserts and (10) Outside Inserts

Choose Your Drill Size and 1 of 2 Insert Combinations

FREE **Next Day Drop Shipping**
See Page 3

Pick 1 Drill Body Part Number	Cutting Dia.	Shank Dia.	Pick 1 of 2 Combinations for Inside and Outside Inserts GM KIT for General Purpose / SM KIT for Stainless Steel				Kit Part Number (Use when Ordering)	U.S. Kit Price
			Inside Edge Insert	Insert Grade	Outside Edge Insert	Insert Grade		
S075-DRV0500-4-03	0.500"	0.750"	LCMT030205-GM-I	PR1535	LCMT030203-GM-E	CA520D	S075DRV0500403 GM KIT	\$390.00
			LCMT030205-SM-I	PR1535	LCMT030203-SM-E	PR1225	S075DRV0500403 SM KIT	
S075-DRV0562-4-04	0.562"	0.750"	SCMT040209-GM-I	PR1535	SCMT040205-GM-E	CA520D	S075DRV0562404 GM KIT	\$400.00
			SCMT040209-SM-I	PR1535	SCMT040205-SM-E	PR1225	S075DRV0562404 SM KIT	
S075-DRV0625-4-05	0.625"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0625405 GM KIT	\$400.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0625405 SM KIT	
S075-DRV0656-4-05	0.656"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0656405 GM KIT	\$400.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0656405 SM KIT	
S100-DRV0688-4-05	0.688"	1.000"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S100DRV0688405 GM KIT	\$400.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S100DRV0688405 SM KIT	
S100-DRV0750-4-06	0.750"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0750406 GM KIT	\$410.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0750406 SM KIT	
S100-DRV0812-4-06	0.812"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0812406 GM KIT	\$410.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0812406 SM KIT	
S100-DRV0875-4-06	0.875"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0875406 GM KIT	\$410.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0875406 SM KIT	
S100-DRV0938-4-07	0.938"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0938407 GM KIT	\$430.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0938407 SM KIT	
S100-DRV0984-4-07	0.984"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0984407 GM KIT	\$430.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0984407 SM KIT	
S100-DRV1000-4-07	1.000"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV1000407 GM KIT	\$430.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV1000407 SM KIT	
S125DRV1062-4-09	1.062"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1062409 GM KIT	\$490.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1062409 SM KIT	
S125-DRV1125-4-09	1.125"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1125409 GM KIT	\$490.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1125409 SM KIT	
S125-DRV1188-4-09	1.188"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1188409 GM KIT	\$490.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1188409 SM KIT	
S150-DRV1250-4-09	1.250"	1.500"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S150DRV1250409 GM KIT	\$490.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S150DRV1250409 SM KIT	
S150-DRV1312-4-11	1.312"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1312411 GM KIT	\$550.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1312411 SM KIT	
S150-DRV1375-4-11	1.375"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1375411 GM KIT	\$550.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1375411 SM KIT	
S150-DRV1438-4-11	1.438"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1438411 GM KIT	\$550.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1438411 SM KIT	
S150-DRV1500-4-11	1.500"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1500411 GM KIT	\$550.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1500411 SM KIT	

Estimated Cutting Tolerance (4D)

Applicable Insert Information Page 19

ØDc	Estimated Cutting Tolerance (in)
Ø0.500" - Ø1.500"	+0.014 0

These values are estimates.
These values may change due to
machine, workpiece, clamping power,
and cutting conditions

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

5D



DRV Magic Drill - 5D Kits

Includes (1) Drill and (10) Inside Inserts and (10) Outside Inserts

Choose Your Drill Size and 1 of 2 Insert Combinations

FREE **Next Day Drop Shipping**
See Page 3

Pick 1 Drill Body Part Number	Cutting Dia.	Shank Dia.	Pick 1 of 2 Combinations for Inside and Outside Inserts GM KIT for General Purpose / SM KIT for Stainless Steel				Kit Part Number (Use when Ordering)	U.S. Kit Price
			Inside Edge Insert	Insert Grade	Outside Edge Insert	Insert Grade		
S075-DRV0500-5-03	0.500"	0.750"	LCMT030205-GM-I	PR1535	LCMT030203-GM-E	CA520D	S075DRV0500503 GM KIT	\$420.00
			LCMT030205-SM-I	PR1535	LCMT030203-SM-E	PR1225	S075DRV0500503 SM KIT	
S075-DRV0562-5-04	0.562"	0.750"	SCMT040209-GM-I	PR1535	SCMT040205-GM-E	CA520D	S075DRV0562504 GM KIT	\$430.00
			SCMT040209-SM-I	PR1535	SCMT040205-SM-E	PR1225	S075DRV0562504 SM KIT	
S075-DRV0625-5-05	0.625"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0625505 GM KIT	\$430.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0625505 SM KIT	
S075-DRV0656-5-05	0.656"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0656505 GM KIT	\$430.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0656505 SM KIT	
S100-DRV0688-5-05	0.688"	1.000"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S100DRV0688505 GM KIT	\$430.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S100DRV0688505 SM KIT	
S100-DRV0750-5-06	0.750"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0750506 GM KIT	\$450.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0750506 SM KIT	
S100-DRV0812-5-06	0.812"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0812506 GM KIT	\$450.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0812506 SM KIT	
S100-DRV0875-5-06	0.875"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0875506 GM KIT	\$480.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0875506 SM KIT	
S100-DRV0938-5-07	0.938"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0938507 GM KIT	\$480.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0938507 SM KIT	
S100-DRV0984-5-07	0.984"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0984507 GM KIT	\$480.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0984507 SM KIT	
S100-DRV1000-5-07	1.000"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV1000507 GM KIT	\$480.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV1000507 SM KIT	
S125-DRV1062-5-09	1.062"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1062509 GM KIT	\$530.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1062509 SM KIT	
S125-DRV1125-5-09	1.125"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1125509 GM KIT	\$530.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1125509 SM KIT	
S125-DRV1188-5-09	1.188"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1188509 GM KIT	\$530.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1188509 SM KIT	
S150-DRV1250-5-09	1.250"	1.500"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S150DRV1250509 GM KIT	\$530.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S150DRV1250509 SM KIT	
S150-DRV1312-5-11	1.312"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1312511 GM KIT	\$590.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1312511 SM KIT	
S150-DRV1375-5-11	1.375"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1375511 GM KIT	\$590.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1375511 SM KIT	
S150-DRV1438-5-11	1.438"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1438511 GM KIT	\$590.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1438511 SM KIT	
S150-DRV1500-5-11	1.500"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1500511 GM KIT	\$590.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1500511 SM KIT	

■ Estimated Cutting Tolerance (5D)

Applicable Insert Information Page 19

ØDc	Estimated Cutting Tolerance (in)
Ø0.500" - Ø1.500"	+0.014 0

These values are estimates.
These values may change due to
machine, workpiece, clamping power,
and cutting conditions

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.com

Official Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

6D



DRV Magic Drill - 6D Kits

Includes (1) Drill and (10) Inside Inserts and (10) Outside Inserts

Choose Your Drill Size and 1 of 2 Insert Combinations

FREE **Next Day Drop Shipping**
See Page 3

Pick 1 Drill Body Part Number	Cutting Dia.	Shank Dia.	Pick 1 of 2 Combinations for Inside and Outside Inserts GM KIT for General Purpose / SM KIT for Stainless Steel				Kit Part Number (Use when Ordering)	U.S. Kit Price
			Inside Edge Insert	Insert Grade	Outside Edge Insert	Insert Grade		
S075-DRV0500-6-03	0.500"	0.750"	LCMT030205-GM-I	PR1535	LCMT030203-GM-E	CA520D	S075DRV0500603 GM KIT	\$470.00
			LCMT030205-SM-I	PR1535	LCMT030203-SM-E	PR1225	S075DRV0500603 SM KIT	
S075-DRV0562-6-04	0.562"	0.750"	SCMT040209-GM-I	PR1535	SCMT040205-GM-E	CA520D	S075DRV0562604 GM KIT	\$490.00
			SCMT040209-SM-I	PR1535	SCMT040205-SM-E	PR1225	S075DRV0562604 SM KIT	
S075-DRV0625-6-05	0.625"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0625605 GM KIT	\$490.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0625605 SM KIT	
S075-DRV0656-6-05	0.656"	0.750"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S075DRV0656605 GM KIT	\$490.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S075DRV0656605 SM KIT	
S100-DRV0688-6-05	0.688"	1.000"	SCMT050210-GM-I	PR1535	SCMT050205-GM-E	CA520D	S100DRV0688605 GM KIT	\$490.00
			SCMT050210-SM-I	PR1535	SCMT050205-SM-E	PR1225	S100DRV0688605 SM KIT	
S100-DRV0750-6-06	0.750"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0750606 GM KIT	\$490.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0750606 SM KIT	
S100-DRV0812-6-06	0.812"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0812606 GM KIT	\$490.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0812606 SM KIT	
S100-DRV0875-6-06	0.875"	1.000"	SCMT060210-GM-I	PR1535	SCMT060205-GM-E	CA520D	S100DRV0875606 GM KIT	\$490.00
			SCMT060210-SM-I	PR1535	SCMT060205-SM-E	PR1225	S100DRV0875606 SM KIT	
S100-DRV0938-6-07	0.938"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0938607 GM KIT	\$520.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0938607 SM KIT	
S100-DRV0984-6-07	0.984"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV0984607 GM KIT	\$520.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV0984607 SM KIT	
S100-DRV1000-6-07	1.000"	1.000"	SCMT070310-GM-I	PR1535	SCMT070305-GM-E	CA520D	S100DRV1000607 GM KIT	\$520.00
			SCMT070310-SM-I	PR1535	SCMT070305-SM-E	PR1225	S100DRV1000607 SM KIT	
S125-DRV1062-6-09	1.062"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1062609 GM KIT	\$600.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1062609 SM KIT	
S125-DRV1125-6-09	1.125"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1125609 GM KIT	\$600.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1125609 SM KIT	
S125-DRV1188-6-09	1.188"	1.250"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S125DRV1188609 GM KIT	\$600.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S125DRV1188609 SM KIT	
S150-DRV1250-6-09	1.250"	1.500"	SCMT090410-GM-I	PR1535	SCMT090405-GM-E	CA520D	S150DRV1250609 GM KIT	\$600.00
			SCMT090410-SM-I	PR1535	SCMT090405-SM-E	PR1225	S150DRV1250609 SM KIT	
S150-DRV1312-6-11	1.312"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1312611 GM KIT	\$670.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1312611 SM KIT	
S150-DRV1375-6-11	1.375"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1375611 GM KIT	\$670.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1375611 SM KIT	
S150-DRV1438-6-11	1.438"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1438611 GM KIT	\$670.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1438611 SM KIT	
S150-DRV1500-6-11	1.500"	1.500"	SCMT110410-GM-I	PR1535	SCMT110406-GM-E	CA520D	S150DRV1500611 GM KIT	\$670.00
			SCMT110410-SM-I	PR1535	SCMT110406-SM-E	PR1225	S150DRV1500611 SM KIT	

Estimated Cutting Tolerance (6D)

Applicable Insert Information Page 19

ØDc	Estimated Cutting Tolerance (in)
Ø0.500" - Ø1.500"	+0.018 0

These values are estimates.
These values may change due to
machine, workpiece, clamping power,
and cutting conditions

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

DRV Inserts

Choose (10) Inserts for the Outside Edge and (10) Inserts for the Inside Edge

Usage Classification								☆	★	★
★ : 1st Recommendation (High Speed and Highly Efficient Machining) ☆ : 2nd Recommendation (Stable Machining Oriented)				P	Carbon Steel / Alloy Steel			☆	★	★
					Tool Steel			☆	★	★
				M	Stainless Steel			☆	★	★
				K	Cast Iron			☆		★
Insert	Insert Pocket	Part Number	Dimensions (in)				Angle	MEGACOAT	CVD Coated Carbide	MEGACOAT NANO
			IC W1/INSL	S	D1	RE	AN	PR1225	CA520D	PR1535
 General Purpose	Outer Edge	LCMT 030203-GM-E	0.173/0.218	0.079	0.091	0.012	7°		●	
		SCMT 040205-GM-E	0.189	0.087	0.094	0.020			●	
		050205-GM-E	0.207	0.102	0.094	0.020			●	
		060205-GM-E	0.252	0.110	0.114	0.020			●	
		070305-GM-E	0.301	0.126	0.138	0.020			●	
		090405-GM-E	0.358	0.161	0.157	0.020			●	
		110406-GM-E	0.433	0.177	0.181	0.024			●	
		LCMT 030203-SM-E	0.173/0.218	0.079	0.091	0.012	7°	●		
		SCMT 040205-SM-E	0.189	0.087	0.094	0.020		●		
		050205-SM-E	0.207	0.102	0.094	0.020		●		
 Stainless Steel	Outer Edge	060205-SM-E	0.252	0.110	0.114	0.020		●		
		070305-SM-E	0.301	0.126	0.138	0.020		●		
		090405-SM-E	0.358	0.161	0.157	0.020		●		
		110406-SM-E	0.433	0.177	0.181	0.024		●		
 General Purpose	Inner Edge	LCMT 030205-GM-I	0.164/0.221	0.079	0.091	0.020	7°			●
		SCMT 040209-GM-I	0.197	0.087	0.094	0.035				●
		050210-GM-I	0.224	0.102	0.094	0.039				●
		060210-GM-I	0.272	0.110	0.114	0.039				●
		070310-GM-I	0.323	0.126	0.138	0.039				●
		090410-GM-I	0.386	0.161	0.157	0.039				●
		110410-GM-I	0.469	0.177	0.181	0.039				●
		LCMT 030205-SM-I	0.164/0.221	0.079	0.091	0.020	7°			●
		SCMT 040209-SM-I	0.197	0.087	0.094	0.035				●
		050210-SM-I	0.224	0.102	0.094	0.039				●

-E : Outer Edge Insert

-I : Inner Edge Insert

*LCMT03... is a 2-edge insert

● : Standard Item

Insert Grade Selection Guide

Select CVD for the outer edge when performing high speed and high efficiency drilling and for abrasion resistance and long tool life.

Select PVD MEGACOAT for the outer edge for stable machining and a better surface finish.

PVD MEGACOAT is recommended for the outer edge if chattering occurs, machining with lathe, or if cutting conditions cannot be increased to the recommended speed for CVD.

1st Recommendation

(High Speed and High Efficiency Machining)

Outer Edge : CVD(CA520D)

Inner Edge : PVD (PR1535)



Stable Machining Oriented

(1st Recommendation for Lathe Machining)

Outer Edge : PVD (PR1225)

Inner Edge : PVD (PR1535)



KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

FREE

KYOCERA PARING KNIFE

with DRV Test Report Submission

REVOLUTION 3" CERAMIC PARING KNIFE

A versatile must-have tool in the kitchen, the Revolution 3" paring knife features a non-beveled, ultra-sharp zirconia narrow blade with a pointed tip. The ergonomic handle provides knuckle clearance and precise control for small cutting tasks including trimming and peeling.

Submit a DRV Magic Drill Test Report and we'll send you one of Kyocera's popular ceramic paring knives FREE!

- Qualifying test reports will be accepted from January 1, 2020 - June 30, 2020
- All test reports will be verified and must include required information to qualify
- Knives will be shipped to the address provided upon verification



All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

DRV Test Report Form

Fill out online at: www.kyoceraprecisiontools.com/drv/test



KYOCERA Precision Tools, Inc.

General Information					
First Name*		Last Name*		Company*	
Address 1*		Address 2 (Optional)		City*	State* Zip Code*
Phone*		Email*		Distributor*	
Test Report Details					
DRV PO Number*		Test Purpose* (Improve Productivity / Tool Life / Chip Control / Cost / Other)			
Industry*		Workpiece Part Name*		Workpiece Material*	
Hardness (Optional)		Tool Life Criteria (Optional)			
Machine Type (Optional)		Machine Model (Optional)		Spindle / Chuck Size (Optional)	Machine Hourly Rate (Optional)
Competitor Test Details			Kyocera Test Details		
Manufacturer Name*			Kyocera Product Name*		
Competitor Drill Part Number*			Kyocera Drill Part Number*		
Competitor Inboard Insert Part Number*		Competitor Outboard Insert Part Number*		Kyocera Inboard Insert Part Number*	Kyocera Outboard Insert Part Number*
Inboard Insert Grade*		Outboard Insert Grade*		Inboard Insert Grade*	Outboard Insert Grade*
No. of Flutes/Tool*	No. of Inserts/Tool (Optional)	No. of Edges/Insert (Optional)	No. of Flutes/Tool*	No. of Inserts/Tool (Optional)	No. of Edges/Insert (Optional)
Speed (Vc)*	D.O.C. (ap)*	Coolant (Flood or Thru)*	Speed (Vc)*	D.O.C. (ap)*	Coolant (Flood or Thru)*
Drill Price (Optional)		Insert Price (Optional)		Drill Price (Optional)	
Tool Life 1 (Pcs/Edge)*		Tool Life 2 (Min/Edge) (Optional)		Machining Time/Part (Optional)	
Tool Life 1 (Pcs/Edge)*		Tool Life 2 (Min/Edge) (Optional)		Machining Time/Part (Optional)	
Results					
Test Results (Success / Fail / Equal / Other)*					
Reason (Productivity / Tool Life / Chip Control / Cost / Other)*					

Please submit completed test reports along with any photographs to:
cuttingtools@kyocera.com

- Required fields are marked with a (*)
- Qualifying test reports will be accepted from January 1, 2020 - June 30, 2020
- All test reports will be verified and must include required information to qualify
- Knives will be shipped to the address provided upon verification



KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com



DRA Magic Drill Kits

High Efficiency and Low Cutting Force Modular Drill

Excellent Hole Accuracy


S-curve reduces thrust force and controls vibration

Fine Chip Breaking Even in Deep Hole Drilling Applications

Optimized chip thinning for stable chip evacuation

Long Tool Life and Stable Machining of Various Workpieces

MEGACOAT NANO grade PR1535 is used to machine various materials from steel to stainless steel




1


Low Cutting Force Design Improves Hole Accuracy

The special chisel edge with S-curve reduces thrust force and controls vibration.

Cutting Edge Image



DRA




Standard Drill

2


Optimal Web Thickness Limits Deflection

The hole accuracy is improved by controlling drill deflection with a 20% thicker web compared with Competitor A.

Web Thickness Comparison




DRA



Competitor A

Low Cutting Force Comparison


(In-house Evaluation)



Cutting Conditions: $V_c = 390 \text{sfm}$, $f = 0.010 \text{ipr}$,
Drilling Diameter $\varnothing 0.551"$, Drilling Depth 1.772", Wet

Roundness · Cylindricity Comparison

(In-house Evaluation)





Cutting Conditions: $V_c = 390 \text{sfm}$, $f = 0.012 \text{ipr}$,
Drilling Diameter $\varnothing 0.551"$, Measurement Position 2.165", Wet Workpiece: 1049 Steel

3 Fine Chip Breaking Even in Deep Hole Drilling Applications

Optimized chip thinning for stable chip evacuation

Support groove with wider flute (5D, 8D) enables smooth chip evacuation

Chip Comparison
(Internal Evaluation)



HIGH-SPEED MILLING




DRILLING

TURNING

GROOVING & CUT-OFF

4 Easy Insert Replacement

Replace insert without removing screw




5 Long Tool Life and Stable Machining of Various Workpieces

MEGACOAT NANO grade PR1535 is used to machine various materials from steel to stainless steel, with the combination of a tough substrate and a special nano layer coating


1st Recommendation

Steel	Cast Iron
PR1535	PR1525

Coating Properties



Wear Resistance Comparison
(Internal Evaluation)



Cutting Conditions : $V_c = 330$ sfm, $f = 0.010$ ipr,
Cutting Diameter 0.551", Drilling Depth 1.772", Wet
Workpiece: 4140H

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

1.5D

DRA 1.5D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0375-DRA080M-1.5	0.313	7.94	0.375	2.608	0.504	1.575	080	DA0794M-GM	PR1535	SS0375DRA080M15 KIT1	\$220.00
	0.315	8.00						DA0800M-GM		SS0375DRA080M15 KIT2	
	0.319	8.10						DA0810M-GM		SS0375DRA080M15 KIT3	
	0.322	8.18						DA0818M-GM		SS0375DRA080M15 KIT4	
	0.323	8.20						DA0820M-GM		SS0375DRA080M15 KIT5	
	0.327	8.30						DA0830M-GM		SS0375DRA080M15 KIT6	
	0.331	8.40						DA0840M-GM		SS0375DRA080M15 KIT7	
	SS0375-DRA085M-1.5	0.335						8.50		0.375	
0.339		8.60	DA0860M-GM	SS0375DRA085M15 KIT2							
0.343		8.70	DA0870M-GM	SS0375DRA085M15 KIT3							
0.346		8.80	DA0880M-GM	SS0375DRA085M15 KIT4							
0.350		8.90	DA0890M-GM	SS0375DRA085M15 KIT5							
SS0375-DRA090M-1.5		0.354	9.00	0.375	2.707	0.563	1.575	090	DA0900M-GM		PR1535
	0.358	9.10	DA0910M-GM						SS0375DRA090M15 KIT2		
	0.362	9.20	DA0920M-GM						SS0375DRA090M15 KIT3		
	0.366	9.30	DA0930M-GM						SS0375DRA090M15 KIT4		
	0.370	9.40	DA0940M-GM						SS0375DRA090M15 KIT5		
	SS0500-DRA095M-1.5	0.374	9.50						0.500	2.953	
0.375		9.53	DA0953M-GM	SS0500DRA095M15 KIT2							
0.378		9.60	DA0960M-GM	SS0500DRA095M15 KIT3							
0.382		9.70	DA0970M-GM	SS0500DRA095M15 KIT4							
0.386		9.80	DA0980M-GM	SS0500DRA095M15 KIT5							
0.390		9.90	DA0990M-GM	SS0500DRA095M15 KIT6							
SS0500-DRA100M-1.5	0.394	10.00	0.500	3.002	0.622	1.772	100	DA1000M-GM	PR1535	SS0500DRA100M15 KIT1	\$220.00
	0.398	10.10						DA1010M-GM		SS0500DRA100M15 KIT2	
	0.402	10.20						DA1020M-GM		SS0500DRA100M15 KIT3	
	0.406	10.30						DA1030M-GM		SS0500DRA100M15 KIT4	
	0.409	10.40						DA1040M-GM		SS0500DRA100M15 KIT5	
	SS0500-DRA105M-1.5	0.413						10.50		0.500	
0.417		10.60	DA1060M-GM	SS0500DRA105M15 KIT2							
0.421		10.70	DA1070M-GM	SS0500DRA105M15 KIT3							
0.422		10.72	DA1072M-GM	SS0500DRA105M15 KIT4							
0.425		10.80	DA1080M-GM	SS0500DRA105M15 KIT5							
0.429		10.90	DA1090M-GM	SS0500DRA105M15 KIT6							
SS0500-DRA110M-1.5		0.433	11.00	0.500	3.140	0.681	1.772	110	DA1100M-GM		PR1535
	0.437	11.10	DA1110M-GM						SS0500DRA110M15 KIT2		
	0.441	11.20	DA1120M-GM						SS0500DRA110M15 KIT3		
	0.445	11.30	DA1130M-GM						SS0500DRA110M15 KIT4		
	0.449	11.40	DA1140M-GM						SS0500DRA110M15 KIT5		

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

1.5D

DRA 1.5D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

 See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0500-DRA115M-1.5	0.453	11.50	0.500	3.189	0.709	1.772	115	DA1150M-GM	PR1535	SS0500DRA115M15 KIT1	\$230.00
	0.457	11.60						DA1160M-GM		SS0500DRA115M15 KIT2	
	0.461	11.70						DA1170M-GM		SS0500DRA115M15 KIT3	
	0.465	11.80						DA1180M-GM		SS0500DRA115M15 KIT4	
	0.469	11.90						DA1190M-GM		SS0500DRA115M15 KIT5	
SS0625-DRA120M-1.5	0.472	12.00	0.625	3.356	0.740	1.890	120	DA1200M-GM	PR1535	SS0625DRA120M15 KIT1	\$230.00
	0.476	12.10						DA1210M-GM		SS0625DRA120M15 KIT2	
	0.480	12.20						DA1220M-GM		SS0625DRA120M15 KIT3	
	0.484	12.30						DA1230M-GM		SS0625DRA120M15 KIT4	
	0.488	12.40						DA1240M-GM		SS0625DRA120M15 KIT5	
SS0625-DRA125M-1.5	0.492	12.50	0.625	3.406	0.768	1.890	125	DA1250M-GM	PR1535	SS0625DRA125M15 KIT1	\$230.00
	0.496	12.60						DA1260M-GM		SS0625DRA125M15 KIT2	
	0.500	12.70						DA1270M-GM		SS0625DRA125M15 KIT3	
	0.504	12.80						DA1280M-GM		SS0625DRA125M15 KIT4	
	0.508	12.90						DA1290M-GM		SS0625DRA125M15 KIT5	
SS0625-DRA130M-1.5	0.512	13.00	0.625	3.455	0.799	1.890	130	DA1300M-GM	PR1535	SS0625DRA130M15 KIT1	\$230.00
	0.516	13.10						DA1310M-GM		SS0625DRA130M15 KIT2	
	0.520	13.20						DA1320M-GM		SS0625DRA130M15 KIT3	
	0.524	13.30						DA1330M-GM		SS0625DRA130M15 KIT4	
	0.528	13.40						DA1340M-GM		SS0625DRA130M15 KIT5	
SS0625-DRA135M-1.5	0.531	13.50	0.625	3.504	0.827	1.890	135	DA1350M-GM	PR1535	SS0625DRA135M15 KIT1	\$230.00
	0.535	13.60						DA1360M-GM		SS0625DRA135M15 KIT2	
	0.539	13.70						DA1370M-GM		SS0625DRA135M15 KIT3	
	0.543	13.80						DA1380M-GM		SS0625DRA135M15 KIT4	
	0.547	13.90						DA1390M-GM		SS0625DRA135M15 KIT5	
SS0625-DRA140M-1.5	0.551	14.00	0.625	3.553	0.858	1.890	140	DA1400M-GM	PR1535	SS0625DRA140M15 KIT1	\$230.00
	0.555	14.10						DA1410M-GM		SS0625DRA140M15 KIT2	
	0.559	14.20						DA1420M-GM		SS0625DRA140M15 KIT3	
	0.563	14.30						DA1430M-GM		SS0625DRA140M15 KIT4	
	0.567	14.40						DA1440M-GM		SS0625DRA140M15 KIT5	
SS0625-DRA145M-1.5	0.571	14.50	0.625	3.602	0.886	1.890	145	DA1450M-GM	PR1535	SS0625DRA145M15 KIT1	\$230.00
	0.575	14.60						DA1460M-GM		SS0625DRA145M15 KIT2	
	0.578	14.68						DA1468M-GM		SS0625DRA145M15 KIT3	
	0.579	14.70						DA1470M-GM		SS0625DRA145M15 KIT4	
	0.583	14.80						DA1480M-GM		SS0625DRA145M15 KIT5	
	0.590	14.90						DA1490M-GM		SS0625DRA145M15 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

1.5D

DRA 1.5D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0625-DRA150M-1.5	0.591	15.00	0.625	3.740	0.917	1.890	150	DA1500M-GM	PR1535	SS0625DRA150M15 KIT1	\$240.00
	0.594	15.10						DA1510M-GM		SS0625DRA150M15 KIT2	
	0.598	15.20						DA1520M-GM		SS0625DRA150M15 KIT3	
	0.602	15.30						DA1530M-GM		SS0625DRA150M15 KIT4	
	0.606	15.40						DA1540M-GM		SS0625DRA150M15 KIT5	
	0.610	15.50						DA1550M-GM		SS0625DRA150M15 KIT6	
	0.614	15.60						DA1560M-GM		SS0625DRA150M15 KIT7	
	0.618	15.70						DA1570M-GM		SS0625DRA150M15 KIT8	
	0.622	15.80						DA1580M-GM		SS0625DRA150M15 KIT9	
	0.625	15.88						DA1588M-GM		SS0625DRA150M15 KIT10	
	0.626	15.90						DA1590M-GM		SS0625DRA150M15 KIT11	
	SS0750-DRA160M-1.5	0.630						16.00		0.750	
0.634		16.10	DA1610M-GM	SS0750DRA160M15 KIT2							
0.638		16.20	DA1620M-GM	SS0750DRA160M15 KIT3							
0.642		16.30	DA1630M-GM	SS0750DRA160M15 KIT4							
0.646		16.40	DA1640M-GM	SS0750DRA160M15 KIT5							
0.650		16.50	DA1650M-GM	SS0750DRA160M15 KIT6							
0.654		16.60	DA1660M-GM	SS0750DRA160M15 KIT7							
0.656		16.67	DA1667M-GM	SS0750DRA160M15 KIT8							
0.657		16.70	DA1670M-GM	SS0750DRA160M15 KIT9							
0.661		16.80	DA1680M-GM	SS0750DRA160M15 KIT10							
0.665		16.90	DA1690M-GM	SS0750DRA160M15 KIT11							
SS0750-DRA170M-1.5		0.669	17.00	0.750	4.055	1.035	1.969	170	DA1700M-GM		PR1535
	0.673	17.10	DA1710M-GM						SS0750DRA170M15 KIT2		
	0.677	17.20	DA1720M-GM						SS0750DRA170M15 KIT3		
	0.681	17.30	DA1730M-GM						SS0750DRA170M15 KIT4		
	0.685	17.40	DA1740M-GM						SS0750DRA170M15 KIT5		
	0.687	17.46	DA1746M-GM						SS0750DRA170M15 KIT6		
	0.689	17.50	DA1750M-GM						SS0750DRA170M15 KIT7		
	0.693	17.60	DA1760M-GM						SS0750DRA170M15 KIT8		
	0.697	17.70	DA1770M-GM						SS0750DRA170M15 KIT9		
	0.701	17.80	DA1780M-GM						SS0750DRA170M15 KIT10		
	0.705	17.90	DA1790M-GM						SS0750DRA170M15 KIT11		
	SS0750-DRA180M-1.5	0.709	18.00						0.750	4.193	
0.713		18.10	DA1810M-GM	SS0750DRA180M15 KIT2							
0.717		18.20	DA1820M-GM	SS0750DRA180M15 KIT3							
0.720		18.30	DA1830M-GM	SS0750DRA180M15 KIT4							
0.724		18.40	DA1840M-GM	SS0750DRA180M15 KIT5							
0.728		18.50	DA1850M-GM	SS0750DRA180M15 KIT6							
0.732		18.60	DA1860M-GM	SS0750DRA180M15 KIT7							
0.736		18.70	DA1870M-GM	SS0750DRA180M15 KIT8							
0.740		18.80	DA1880M-GM	SS0750DRA180M15 KIT9							
0.744		18.90	DA1890M-GM	SS0750DRA180M15 KIT10							

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

1.5D

DRA 1.5D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS1000-DRA190M-1.5	0.748	19.00	1.000	4.528	1.154	2.205	190	DA1900M-GM	PR1535	SS1000DRA190M15 KIT1	\$280.00
	0.750	19.05						DA1905M-GM		SS1000DRA190M15 KIT2	
	0.752	19.10						DA1910M-GM		SS1000DRA190M15 KIT3	
	0.756	19.20						DA1920M-GM		SS1000DRA190M15 KIT4	
	0.760	19.30						DA1930M-GM		SS1000DRA190M15 KIT5	
	0.764	19.40						DA1940M-GM		SS1000DRA190M15 KIT6	
	0.768	19.50						DA1950M-GM		SS1000DRA190M15 KIT7	
	0.772	19.60						DA1960M-GM		SS1000DRA190M15 KIT8	
	0.776	19.70						DA1970M-GM		SS1000DRA190M15 KIT9	
	0.780	19.80						DA1980M-GM		SS1000DRA190M15 KIT10	
	0.783	19.90						DA1990M-GM		SS1000DRA190M15 KIT11	
SS1000-DRA200M-1.5	0.787	20.00	1.000	4.626	1.213	2.205	200	DA2000M-GM	PR1535	SS1000DRA200M15 KIT1	\$330.00
	0.791	20.10						DA2010M-GM		SS1000DRA200M15 KIT2	
	0.795	20.20						DA2020M-GM		SS1000DRA200M15 KIT3	
	0.799	20.30						DA2030M-GM		SS1000DRA200M15 KIT4	
	0.803	20.40						DA2040M-GM		SS1000DRA200M15 KIT5	
	0.807	20.50						DA2050M-GM		SS1000DRA200M15 KIT6	
	0.811	20.60						DA2060M-GM		SS1000DRA200M15 KIT7	
	0.813	20.64						DA2064M-GM		SS1000DRA200M15 KIT8	
	0.815	20.70						DA2070M-GM		SS1000DRA200M15 KIT9	
	0.819	20.80						DA2080M-GM		SS1000DRA200M15 KIT10	
	0.823	20.90						DA2090M-GM		SS1000DRA200M15 KIT11	
SS1000-DRA210M-1.5	0.827	21.00	1.000	4.724	1.272	2.205	210	DA2100M-GM	PR1535	SS1000DRA210M15 KIT1	\$330.00
	0.846	21.50						DA2150M-GM		SS1000DRA210M15 KIT2	
SS1000-DRA220M-1.5	0.866	22.00	1.000	4.862	1.331	2.205	220	DA2200M-GM	PR1535	SS1000DRA220M15 KIT1	\$330.00
	0.875	22.23						DA2223M-GM		SS1000DRA220M15 KIT2	
	0.886	22.50						DA2250M-GM		SS1000DRA220M15 KIT3	
SS1000-DRA230M-1.5	0.906	23.00	1.000	4.961	1.390	2.205	230	DA2300M-GM	PR1535	SS1000DRA230M15 KIT1	\$350.00
	0.925	23.50						DA2350M-GM		SS1000DRA230M15 KIT2	
	0.937	23.81						DA2381M-GM		SS1000DRA230M15 KIT3	
SS1000-DRA240M-1.5	0.945	24.00	1.000	5.059	1.449	2.205	240	DA2400M-GM	PR1535	SS1000DRA240M15 KIT1	\$360.00
	0.965	24.50						DA2450M-GM		SS1000DRA240M15 KIT2	
SS1000-DRA250M-1.5	0.984	25.00	1.000	5.157	1.508	2.205	250	DA2500M-GM	PR1535	SS1000DRA250M15 KIT1	\$390.00
	1.000	25.40						DA2540M-GM		SS1000DRA250M15 KIT2	
	1.004	25.50						DA2550M-GM		SS1000DRA250M15 KIT3	

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

1.5D

DRA 1.5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0500-DRA080M-1.5	0.313	7.94	0.500	2.805	1.033	0.504	1.772	0.630	080	DA0794M-GM	PR1535	SF0500DRA080M15 KIT1	\$220.00
	0.315	8.00								DA0800M-GM		SF0500DRA080M15 KIT2	
	0.319	8.10								DA0810M-GM		SF0500DRA080M15 KIT3	
	0.322	8.18								DA0818M-GM		SF0500DRA080M15 KIT4	
	0.323	8.20								DA0820M-GM		SF0500DRA080M15 KIT5	
	0.327	8.30								DA0830M-GM		SF0500DRA080M15 KIT6	
	0.331	8.40								DA0840M-GM		SF0500DRA080M15 KIT7	
	SF0500-DRA085M-1.5	0.335								8.50		0.500	
0.339		8.60	DA0860M-GM	SF0500DRA085M15 KIT2									
0.343		8.70	DA0870M-GM	SF0500DRA085M15 KIT3									
0.346		8.80	DA0880M-GM	SF0500DRA085M15 KIT4									
0.350		8.90	DA0890M-GM	SF0500DRA085M15 KIT5									
SF0500-DRA090M-1.5		0.354	9.00	0.500	2.904	1.132	0.563	1.772	0.630	090	DA0900M-GM		PR1535
	0.358	9.10	DA0910M-GM								SF0500DRA090M15 KIT2		
	0.362	9.20	DA0920M-GM								SF0500DRA090M15 KIT3		
	0.366	9.30	DA0930M-GM								SF0500DRA090M15 KIT4		
	0.370	9.40	DA0940M-GM								SF0500DRA090M15 KIT5		
	SF0500-DRA095M-1.5	0.374	9.50								0.500	2.953	
0.375		9.53	DA0953M-GM	SF0500DRA095M15 KIT2									
0.378		9.60	DA0960M-GM	SF0500DRA095M15 KIT3									
0.382		9.70	DA0970M-GM	SF0500DRA095M15 KIT4									
0.386		9.80	DA0980M-GM	SF0500DRA095M15 KIT5									
0.390		9.90	DA0990M-GM	SF0500DRA095M15 KIT6									
SF0625-DRA100M-1.5		0.394	10.00	0.625	3.120	1.230	0.622	1.890	0.787	100			DA1000M-GM
	0.398	10.10	DA1010M-GM								SF0625DRA100M15 KIT2		
	0.402	10.20	DA1020M-GM								SF0625DRA100M15 KIT3		
	0.406	10.30	DA1030M-GM								SF0625DRA100M15 KIT4		
	0.409	10.40	DA1040M-GM								SF0625DRA100M15 KIT5		
	SF0625-DRA105M-1.5	0.413	10.50								0.625	3.169	1.280
0.417		10.60	DA1060M-GM	SF0625DRA105M15 KIT2									
0.421		10.70	DA1070M-GM	SF0625DRA105M15 KIT3									
0.422		10.72	DA1072M-GM	SF0625DRA105M15 KIT4									
0.425		10.80	DA1080M-GM	SF0625DRA105M15 KIT5									
0.429		10.90	DA1090M-GM	SF0625DRA105M15 KIT6									
SF0625-DRA110M-1.5		0.433	11.00	0.625	3.258	1.368	0.681	1.890	0.787	110			
	0.437	11.10	DA1110M-GM								SF0625DRA110M15 KIT2		
	0.441	11.20	DA1120M-GM								SF0625DRA110M15 KIT3		
	0.445	11.30	DA1130M-GM								SF0625DRA110M15 KIT4		
	0.449	11.40	DA1140M-GM								SF0625DRA110M15 KIT5		

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

1.5D

DRA 1.5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0625-DRA115M-1.5	0.453	11.50	0.625	3.307	1.417	0.709	1.890	0.787	115	DA1150M-GM	PR1535	SF0625DRA115M15 KIT1	\$230.00
	0.457	11.60								DA1160M-GM		SF0625DRA115M15 KIT2	
	0.461	11.70								DA1170M-GM		SF0625DRA115M15 KIT3	
	0.465	11.80								DA1180M-GM		SF0625DRA115M15 KIT4	
	0.469	11.90								DA1190M-GM		SF0625DRA115M15 KIT5	
SF0625-DRA120M-1.5	0.472	12.00	0.625	3.356	1.467	0.740	1.890	0.787	120	DA1200M-GM	PR1535	SF0625DRA120M15 KIT1	\$230.00
	0.476	12.10								DA1210M-GM		SF0625DRA120M15 KIT2	
	0.480	12.20								DA1220M-GM		SF0625DRA120M15 KIT3	
	0.484	12.30								DA1230M-GM		SF0625DRA120M15 KIT4	
	0.488	12.40								DA1240M-GM		SF0625DRA120M15 KIT5	
SF0625-DRA125M-1.5	0.492	12.50	0.625	3.406	1.516	0.768	1.890	0.787	125	DA1250M-GM	PR1535	SF0625DRA125M15 KIT1	\$230.00
	0.496	12.60								DA1260M-GM		SF0625DRA125M15 KIT2	
	0.500	12.70								DA1270M-GM		SF0625DRA125M15 KIT3	
	0.504	12.80								DA1280M-GM		SF0625DRA125M15 KIT4	
	0.508	12.90								DA1290M-GM		SF0625DRA125M15 KIT5	
SF0625-DRA130M-1.5	0.512	13.00	0.625	3.455	1.565	0.799	1.890	0.787	130	DA1300M-GM	PR1535	SF0625DRA130M15 KIT1	\$230.00
	0.516	13.10								DA1310M-GM		SF0625DRA130M15 KIT2	
	0.520	13.20								DA1320M-GM		SF0625DRA130M15 KIT3	
	0.524	13.30								DA1330M-GM		SF0625DRA130M15 KIT4	
	0.528	13.40								DA1340M-GM		SF0625DRA130M15 KIT5	
SF0625-DRA135M-1.5	0.531	13.50	0.625	3.504	1.614	0.827	1.890	0.787	135	DA1350M-GM	PR1535	SF0625DRA135M15 KIT1	\$230.00
	0.535	13.60								DA1360M-GM		SF0625DRA135M15 KIT2	
	0.539	13.70								DA1370M-GM		SF0625DRA135M15 KIT3	
	0.543	13.80								DA1380M-GM		SF0625DRA135M15 KIT4	
	0.547	13.90								DA1390M-GM		SF0625DRA135M15 KIT5	
SF0625-DRA140M-1.5	0.551	14.00	0.625	3.553	1.663	0.858	1.890	0.787	140	DA1400M-GM	PR1535	SF0625DRA140M15 KIT1	\$230.00
	0.555	14.10								DA1410M-GM		SF0625DRA140M15 KIT2	
	0.559	14.20								DA1420M-GM		SF0625DRA140M15 KIT3	
	0.563	14.30								DA1430M-GM		SF0625DRA140M15 KIT4	
	0.567	14.40								DA1440M-GM		SF0625DRA140M15 KIT5	
SF0625-DRA145M-1.5	0.571	14.50	0.625	3.602	1.713	0.886	1.890	0.787	145	DA1450M-GM	PR1535	SF0625DRA145M15 KIT1	\$230.00
	0.575	14.60								DA1460M-GM		SF0625DRA145M15 KIT2	
	0.578	14.68								DA1468M-GM		SF0625DRA145M15 KIT3	
	0.579	14.70								DA1470M-GM		SF0625DRA145M15 KIT4	
	0.583	14.80								DA1480M-GM		SF0625DRA145M15 KIT5	
	0.590	14.90								DA1490M-GM		SF0625DRA145M15 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

1.5D

DRA 1.5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0750-DRA150M-1.5	0.591	15.00	0.750	3.819	1.850	0.917	1.969	0.984	150	PR1535	DA1500M-GM	SF0750DRA150M15 KIT1	\$240.00
	0.594	15.10									DA1510M-GM	SF0750DRA150M15 KIT2	
	0.598	15.20									DA1520M-GM	SF0750DRA150M15 KIT3	
	0.602	15.30									DA1530M-GM	SF0750DRA150M15 KIT4	
	0.606	15.40									DA1540M-GM	SF0750DRA150M15 KIT5	
	0.610	15.50									DA1550M-GM	SF0750DRA150M15 KIT6	
	0.614	15.60									DA1560M-GM	SF0750DRA150M15 KIT7	
	0.618	15.70									DA1570M-GM	SF0750DRA150M15 KIT8	
	0.622	15.80									DA1580M-GM	SF0750DRA150M15 KIT9	
	0.625	15.88									DA1588M-GM	SF0750DRA150M15 KIT10	
	0.626	15.90									DA1590M-GM	SF0750DRA150M15 KIT11	
	SF0750-DRA160M-1.5	0.630									16.00	0.750	
0.634		16.10	DA1610M-GM	SF0750DRA160M15 KIT2									
0.638		16.20	DA1620M-GM	SF0750DRA160M15 KIT3									
0.642		16.30	DA1630M-GM	SF0750DRA160M15 KIT4									
0.646		16.40	DA1640M-GM	SF0750DRA160M15 KIT5									
0.650		16.50	DA1650M-GM	SF0750DRA160M15 KIT6									
0.654		16.60	DA1660M-GM	SF0750DRA160M15 KIT7									
0.656		16.67	DA1667M-GM	SF0750DRA160M15 KIT8									
0.657		16.70	DA1670M-GM	SF0750DRA160M15 KIT9									
0.661		16.80	DA1680M-GM	SF0750DRA160M15 KIT10									
0.665		16.90	DA1690M-GM	SF0750DRA160M15 KIT11									
SF0750-DRA170M-1.5		0.669	17.00	0.750	4.055	2.087	1.035	1.969	0.984	170	PR1535		DA1700M-GM
	0.673	17.10	DA1710M-GM									SF0750DRA170M15 KIT2	
	0.677	17.20	DA1720M-GM									SF0750DRA170M15 KIT3	
	0.681	17.30	DA1730M-GM									SF0750DRA170M15 KIT4	
	0.685	17.40	DA1740M-GM									SF0750DRA170M15 KIT5	
	0.687	17.46	DA1746M-GM									SF0750DRA170M15 KIT6	
	0.689	17.50	DA1750M-GM									SF0750DRA170M15 KIT7	
	0.693	17.60	DA1760M-GM									SF0750DRA170M15 KIT8	
	0.697	17.70	DA1770M-GM									SF0750DRA170M15 KIT9	
	0.701	17.80	DA1780M-GM									SF0750DRA170M15 KIT10	
	0.705	17.90	DA1790M-GM									SF0750DRA170M15 KIT11	
	SF0750-DRA180M-1.5	0.709	18.00									0.750	4.193
0.713		18.10	DA1810M-GM	SF0750DRA180M15 KIT2									
0.717		18.20	DA1820M-GM	SF0750DRA180M15 KIT3									
0.720		18.30	DA1830M-GM	SF0750DRA180M15 KIT4									
0.724		18.40	DA1840M-GM	SF0750DRA180M15 KIT5									
0.728		18.50	DA1850M-GM	SF0750DRA180M15 KIT6									
0.732		18.60	DA1860M-GM	SF0750DRA180M15 KIT7									
0.736		18.70	DA1870M-GM	SF0750DRA180M15 KIT8									
0.740		18.80	DA1880M-GM	SF0750DRA180M15 KIT9									
0.744		18.90	DA1890M-GM	SF0750DRA180M15 KIT10									

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

1.5D

DRA 1.5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC	DC	DCON	OAL	LFS	LU	LS					
	in	mm	(h6)									
SF0750-DRA190M-1.5	0.748	19.00							DA1900M-GM	PR1535	SF0750DRA190M15 KIT1	\$280.00
	0.750	19.05							DA1905M-GM		SF0750DRA190M15 KIT2	
	0.752	19.10							DA1910M-GM		SF0750DRA190M15 KIT3	
	0.756	19.20							DA1920M-GM		SF0750DRA190M15 KIT4	
	0.760	19.30							DA1930M-GM		SF0750DRA190M15 KIT5	
	0.764	19.40	0.750	4.291	2.323	1.154	1.969	0.984	190		SF0750DRA190M15 KIT6	
	0.768	19.50							DA1940M-GM		SF0750DRA190M15 KIT7	
	0.772	19.60							DA1950M-GM		SF0750DRA190M15 KIT8	
	0.776	19.70							DA1960M-GM		SF0750DRA190M15 KIT9	
	0.780	19.80							DA1970M-GM		SF0750DRA190M15 KIT10	
	0.783	19.90							DA1980M-GM		SF0750DRA190M15 KIT11	
	0.787	20.00							DA1990M-GM		SF0750DRA190M15 KIT12	
SF1000-DRA200M-1.5	0.791	20.10							DA2000M-GM	PR1535	SF1000DRA200M15 KIT1	\$330.00
	0.795	20.20							DA2010M-GM		SF1000DRA200M15 KIT2	
	0.799	20.30							DA2020M-GM		SF1000DRA200M15 KIT3	
	0.803	20.40							DA2030M-GM		SF1000DRA200M15 KIT4	
	0.807	20.50	1.000	4.626	2.421	1.213	2.205	1.260	200		SF1000DRA200M15 KIT5	
	0.811	20.60							DA2040M-GM		SF1000DRA200M15 KIT6	
	0.813	20.64							DA2050M-GM		SF1000DRA200M15 KIT7	
	0.815	20.70							DA2060M-GM		SF1000DRA200M15 KIT8	
	0.819	20.80							DA2064M-GM		SF1000DRA200M15 KIT9	
	0.823	20.90							DA2070M-GM		SF1000DRA200M15 KIT10	
	0.827	21.00							DA2080M-GM		SF1000DRA200M15 KIT11	
	0.846	21.50							DA2090M-GM		SF1000DRA200M15 KIT12	
SF1000-DRA210M-1.5	0.866	22.00	1.000	4.724	2.520	1.272	2.205	1.260	210	PR1535	SF1000DRA210M15 KIT1	\$330.00
	0.875	22.23							DA2100M-GM		SF1000DRA210M15 KIT2	
SF1000-DRA220M-1.5	0.886	22.50	1.000	4.862	2.657	1.331	2.205	1.260	220	PR1535	SF1000DRA220M15 KIT1	\$330.00
	0.906	23.00							DA2150M-GM		SF1000DRA220M15 KIT2	
SF1000-DRA230M-1.5	0.925	23.50	1.000	4.961	2.756	1.390	2.205	1.260	230	PR1535	SF1000DRA230M15 KIT1	\$350.00
	0.937	23.81							DA2200M-GM		SF1000DRA230M15 KIT2	
	0.945	24.00							DA2223M-GM		SF1000DRA230M15 KIT3	
SF1000-DRA240M-1.5	0.965	24.50	1.000	5.059	2.854	1.449	2.205	1.260	240	PR1535	SF1000DRA240M15 KIT1	\$360.00
	0.984	25.00							DA2250M-GM		SF1000DRA240M15 KIT2	
SF1000-DRA250M-1.5	1.000	25.40	1.000	5.157	2.953	1.508	2.205	1.260	250	PR1535	SF1000DRA250M15 KIT1	\$390.00
	1.004	25.50							DA2300M-GM		SF1000DRA250M15 KIT2	
									DA2350M-GM		SF1000DRA250M15 KIT3	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

3D

DRA 3D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0375-DRA080M-3	0.313	7.94	0.375	3.110	1.004	1.575	080	DA0794M-GM	PR1535	SS0375DRA080M3 KIT1	\$230.00
	0.315	8.00						DA0800M-GM		SS0375DRA080M3 KIT2	
	0.319	8.10						DA0810M-GM		SS0375DRA080M3 KIT3	
	0.322	8.18						DA0818M-GM		SS0375DRA080M3 KIT4	
	0.323	8.20						DA0820M-GM		SS0375DRA080M3 KIT5	
	0.327	8.30						DA0830M-GM		SS0375DRA080M3 KIT6	
	0.331	8.40						DA0840M-GM		SS0375DRA080M3 KIT7	
	SS0375-DRA085M-3	0.335						8.50		0.375	
0.339		8.60	DA0860M-GM	SS0375DRA085M3 KIT2							
0.343		8.70	DA0870M-GM	SS0375DRA085M3 KIT3							
0.346		8.80	DA0880M-GM	SS0375DRA085M3 KIT4							
0.350		8.90	DA0890M-GM	SS0375DRA085M3 KIT5							
SS0375-DRA090M-3		0.354	9.00	0.375	3.268	1.122	1.575	090	DA0900M-GM		PR1535
	0.358	9.10	DA0910M-GM						SS0375DRA090M3 KIT2		
	0.362	9.20	DA0920M-GM						SS0375DRA090M3 KIT3		
	0.366	9.30	DA0930M-GM						SS0375DRA090M3 KIT4		
	0.370	9.40	DA0940M-GM						SS0375DRA090M3 KIT5		
	SS0500-DRA095M-3	0.374	9.50						0.500	3.543	
0.375		9.53	DA0953M-GM	SS0500DRA095M3 KIT2							
0.378		9.60	DA0960M-GM	SS0500DRA095M3 KIT3							
0.382		9.70	DA0970M-GM	SS0500DRA095M3 KIT4							
0.386		9.80	DA0980M-GM	SS0500DRA095M3 KIT5							
0.390		9.90	DA0990M-GM	SS0500DRA095M3 KIT6							
SS0500-DRA100M-3	0.394	10.00	0.500	3.622	1.240	1.772	100	DA1000M-GM	PR1535	SS0500DRA100M3 KIT1	\$230.00
	0.398	10.10						DA1010M-GM		SS0500DRA100M3 KIT2	
	0.402	10.20						DA1020M-GM		SS0500DRA100M3 KIT3	
	0.406	10.30						DA1030M-GM		SS0500DRA100M3 KIT4	
	0.409	10.40						DA1040M-GM		SS0500DRA100M3 KIT5	
SS0500-DRA105M-3	0.413	10.50	0.500	3.701	1.299	1.772	105	DA1050M-GM	PR1535	SS0500DRA105M3 KIT1	\$250.00
	0.417	10.60						DA1060M-GM		SS0500DRA105M3 KIT2	
	0.421	10.70						DA1070M-GM		SS0500DRA105M3 KIT3	
	0.422	10.72						DA1072M-GM		SS0500DRA105M3 KIT4	
	0.425	10.80						DA1080M-GM		SS0500DRA105M3 KIT5	
	0.429	10.90						DA1090M-GM		SS0500DRA105M3 KIT6	
SS0500-DRA110M-3	0.433	11.00	0.500	3.819	1.358	1.772	110	DA1100M-GM	PR1535	SS0500DRA110M3 KIT1	\$250.00
	0.437	11.10						DA1110M-GM		SS0500DRA110M3 KIT2	
	0.441	11.20						DA1120M-GM		SS0500DRA110M3 KIT3	
	0.445	11.30						DA1130M-GM		SS0500DRA110M3 KIT4	
	0.449	11.40						DA1140M-GM		SS0500DRA110M3 KIT5	

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

3D

DRA 3D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0500-DRA115M-3	0.453	11.50	0.500	3.898	1.417	1.772	115	DA1150M-GM	PR1535	SS0500DRA115M3 KIT1	\$250.00
	0.457	11.60						DA1160M-GM		SS0500DRA115M3 KIT2	
	0.461	11.70						DA1170M-GM		SS0500DRA115M3 KIT3	
	0.465	11.80						DA1180M-GM		SS0500DRA115M3 KIT4	
	0.469	11.90						DA1190M-GM		SS0500DRA115M3 KIT5	
SS0625-DRA120M-3	0.472	12.00	0.625	4.094	1.476	1.890	120	DA1200M-GM	PR1535	SS0625DRA120M3 KIT1	\$250.00
	0.476	12.10						DA1210M-GM		SS0625DRA120M3 KIT2	
	0.480	12.20						DA1220M-GM		SS0625DRA120M3 KIT3	
	0.484	12.30						DA1230M-GM		SS0625DRA120M3 KIT4	
	0.488	12.40						DA1240M-GM		SS0625DRA120M3 KIT5	
SS0625-DRA125M-3	0.492	12.50	0.625	4.173	1.535	1.890	125	DA1250M-GM	PR1535	SS0625DRA125M3 KIT1	\$250.00
	0.496	12.60						DA1260M-GM		SS0625DRA125M3 KIT2	
	0.500	12.70						DA1270M-GM		SS0625DRA125M3 KIT3	
	0.504	12.80						DA1280M-GM		SS0625DRA125M3 KIT4	
	0.508	12.90						DA1290M-GM		SS0625DRA125M3 KIT5	
SS0625-DRA130M-3	0.512	13.00	0.625	4.252	1.594	1.890	130	DA1300M-GM	PR1535	SS0625DRA130M3 KIT1	\$250.00
	0.516	13.10						DA1310M-GM		SS0625DRA130M3 KIT2	
	0.520	13.20						DA1320M-GM		SS0625DRA130M3 KIT3	
	0.524	13.30						DA1330M-GM		SS0625DRA130M3 KIT4	
	0.528	13.40						DA1340M-GM		SS0625DRA130M3 KIT5	
SS0625-DRA135M-3	0.531	13.50	0.625	4.331	1.654	1.890	135	DA1350M-GM	PR1535	SS0625DRA135M3 KIT1	\$250.00
	0.535	13.60						DA1360M-GM		SS0625DRA135M3 KIT2	
	0.539	13.70						DA1370M-GM		SS0625DRA135M3 KIT3	
	0.543	13.80						DA1380M-GM		SS0625DRA135M3 KIT4	
	0.547	13.90						DA1390M-GM		SS0625DRA135M3 KIT5	
SS0625-DRA140M-3	0.551	14.00	0.625	4.409	1.713	1.890	140	DA1400M-GM	PR1535	SS0625DRA140M3 KIT1	\$250.00
	0.555	14.10						DA1410M-GM		SS0625DRA140M3 KIT2	
	0.559	14.20						DA1420M-GM		SS0625DRA140M3 KIT3	
	0.563	14.30						DA1430M-GM		SS0625DRA140M3 KIT4	
	0.567	14.40						DA1440M-GM		SS0625DRA140M3 KIT5	
SS0625-DRA145M-3	0.571	14.50	0.625	4.488	1.772	1.890	145	DA1450M-GM	PR1535	SS0625DRA145M3 KIT1	\$250.00
	0.575	14.60						DA1460M-GM		SS0625DRA145M3 KIT2	
	0.578	14.68						DA1468M-GM		SS0625DRA145M3 KIT3	
	0.579	14.70						DA1470M-GM		SS0625DRA145M3 KIT4	
	0.583	14.80						DA1480M-GM		SS0625DRA145M3 KIT5	
	0.590	14.90						DA1490M-GM		SS0625DRA145M3 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

3D

DRA 3D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0625-DRA150M-3	0.591	15.00	0.625	4.685	1.890	1.890	150	DA1500M-GM	PR1535	SS0625DRA150M3 KIT1	\$270.00
	0.594	15.10						SS0625DRA150M3 KIT2			
	0.598	15.20						SS0625DRA150M3 KIT3			
	0.602	15.30						SS0625DRA150M3 KIT4			
	0.606	15.40						SS0625DRA150M3 KIT5			
	0.610	15.50						SS0625DRA150M3 KIT6			
	0.614	15.60						SS0625DRA150M3 KIT7			
	0.618	15.70						SS0625DRA150M3 KIT8			
	0.622	15.80						SS0625DRA150M3 KIT9			
	0.625	15.88						SS0625DRA150M3 KIT10			
	0.626	15.90						SS0625DRA150M3 KIT11			
	SS0750-DRA160M-3	0.630						16.00		0.750	
0.634		16.10	SS0750DRA160M3 KIT2								
0.638		16.20	SS0750DRA160M3 KIT3								
0.642		16.30	SS0750DRA160M3 KIT4								
0.646		16.40	SS0750DRA160M3 KIT5								
0.650		16.50	SS0750DRA160M3 KIT6								
0.654		16.60	SS0750DRA160M3 KIT7								
0.656		16.67	SS0750DRA160M3 KIT8								
0.657		16.70	SS0750DRA160M3 KIT9								
0.661		16.80	SS0750DRA160M3 KIT10								
0.665		16.90	SS0750DRA160M3 KIT11								
SS0750-DRA170M-3		0.669	17.00	0.750	5.118	2.126	1.969	170	DA1700M-GM		PR1535
	0.673	17.10	SS0750DRA170M3 KIT2								
	0.677	17.20	SS0750DRA170M3 KIT3								
	0.681	17.30	SS0750DRA170M3 KIT4								
	0.685	17.40	SS0750DRA170M3 KIT5								
	0.687	17.46	SS0750DRA170M3 KIT6								
	0.689	17.50	SS0750DRA170M3 KIT7								
	0.693	17.60	SS0750DRA170M3 KIT8								
	0.697	17.70	SS0750DRA170M3 KIT9								
	0.701	17.80	SS0750DRA170M3 KIT10								
	0.705	17.90	SS0750DRA170M3 KIT11								
	SS0750-DRA180M-3	0.709	18.00						0.750	5.315	
0.713		18.10	SS0750DRA180M3 KIT2								
0.717		18.20	SS0750DRA180M3 KIT3								
0.720		18.30	SS0750DRA180M3 KIT4								
0.724		18.40	SS0750DRA180M3 KIT5								
0.728		18.50	SS0750DRA180M3 KIT6								
0.732		18.60	SS0750DRA180M3 KIT7								
0.736		18.70	SS0750DRA180M3 KIT8								
0.740		18.80	SS0750DRA180M3 KIT9								
0.744		18.90	SS0750DRA180M3 KIT10								

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

3D

DRA 3D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS1000-DRA190M-3	0.748	19.00	1.000	5.472	2.362	2.205	190	DA1900M-GM	PR1535	SS1000DRA190M3 KIT1	\$330.00
	0.750	19.05						DA1905M-GM		SS1000DRA190M3 KIT2	
	0.752	19.10						DA1910M-GM		SS1000DRA190M3 KIT3	
	0.756	19.20						DA1920M-GM		SS1000DRA190M3 KIT4	
	0.760	19.30						DA1930M-GM		SS1000DRA190M3 KIT5	
	0.764	19.40						DA1940M-GM		SS1000DRA190M3 KIT6	
	0.768	19.50						DA1950M-GM		SS1000DRA190M3 KIT7	
	0.772	19.60						DA1960M-GM		SS1000DRA190M3 KIT8	
	0.776	19.70						DA1970M-GM		SS1000DRA190M3 KIT9	
	0.780	19.80						DA1980M-GM		SS1000DRA190M3 KIT10	
	0.783	19.90						DA1990M-GM		SS1000DRA190M3 KIT11	
	SS1000-DRA200M-3	0.787						20.00		1.000	
0.791		20.10	DA2010M-GM	SS1000DRA200M3 KIT2							
0.795		20.20	DA2020M-GM	SS1000DRA200M3 KIT3							
0.799		20.30	DA2030M-GM	SS1000DRA200M3 KIT4							
0.803		20.40	DA2040M-GM	SS1000DRA200M3 KIT5							
0.807		20.50	DA2050M-GM	SS1000DRA200M3 KIT6							
0.811		20.60	DA2060M-GM	SS1000DRA200M3 KIT7							
0.813		20.64	DA2064M-GM	SS1000DRA200M3 KIT8							
0.815		20.70	DA2070M-GM	SS1000DRA200M3 KIT9							
0.819		20.80	DA2080M-GM	SS1000DRA200M3 KIT10							
0.823		20.90	DA2090M-GM	SS1000DRA200M3 KIT11							
SS1000-DRA210M-3		0.827	21.00	1.000	6.024	2.598	2.205	210	DA2100M-GM		PR1535
	0.846	21.50	DA2150M-GM						SS1000DRA210M3 KIT2		
SS1000-DRA220M-3	0.866	22.00	1.000	6.220	2.717	2.205	220	DA2200M-GM	PR1535	SS1000DRA220M3 KIT1	\$380.00
	0.875	22.23						DA2223M-GM		SS1000DRA220M3 KIT2	
	0.886	22.50						DA2250M-GM		SS1000DRA220M3 KIT3	
SS1000-DRA230M-3	0.906	23.00	1.000	6.378	2.835	2.205	230	DA2300M-GM	PR1535	SS1000DRA230M3 KIT1	\$380.00
	0.925	23.50						DA2350M-GM		SS1000DRA230M3 KIT2	
	0.937	23.81						DA2381M-GM		SS1000DRA230M3 KIT3	
SS1000-DRA240M-3	0.945	24.00	1.000	6.535	2.953	2.205	240	DA2400M-GM	PR1535	SS1000DRA240M3 KIT1	\$410.00
	0.965	24.50						DA2450M-GM		SS1000DRA240M3 KIT2	
SS1000-DRA250M-3	0.984	25.00	1.000	6.693	3.070	2.205	250	DA2500M-GM	PR1535	SS1000DRA250M3 KIT1	\$450.00
	1.000	25.40						DA2540M-GM		SS1000DRA250M3 KIT2	
	1.004	25.50						DA2550M-GM		SS1000DRA250M3 KIT3	

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

3D

DRA 3D Kits (Flange Shank)

Kit includes (1) Drill and (1) Insert


Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange

3D



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price	
	DC		DCON (h6)	OAL	LFS	LU	LS						DCSFMS
	in	mm											
SF0500-DRA080M-3	0.313	7.94	0.500	3.307	1.535	1.004	1.772	0.630	080	PR1535	DA0794M-GM	SF0500DRA080M3 KIT1	\$240.00
	0.315	8.00									DA0800M-GM	SF0500DRA080M3 KIT2	
	0.319	8.10									DA0810M-GM	SF0500DRA080M3 KIT3	
	0.322	8.18									DA0818M-GM	SF0500DRA080M3 KIT4	
	0.323	8.20									DA0820M-GM	SF0500DRA080M3 KIT5	
	0.327	8.30									DA0830M-GM	SF0500DRA080M3 KIT6	
	0.331	8.40									DA0840M-GM	SF0500DRA080M3 KIT7	
	SF0500-DRA085M-3	0.335									8.50	0.500	
0.339		8.60	DA0860M-GM	SF0500DRA085M3 KIT2									
0.343		8.70	DA0870M-GM	SF0500DRA085M3 KIT3									
0.346		8.80	DA0880M-GM	SF0500DRA085M3 KIT4									
0.350		8.90	DA0890M-GM	SF0500DRA085M3 KIT5									
SF0500-DRA090M-3		0.354	9.00	0.500	3.465	1.693	1.122	1.772	0.630	090	PR1535		DA0900M-GM
	0.358	9.10	DA0910M-GM									SF0500DRA090M3 KIT2	
	0.362	9.20	DA0920M-GM									SF0500DRA090M3 KIT3	
	0.366	9.30	DA0930M-GM									SF0500DRA090M3 KIT4	
	0.370	9.40	DA0940M-GM									SF0500DRA090M3 KIT5	
	SF0500-DRA095M-3	0.374	9.50									0.500	3.543
0.375		9.53	DA0953M-GM	SF0500DRA095M3 KIT2									
0.378		9.60	DA0960M-GM	SF0500DRA095M3 KIT3									
0.382		9.70	DA0970M-GM	SF0500DRA095M3 KIT4									
0.386		9.80	DA0980M-GM	SF0500DRA095M3 KIT5									
0.390		9.90	DA0990M-GM	SF0500DRA095M3 KIT6									
SF0625-DRA100M-3		0.394	10.00	0.625	3.740	1.850	1.240	1.890	0.787	100	PR1535		
	0.398	10.10	DA1010M-GM									SF0625DRA100M3 KIT2	
	0.402	10.20	DA1020M-GM									SF0625DRA100M3 KIT3	
	0.406	10.30	DA1030M-GM									SF0625DRA100M3 KIT4	
	0.409	10.40	DA1040M-GM									SF0625DRA100M3 KIT5	
	SF0625-DRA105M-3	0.413	10.50									0.625	3.819
0.417		10.60	DA1060M-GM	SF0625DRA105M3 KIT2									
0.421		10.70	DA1070M-GM	SF0625DRA105M3 KIT3									
0.422		10.72	DA1072M-GM	SF0625DRA105M3 KIT4									
0.425		10.80	DA1080M-GM	SF0625DRA105M3 KIT5									
0.429		10.90	DA1090M-GM	SF0625DRA105M3 KIT6									
SF0625-DRA110M-3		0.433	11.00	0.625	3.937	2.047	1.358	1.890	0.787	110	PR1535		
	0.437	11.10	DA1110M-GM									SF0625DRA110M3 KIT2	
	0.441	11.20	DA1120M-GM									SF0625DRA110M3 KIT3	
	0.445	11.30	DA1130M-GM									SF0625DRA110M3 KIT4	
	0.449	11.40	DA1140M-GM									SF0625DRA110M3 KIT5	

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

3D

DRA 3D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0625-DRA115M-3	0.453	11.50	0.625	4.016	2.126	1.417	1.890	0.787	115	DA1150M-GM	PR1535	SF0625DRA115M3 KIT1	\$260.00
	0.457	11.60								DA1160M-GM		SF0625DRA115M3 KIT2	
	0.461	11.70								DA1170M-GM		SF0625DRA115M3 KIT3	
	0.465	11.80								DA1180M-GM		SF0625DRA115M3 KIT4	
	0.469	11.90								DA1190M-GM		SF0625DRA115M3 KIT5	
SF0625-DRA120M-3	0.472	12.00	0.625	4.094	2.205	1.476	1.890	0.787	120	DA1200M-GM	PR1535	SF0625DRA120M3 KIT1	\$260.00
	0.476	12.10								DA1210M-GM		SF0625DRA120M3 KIT2	
	0.480	12.20								DA1220M-GM		SF0625DRA120M3 KIT3	
	0.484	12.30								DA1230M-GM		SF0625DRA120M3 KIT4	
	0.488	12.40								DA1240M-GM		SF0625DRA120M3 KIT5	
SF0625-DRA125M-3	0.492	12.50	0.625	4.173	2.283	1.535	1.890	0.787	125	DA1250M-GM	PR1535	SF0625DRA125M3 KIT1	\$260.00
	0.496	12.60								DA1260M-GM		SF0625DRA125M3 KIT2	
	0.500	12.70								DA1270M-GM		SF0625DRA125M3 KIT3	
	0.504	12.80								DA1280M-GM		SF0625DRA125M3 KIT4	
	0.508	12.90								DA1290M-GM		SF0625DRA125M3 KIT5	
SF0625-DRA130M-3	0.512	13.00	0.625	4.252	2.362	1.594	1.890	0.787	130	DA1300M-GM	PR1535	SF0625DRA130M3 KIT1	\$260.00
	0.516	13.10								DA1310M-GM		SF0625DRA130M3 KIT2	
	0.520	13.20								DA1320M-GM		SF0625DRA130M3 KIT3	
	0.524	13.30								DA1330M-GM		SF0625DRA130M3 KIT4	
	0.528	13.40								DA1340M-GM		SF0625DRA130M3 KIT5	
SF0625-DRA135M-3	0.531	13.50	0.625	4.331	2.441	1.654	1.890	0.787	135	DA1350M-GM	PR1535	SF0625DRA135M3 KIT1	\$260.00
	0.535	13.60								DA1360M-GM		SF0625DRA135M3 KIT2	
	0.539	13.70								DA1370M-GM		SF0625DRA135M3 KIT3	
	0.543	13.80								DA1380M-GM		SF0625DRA135M3 KIT4	
	0.547	13.90								DA1390M-GM		SF0625DRA135M3 KIT5	
SF0625-DRA140M-3	0.551	14.00	0.625	4.409	2.520	1.713	1.890	0.787	140	DA1400M-GM	PR1535	SF0625DRA140M3 KIT1	\$260.00
	0.555	14.10								DA1410M-GM		SF0625DRA140M3 KIT2	
	0.559	14.20								DA1420M-GM		SF0625DRA140M3 KIT3	
	0.563	14.30								DA1430M-GM		SF0625DRA140M3 KIT4	
	0.567	14.40								DA1440M-GM		SF0625DRA140M3 KIT5	
SF0625-DRA145M-3	0.571	14.50	0.625	4.488	2.598	1.772	1.890	0.787	145	DA1450M-GM	PR1535	SF0625DRA145M3 KIT1	\$260.00
	0.575	14.60								DA1460M-GM		SF0625DRA145M3 KIT2	
	0.578	14.68								DA1468M-GM		SF0625DRA145M3 KIT3	
	0.579	14.70								DA1470M-GM		SF0625DRA145M3 KIT4	
	0.583	14.80								DA1480M-GM		SF0625DRA145M3 KIT5	
	0.590	14.90								DA1490M-GM		SF0625DRA145M3 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

3D

DRA 3D Kits (Flange Shank)

Kit includes (1) Drill and (1) Insert


Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange

3D



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0750-DRA150M-3	0.591	15.00	0.750	4.764	2.795	1.890	1.969	0.984	150	DA1500M-GM	PR1535	SF0750DRA150M3 KIT1	\$270.00
	0.594	15.10								DA1510M-GM		SF0750DRA150M3 KIT2	
	0.598	15.20								DA1520M-GM		SF0750DRA150M3 KIT3	
	0.602	15.30								DA1530M-GM		SF0750DRA150M3 KIT4	
	0.606	15.40								DA1540M-GM		SF0750DRA150M3 KIT5	
	0.610	15.50								DA1550M-GM		SF0750DRA150M3 KIT6	
	0.614	15.60								DA1560M-GM		SF0750DRA150M3 KIT7	
	0.618	15.70								DA1570M-GM		SF0750DRA150M3 KIT8	
	0.622	15.80								DA1580M-GM		SF0750DRA150M3 KIT9	
	0.625	15.88								DA1588M-GM		SF0750DRA150M3 KIT10	
	0.626	15.90								DA1590M-GM		SF0750DRA150M3 KIT11	
	SF0750-DRA160M-3	0.630								16.00		0.750	
0.634		16.10	DA1610M-GM	SF0750DRA160M3 KIT2									
0.638		16.20	DA1620M-GM	SF0750DRA160M3 KIT3									
0.642		16.30	DA1630M-GM	SF0750DRA160M3 KIT4									
0.646		16.40	DA1640M-GM	SF0750DRA160M3 KIT5									
0.650		16.50	DA1650M-GM	SF0750DRA160M3 KIT6									
0.654		16.60	DA1660M-GM	SF0750DRA160M3 KIT7									
0.656		16.67	DA1667M-GM	SF0750DRA160M3 KIT8									
0.657		16.70	DA1670M-GM	SF0750DRA160M3 KIT9									
0.661		16.80	DA1680M-GM	SF0750DRA160M3 KIT10									
0.665		16.90	DA1690M-GM	SF0750DRA160M3 KIT11									
SF0750-DRA170M-3		0.669	17.00	0.750	5.118	3.150	2.126	1.969	0.984	170	DA1700M-GM		PR1535
	0.673	17.10	DA1710M-GM								SF0750DRA170M3 KIT2		
	0.677	17.20	DA1720M-GM								SF0750DRA170M3 KIT3		
	0.681	17.30	DA1730M-GM								SF0750DRA170M3 KIT4		
	0.685	17.40	DA1740M-GM								SF0750DRA170M3 KIT5		
	0.687	17.46	DA1746M-GM								SF0750DRA170M3 KIT6		
	0.689	17.50	DA1750M-GM								SF0750DRA170M3 KIT7		
	0.693	17.60	DA1760M-GM								SF0750DRA170M3 KIT8		
	0.697	17.70	DA1770M-GM								SF0750DRA170M3 KIT9		
	0.701	17.80	DA1780M-GM								SF0750DRA170M3 KIT10		
	0.705	17.90	DA1790M-GM								SF0750DRA170M3 KIT11		
	SF0750-DRA180M-3	0.709	18.00								0.750	5.315	
0.713		18.10	DA1810M-GM	SF0750DRA180M3 KIT2									
0.717		18.20	DA1820M-GM	SF0750DRA180M3 KIT3									
0.720		18.30	DA1830M-GM	SF0750DRA180M3 KIT4									
0.724		18.40	DA1840M-GM	SF0750DRA180M3 KIT5									
0.728		18.50	DA1850M-GM	SF0750DRA180M3 KIT6									
0.732		18.60	DA1860M-GM	SF0750DRA180M3 KIT7									
0.736		18.70	DA1870M-GM	SF0750DRA180M3 KIT8									
0.740		18.80	DA1880M-GM	SF0750DRA180M3 KIT9									
0.744		18.90	DA1890M-GM	SF0750DRA180M3 KIT10									

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

3D

DRA 3D Kits (Flange Shank)

Kit includes (1) Drill and (1) Insert


Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange

3D



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price	
	DC		DCON (h6)	OAL	LFS	LU	LS						DCSFS
	in	mm											
SF0750-DRA190M-3	0.748	19.00	0.750	5.472	3.504	2.362	1.969	0.984	190	PR1535	DA1900M-GM	SF0750DRA190M3 KIT1	\$330.00
	0.750	19.05									DA1905M-GM	SF0750DRA190M3 KIT2	
	0.752	19.10									DA1910M-GM	SF0750DRA190M3 KIT3	
	0.756	19.20									DA1920M-GM	SF0750DRA190M3 KIT4	
	0.760	19.30									DA1930M-GM	SF0750DRA190M3 KIT5	
	0.764	19.40									DA1940M-GM	SF0750DRA190M3 KIT6	
	0.768	19.50									DA1950M-GM	SF0750DRA190M3 KIT7	
	0.772	19.60									DA1960M-GM	SF0750DRA190M3 KIT8	
	0.776	19.70									DA1970M-GM	SF0750DRA190M3 KIT9	
	0.780	19.80									DA1980M-GM	SF0750DRA190M3 KIT10	
	0.783	19.90									DA1990M-GM	SF0750DRA190M3 KIT11	
SF1000-DRA200M-3	0.787	20.00	1.000	5.866	3.661	2.480	2.205	1.260	200	PR1535	DA2000M-GM	SF1000DRA200M3 KIT1	\$380.00
	0.791	20.10									DA2010M-GM	SF1000DRA200M3 KIT2	
	0.795	20.20									DA2020M-GM	SF1000DRA200M3 KIT3	
	0.799	20.30									DA2030M-GM	SF1000DRA200M3 KIT4	
	0.803	20.40									DA2040M-GM	SF1000DRA200M3 KIT5	
	0.807	20.50									DA2050M-GM	SF1000DRA200M3 KIT6	
	0.811	20.60									DA2060M-GM	SF1000DRA200M3 KIT7	
	0.813	20.64									DA2064M-GM	SF1000DRA200M3 KIT8	
	0.815	20.70									DA2070M-GM	SF1000DRA200M3 KIT9	
	0.819	20.80									DA2080M-GM	SF1000DRA200M3 KIT10	
	0.823	20.90									DA2090M-GM	SF1000DRA200M3 KIT11	
SF1000-DRA210M-3	0.827	21.00	1.000	6.024	3.819	2.598	2.205	1.260	210	PR1535	DA2100M-GM	SF1000DRA210M3 KIT1	\$390.00
	0.846	21.50									DA2150M-GM	SF1000DRA210M3 KIT2	
SF1000-DRA220M-3	0.866	22.00	1.000	6.220	4.016	2.717	2.205	1.260	220	PR1535	DA2200M-GM	SF1000DRA220M3 KIT1	\$390.00
	0.875	22.23									DA2223M-GM	SF1000DRA220M3 KIT2	
SF1000-DRA230M-3	0.886	22.50	1.000	6.378	4.173	2.835	2.205	1.260	230	PR1535	DA2250M-GM	SF1000DRA220M3 KIT3	\$420.00
	0.906	23.00									DA2300M-GM	SF1000DRA230M3 KIT1	
	0.925	23.50									DA2350M-GM	SF1000DRA230M3 KIT2	
SF1000-DRA240M-3	0.937	23.81	1.000	6.535	4.331	2.953	2.205	1.260	240	PR1535	DA2381M-GM	SF1000DRA230M3 KIT3	\$420.00
	0.945	24.00									DA2400M-GM	SF1000DRA240M3 KIT1	
	0.965	24.50									DA2450M-GM	SF1000DRA240M3 KIT2	
SF1000-DRA250M-3	0.984	25.00	1.000	6.693	4.488	3.071	2.205	1.260	250	PR1535	DA2500M-GM	SF1000DRA250M3 KIT1	\$460.00
	1.000	25.40									DA2540M-GM	SF1000DRA250M3 KIT2	
	1.004	25.50									DA2550M-GM	SF1000DRA250M3 KIT3	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

5D

DRA 5D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0375-DRA080M-5	0.313	7.94	0.375	3.780	1.673	1.575	080	DA0794M-GM	PR1535	SS0375DRA080M5 KIT1	\$270.00
	0.315	8.00						DA0800M-GM		SS0375DRA080M5 KIT2	
	0.319	8.10						DA0810M-GM		SS0375DRA080M5 KIT3	
	0.322	8.18						DA0818M-GM		SS0375DRA080M5 KIT4	
	0.323	8.20						DA0820M-GM		SS0375DRA080M5 KIT5	
	0.327	8.30						DA0830M-GM		SS0375DRA080M5 KIT6	
	0.331	8.40						DA0840M-GM		SS0375DRA080M5 KIT7	
	SS0375-DRA085M-5	0.335						8.50		0.375	
0.339		8.60	DA0860M-GM	SS0375DRA085M5 KIT2							
0.343		8.70	DA0870M-GM	SS0375DRA085M5 KIT3							
0.346		8.80	DA0880M-GM	SS0375DRA085M5 KIT4							
0.350		8.90	DA0890M-GM	SS0375DRA085M5 KIT5							
SS0375-DRA090M-5		0.354	9.00	0.375	4.016	1.870	1.575	090	DA0900M-GM		PR1535
	0.358	9.10	DA0910M-GM						SS0375DRA090M5 KIT2		
	0.362	9.20	DA0920M-GM						SS0375DRA090M5 KIT3		
	0.366	9.30	DA0930M-GM						SS0375DRA090M5 KIT4		
	0.370	9.40	DA0940M-GM						SS0375DRA090M5 KIT5		
	SS0500-DRA095M-5	0.374	9.50						0.500	4.331	
0.375		9.53	DA0953M-GM	SS0500DRA095M5 KIT2							
0.378		9.60	DA0960M-GM	SS0500DRA095M5 KIT3							
0.382		9.70	DA0970M-GM	SS0500DRA095M5 KIT4							
0.386		9.80	DA0980M-GM	SS0500DRA095M5 KIT5							
0.390		9.90	DA0990M-GM	SS0500DRA095M5 KIT6							
SS0500-DRA100M-5	0.394	10.00	0.500	4.449	2.067	1.772	100	DA1000M-GM	PR1535	SS0500DRA100M5 KIT1	\$270.00
	0.398	10.10						DA1010M-GM		SS0500DRA100M5 KIT2	
	0.402	10.20						DA1020M-GM		SS0500DRA100M5 KIT3	
	0.406	10.30						DA1030M-GM		SS0500DRA100M5 KIT4	
	0.409	10.40						DA1040M-GM		SS0500DRA100M5 KIT5	
SS0500-DRA105M-5	0.413	10.50	0.500	4.567	2.165	1.772	105	DA1050M-GM	PR1535	SS0500DRA105M5 KIT1	\$280.00
	0.417	10.60						DA1060M-GM		SS0500DRA105M5 KIT2	
	0.421	10.70						DA1070M-GM		SS0500DRA105M5 KIT3	
	0.422	10.72						DA1072M-GM		SS0500DRA105M5 KIT4	
	0.425	10.80						DA1080M-GM		SS0500DRA105M5 KIT5	
	0.429	10.90						DA1090M-GM		SS0500DRA105M5 KIT6	
SS0500-DRA110M-5	0.433	11.00	0.500	4.724	2.264	1.772	110	DA1100M-GM	PR1535	SS0500DRA110M5 KIT1	\$280.00
	0.437	11.10						DA1110M-GM		SS0500DRA110M5 KIT2	
	0.441	11.20						DA1120M-GM		SS0500DRA110M5 KIT3	
	0.445	11.30						DA1130M-GM		SS0500DRA110M5 KIT4	
	0.449	11.40						DA1140M-GM		SS0500DRA110M5 KIT5	

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

5D

DRA 5D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0500-DRA115M-5	0.453	11.50	0.500	4.843	2.362	1.772	115	DA1150M-GM	PR1535	SS0500DRA115M5 KIT1	\$280.00
	0.457	11.60						DA1160M-GM		SS0500DRA115M5 KIT2	
	0.461	11.70						DA1170M-GM		SS0500DRA115M5 KIT3	
	0.465	11.80						DA1180M-GM		SS0500DRA115M5 KIT4	
	0.469	11.90						DA1190M-GM		SS0500DRA115M5 KIT5	
SS0625-DRA120M-5	0.472	12.00	0.625	5.079	2.461	1.890	120	DA1200M-GM	PR1535	SS0625DRA120M5 KIT1	\$280.00
	0.476	12.10						DA1210M-GM		SS0625DRA120M5 KIT2	
	0.480	12.20						DA1220M-GM		SS0625DRA120M5 KIT3	
	0.484	12.30						DA1230M-GM		SS0625DRA120M5 KIT4	
	0.488	12.40						DA1240M-GM		SS0625DRA120M5 KIT5	
SS0625-DRA125M-5	0.492	12.50	0.625	5.197	2.559	1.890	125	DA1250M-GM	PR1535	SS0625DRA125M5 KIT1	\$280.00
	0.496	12.60						DA1260M-GM		SS0625DRA125M5 KIT2	
	0.500	12.70						DA1270M-GM		SS0625DRA125M5 KIT3	
	0.504	12.80						DA1280M-GM		SS0625DRA125M5 KIT4	
	0.508	12.90						DA1290M-GM		SS0625DRA125M5 KIT5	
SS0625-DRA130M-5	0.512	13.00	0.625	5.315	2.657	1.890	130	DA1300M-GM	PR1535	SS0625DRA130M5 KIT1	\$280.00
	0.516	13.10						DA1310M-GM		SS0625DRA130M5 KIT2	
	0.520	13.20						DA1320M-GM		SS0625DRA130M5 KIT3	
	0.524	13.30						DA1330M-GM		SS0625DRA130M5 KIT4	
	0.528	13.40						DA1340M-GM		SS0625DRA130M5 KIT5	
SS0625-DRA135M-5	0.531	13.50	0.625	5.433	2.756	1.890	135	DA1350M-GM	PR1535	SS0625DRA135M5 KIT1	\$280.00
	0.535	13.60						DA1360M-GM		SS0625DRA135M5 KIT2	
	0.539	13.70						DA1370M-GM		SS0625DRA135M5 KIT3	
	0.543	13.80						DA1380M-GM		SS0625DRA135M5 KIT4	
	0.547	13.90						DA1390M-GM		SS0625DRA135M5 KIT5	
SS0625-DRA140M-5	0.551	14.00	0.625	5.551	2.854	1.890	140	DA1400M-GM	PR1535	SS0625DRA140M5 KIT1	\$280.00
	0.555	14.10						DA1410M-GM		SS0625DRA140M5 KIT2	
	0.559	14.20						DA1420M-GM		SS0625DRA140M5 KIT3	
	0.563	14.30						DA1430M-GM		SS0625DRA140M5 KIT4	
	0.567	14.40						DA1440M-GM		SS0625DRA140M5 KIT5	
SS0625-DRA145M-5	0.571	14.50	0.625	5.669	2.953	1.890	145	DA1450M-GM	PR1535	SS0625DRA145M5 KIT1	\$280.00
	0.575	14.60						DA1460M-GM		SS0625DRA145M5 KIT2	
	0.578	14.68						DA1468M-GM		SS0625DRA145M5 KIT3	
	0.579	14.70						DA1470M-GM		SS0625DRA145M5 KIT4	
	0.583	14.80						DA1480M-GM		SS0625DRA145M5 KIT5	
	0.590	14.90						DA1490M-GM		SS0625DRA145M5 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

5D

DRA 5D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0625-DRA150M-5	0.591	15.00	0.625	5.945	3.150	1.890	150	DA1500M-GM	PR1535	SS0625DRA150M5 KIT1	\$310.00
	0.594	15.10						DA1510M-GM		SS0625DRA150M5 KIT2	
	0.598	15.20						DA1520M-GM		SS0625DRA150M5 KIT3	
	0.602	15.30						DA1530M-GM		SS0625DRA150M5 KIT4	
	0.606	15.40						DA1540M-GM		SS0625DRA150M5 KIT5	
	0.610	15.50						DA1550M-GM		SS0625DRA150M5 KIT6	
	0.614	15.60						DA1560M-GM		SS0625DRA150M5 KIT7	
	0.618	15.70						DA1570M-GM		SS0625DRA150M5 KIT8	
	0.622	15.80						DA1580M-GM		SS0625DRA150M5 KIT9	
	0.625	15.88						DA1588M-GM		SS0625DRA150M5 KIT10	
	0.626	15.90						DA1590M-GM		SS0625DRA150M5 KIT11	
	SS0750-DRA160M-5	0.630						16.00		0.750	
0.634		16.10	DA1610M-GM	SS0750DRA160M5 KIT2							
0.638		16.20	DA1620M-GM	SS0750DRA160M5 KIT3							
0.642		16.30	DA1630M-GM	SS0750DRA160M5 KIT4							
0.646		16.40	DA1640M-GM	SS0750DRA160M5 KIT5							
0.650		16.50	DA1650M-GM	SS0750DRA160M5 KIT6							
0.654		16.60	DA1660M-GM	SS0750DRA160M5 KIT7							
0.656		16.67	DA1667M-GM	SS0750DRA160M5 KIT8							
0.657		16.70	DA1670M-GM	SS0750DRA160M5 KIT9							
0.661		16.80	DA1680M-GM	SS0750DRA160M5 KIT10							
0.665		16.90	DA1690M-GM	SS0750DRA160M5 KIT11							
SS0750-DRA170M-5		0.669	17.00	0.750	6.535	3.543	1.969	170	DA1700M-GM		PR1535
	0.673	17.10	DA1710M-GM						SS0750DRA170M5 KIT2		
	0.677	17.20	DA1720M-GM						SS0750DRA170M5 KIT3		
	0.681	17.30	DA1730M-GM						SS0750DRA170M5 KIT4		
	0.685	17.40	DA1740M-GM						SS0750DRA170M5 KIT5		
	0.687	17.46	DA1746M-GM						SS0750DRA170M5 KIT6		
	0.689	17.50	DA1750M-GM						SS0750DRA170M5 KIT7		
	0.693	17.60	DA1760M-GM						SS0750DRA170M5 KIT8		
	0.697	17.70	DA1770M-GM						SS0750DRA170M5 KIT9		
	0.701	17.80	DA1780M-GM						SS0750DRA170M5 KIT10		
	0.705	17.90	DA1790M-GM						SS0750DRA170M5 KIT11		
	SS0750-DRA180M-5	0.709	18.00						0.750	6.811	
0.713		18.10	DA1810M-GM	SS0750DRA180M5 KIT2							
0.717		18.20	DA1820M-GM	SS0750DRA180M5 KIT3							
0.720		18.30	DA1830M-GM	SS0750DRA180M5 KIT4							
0.724		18.40	DA1840M-GM	SS0750DRA180M5 KIT5							
0.728		18.50	DA1850M-GM	SS0750DRA180M5 KIT6							
0.732		18.60	DA1860M-GM	SS0750DRA180M5 KIT7							
0.736		18.70	DA1870M-GM	SS0750DRA180M5 KIT8							
0.740		18.80	DA1880M-GM	SS0750DRA180M5 KIT9							
0.744		18.90	DA1890M-GM	SS0750DRA180M5 KIT10							

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

5D

DRA 5D Kits (Straight Shank)


Includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS1000-DRA190M-5	0.748	19.00	1.000	7.047	3.937	2.205	190	DA1900M-GM	PR1535	SS1000DRA190M5 KIT1	\$360.00
	0.750	19.05						DA1905M-GM		SS1000DRA190M5 KIT2	
	0.752	19.10						DA1910M-GM		SS1000DRA190M5 KIT3	
	0.756	19.20						DA1920M-GM		SS1000DRA190M5 KIT4	
	0.760	19.30						DA1930M-GM		SS1000DRA190M5 KIT5	
	0.764	19.40						DA1940M-GM		SS1000DRA190M5 KIT6	
	0.768	19.50						DA1950M-GM		SS1000DRA190M5 KIT7	
	0.772	19.60						DA1960M-GM		SS1000DRA190M5 KIT8	
	0.776	19.70						DA1970M-GM		SS1000DRA190M5 KIT9	
	0.780	19.80						DA1980M-GM		SS1000DRA190M5 KIT10	
	0.783	19.90						DA1990M-GM		SS1000DRA190M5 KIT11	
	SS1000-DRA200M-5	0.787						20.00		1.000	
0.791		20.10	DA2010M-GM	SS1000DRA200M5 KIT2							
0.795		20.20	DA2020M-GM	SS1000DRA200M5 KIT3							
0.799		20.30	DA2030M-GM	SS1000DRA200M5 KIT4							
0.803		20.40	DA2040M-GM	SS1000DRA200M5 KIT5							
0.807		20.50	DA2050M-GM	SS1000DRA200M5 KIT6							
0.811		20.60	DA2060M-GM	SS1000DRA200M5 KIT7							
0.813		20.64	DA2064M-GM	SS1000DRA200M5 KIT8							
0.815		20.70	DA2070M-GM	SS1000DRA200M5 KIT9							
0.819		20.80	DA2080M-GM	SS1000DRA200M5 KIT10							
0.823		20.90	DA2090M-GM	SS1000DRA200M5 KIT11							
SS1000-DRA210M-5		0.827	21.00	1.000	7.756	4.331	2.205	210	DA2100M-GM		PR1535
	0.846	21.50	DA2150M-GM						SS1000DRA210M5 KIT2		
SS1000-DRA220M-5	0.866	22.00	1.000	8.031	4.528	2.205	220	DA2200M-GM	PR1535	SS1000DRA220M5 KIT1	\$430.00
	0.875	22.23						DA2223M-GM		SS1000DRA220M5 KIT2	
	0.886	22.50						DA2250M-GM		SS1000DRA220M5 KIT3	
SS1000-DRA230M-5	0.906	23.00	1.000	8.268	4.724	2.205	230	DA2300M-GM	PR1535	SS1000DRA230M5 KIT1	\$430.00
	0.925	23.50						DA2350M-GM		SS1000DRA230M5 KIT2	
	0.937	23.81						DA2381M-GM		SS1000DRA230M5 KIT3	
SS1000-DRA240M-5	0.945	24.00	1.000	8.504	4.921	2.205	240	DA2400M-GM	PR1535	SS1000DRA240M5 KIT1	\$470.00
	0.965	24.50						DA2450M-GM		SS1000DRA240M5 KIT2	
SS1000-DRA250M-5	0.984	25.00	1.000	8.740	5.116	2.205	250	DA2500M-GM	PR1535	SS1000DRA250M5 KIT1	\$510.00
	1.000	25.40						DA2540M-GM		SS1000DRA250M5 KIT2	
	1.004	25.50						DA2550M-GM		SS1000DRA250M5 KIT3	

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

5D

DRA 5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price	
	DC		DCON (h6)	OAL	LFS	LU	LS						DCSFMS
	in	mm											
SF0500-DRA080M-5	0.313	7.94	0.500	3.976	2.205	1.673	1.772	0.630	080	PR1535	DA0794M-GM	SF0500DRA080M5 KIT1	\$270.00
	0.315	8.00									DA0800M-GM	SF0500DRA080M5 KIT2	
	0.319	8.10									DA0810M-GM	SF0500DRA080M5 KIT3	
	0.322	8.18									DA0818M-GM	SF0500DRA080M5 KIT4	
	0.323	8.20									DA0820M-GM	SF0500DRA080M5 KIT5	
	0.327	8.30									DA0830M-GM	SF0500DRA080M5 KIT6	
	0.331	8.40									DA0840M-GM	SF0500DRA080M5 KIT7	
	SF0500-DRA085M-5	0.335									8.50	0.500	
0.339		8.60	DA0860M-GM	SF0500DRA085M5 KIT2									
0.343		8.70	DA0870M-GM	SF0500DRA085M5 KIT3									
0.346		8.80	DA0880M-GM	SF0500DRA085M5 KIT4									
0.350		8.90	DA0890M-GM	SF0500DRA085M5 KIT5									
SF0500-DRA090M-5		0.354	9.00	0.500	4.213	2.441	1.870	1.772	0.630	090	PR1535		DA0900M-GM
	0.358	9.10	DA0910M-GM									SF0500DRA090M5 KIT2	
	0.362	9.20	DA0920M-GM									SF0500DRA090M5 KIT3	
	0.366	9.30	DA0930M-GM									SF0500DRA090M5 KIT4	
	0.370	9.40	DA0940M-GM									SF0500DRA090M5 KIT5	
	SF0500-DRA095M-5	0.374	9.50									0.500	4.331
0.375		9.53	DA0953M-GM	SF0500DRA095M5 KIT2									
0.378		9.60	DA0960M-GM	SF0500DRA095M5 KIT3									
0.382		9.70	DA0970M-GM	SF0500DRA095M5 KIT4									
0.386		9.80	DA0980M-GM	SF0500DRA095M5 KIT5									
0.390		9.90	DA0990M-GM	SF0500DRA095M5 KIT6									
SF0625-DRA100M-5	0.394	10.00	0.625	4.567	2.677	2.067	1.890	0.787	100	PR1535	DA1000M-GM	SF0625DRA100M5 KIT1	\$280.00
	0.398	10.10									DA1010M-GM	SF0625DRA100M5 KIT2	
	0.402	10.20									DA1020M-GM	SF0625DRA100M5 KIT3	
	0.406	10.30									DA1030M-GM	SF0625DRA100M5 KIT4	
	0.409	10.40									DA1040M-GM	SF0625DRA100M5 KIT5	
SF0625-DRA105M-5	0.413	10.50	0.625	4.685	2.795	2.165	1.890	0.787	105	PR1535	DA1050M-GM	SF0625DRA105M5 KIT1	\$290.00
	0.417	10.60									DA1060M-GM	SF0625DRA105M5 KIT2	
	0.421	10.70									DA1070M-GM	SF0625DRA105M5 KIT3	
	0.422	10.72									DA1072M-GM	SF0625DRA105M5 KIT4	
	0.425	10.80									DA1080M-GM	SF0625DRA105M5 KIT5	
	0.429	10.90									DA1090M-GM	SF0625DRA105M5 KIT6	
SF0625-DRA110M-5	0.433	11.00	0.625	4.843	2.953	2.264	1.890	0.787	110	PR1535	DA1100M-GM	SF0625DRA110M5 KIT1	\$290.00
	0.437	11.10									DA1110M-GM	SF0625DRA110M5 KIT2	
	0.441	11.20									DA1120M-GM	SF0625DRA110M5 KIT3	
	0.445	11.30									DA1130M-GM	SF0625DRA110M5 KIT4	
	0.449	11.40									DA1140M-GM	SF0625DRA110M5 KIT5	

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

5D

DRA 5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price	
	DC		DCON (h6)	OAL	LFS	LU	LS						DCSFMS
	in	mm											
SF0625-DRA115M-5	0.453	11.50	0.625	4.961	3.071	2.362	1.890	0.787	115	DA1150M-GM	PR1535	SF0625DRA115M5 KIT1	\$290.00
	0.457	11.60								DA1160M-GM		SF0625DRA115M5 KIT2	
	0.461	11.70								DA1170M-GM		SF0625DRA115M5 KIT3	
	0.465	11.80								DA1180M-GM		SF0625DRA115M5 KIT4	
	0.469	11.90								DA1190M-GM		SF0625DRA115M5 KIT5	
SF0625-DRA120M-5	0.472	12.00	0.625	5.079	3.189	2.461	1.890	0.787	120	DA1200M-GM	PR1535	SF0625DRA120M5 KIT1	\$290.00
	0.476	12.10								DA1210M-GM		SF0625DRA120M5 KIT2	
	0.480	12.20								DA1220M-GM		SF0625DRA120M5 KIT3	
	0.484	12.30								DA1230M-GM		SF0625DRA120M5 KIT4	
	0.488	12.40								DA1240M-GM		SF0625DRA120M5 KIT5	
SF0625-DRA125M-5	0.492	12.50	0.625	5.197	3.307	2.559	1.890	0.787	125	DA1250M-GM	PR1535	SF0625DRA125M5 KIT1	\$290.00
	0.496	12.60								DA1260M-GM		SF0625DRA125M5 KIT2	
	0.500	12.70								DA1270M-GM		SF0625DRA125M5 KIT3	
	0.504	12.80								DA1280M-GM		SF0625DRA125M5 KIT4	
	0.508	12.90								DA1290M-GM		SF0625DRA125M5 KIT5	
SF0625-DRA130M-5	0.512	13.00	0.625	5.315	3.425	2.657	1.890	0.787	130	DA1300M-GM	PR1535	SF0625DRA130M5 KIT1	\$290.00
	0.516	13.10								DA1310M-GM		SF0625DRA130M5 KIT2	
	0.520	13.20								DA1320M-GM		SF0625DRA130M5 KIT3	
	0.524	13.30								DA1330M-GM		SF0625DRA130M5 KIT4	
	0.528	13.40								DA1340M-GM		SF0625DRA130M5 KIT5	
SF0625-DRA135M-5	0.531	13.50	0.625	5.433	3.543	2.756	1.890	0.787	135	DA1350M-GM	PR1535	SF0625DRA135M5 KIT1	\$290.00
	0.535	13.60								DA1360M-GM		SF0625DRA135M5 KIT2	
	0.539	13.70								DA1370M-GM		SF0625DRA135M5 KIT3	
	0.543	13.80								DA1380M-GM		SF0625DRA135M5 KIT4	
	0.547	13.90								DA1390M-GM		SF0625DRA135M5 KIT5	
SF0625-DRA140M-5	0.551	14.00	0.625	5.551	3.661	2.854	1.890	0.787	140	DA1400M-GM	PR1535	SF0625DRA140M5 KIT1	\$290.00
	0.555	14.10								DA1410M-GM		SF0625DRA140M5 KIT2	
	0.559	14.20								DA1420M-GM		SF0625DRA140M5 KIT3	
	0.563	14.30								DA1430M-GM		SF0625DRA140M5 KIT4	
	0.567	14.40								DA1440M-GM		SF0625DRA140M5 KIT5	
SF0625-DRA145M-5	0.571	14.50	0.625	5.669	3.780	2.953	1.890	0.787	145	DA1450M-GM	PR1535	SF0625DRA145M5 KIT1	\$300.00
	0.575	14.60								DA1460M-GM		SF0625DRA145M5 KIT2	
	0.578	14.68								DA1468M-GM		SF0625DRA145M5 KIT3	
	0.579	14.70								DA1470M-GM		SF0625DRA145M5 KIT4	
	0.583	14.80								DA1480M-GM		SF0625DRA145M5 KIT5	
	0.590	14.90								DA1490M-GM		SF0625DRA145M5 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

5D

DRA 5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0750-DRA150M-5	0.591	15.00	0.750	6.024	4.055	3.150	1.969	0.984	150	DA1500M-GM	PR1535	SF0750DRA150M5 KIT1	\$330.00
	0.594	15.10								DA1510M-GM		SF0750DRA150M5 KIT2	
	0.598	15.20								DA1520M-GM		SF0750DRA150M5 KIT3	
	0.602	15.30								DA1530M-GM		SF0750DRA150M5 KIT4	
	0.606	15.40								DA1540M-GM		SF0750DRA150M5 KIT5	
	0.610	15.50								DA1550M-GM		SF0750DRA150M5 KIT6	
	0.614	15.60								DA1560M-GM		SF0750DRA150M5 KIT7	
	0.618	15.70								DA1570M-GM		SF0750DRA150M5 KIT8	
	0.622	15.80								DA1580M-GM		SF0750DRA150M5 KIT9	
	0.625	15.88								DA1588M-GM		SF0750DRA150M5 KIT10	
	0.626	15.90								DA1590M-GM		SF0750DRA150M5 KIT11	
	SF0750-DRA160M-5	0.630								16.00		0.750	
0.634		16.10	DA1610M-GM	SF0750DRA160M5 KIT2									
0.638		16.20	DA1620M-GM	SF0750DRA160M5 KIT3									
0.642		16.30	DA1630M-GM	SF0750DRA160M5 KIT4									
0.646		16.40	DA1640M-GM	SF0750DRA160M5 KIT5									
0.650		16.50	DA1650M-GM	SF0750DRA160M5 KIT6									
0.654		16.60	DA1660M-GM	SF0750DRA160M5 KIT7									
0.656		16.67	DA1667M-GM	SF0750DRA160M5 KIT8									
0.657		16.70	DA1670M-GM	SF0750DRA160M5 KIT9									
0.661		16.80	DA1680M-GM	SF0750DRA160M5 KIT10									
0.665		16.90	DA1690M-GM	SF0750DRA160M5 KIT11									
SF0750-DRA170M-5		0.669	17.00	0.750	6.535	4.567	3.543	1.969	0.984	170	DA1700M-GM		PR1535
	0.673	17.10	DA1710M-GM								SF0750DRA170M5 KIT2		
	0.677	17.20	DA1720M-GM								SF0750DRA170M5 KIT3		
	0.681	17.30	DA1730M-GM								SF0750DRA170M5 KIT4		
	0.685	17.40	DA1740M-GM								SF0750DRA170M5 KIT5		
	0.687	17.46	DA1746M-GM								SF0750DRA170M5 KIT6		
	0.689	17.50	DA1750M-GM								SF0750DRA170M5 KIT7		
	0.693	17.60	DA1760M-GM								SF0750DRA170M5 KIT8		
	0.697	17.70	DA1770M-GM								SF0750DRA170M5 KIT9		
	0.701	17.80	DA1780M-GM								SF0750DRA170M5 KIT10		
	0.705	17.90	DA1790M-GM								SF0750DRA170M5 KIT11		
	SF0750-DRA180M-5	0.709	18.00								0.750	6.811	
0.713		18.10	DA1810M-GM	SF0750DRA180M5 KIT2									
0.717		18.20	DA1820M-GM	SF0750DRA180M5 KIT3									
0.720		18.30	DA1830M-GM	SF0750DRA180M5 KIT4									
0.724		18.40	DA1840M-GM	SF0750DRA180M5 KIT5									
0.728		18.50	DA1850M-GM	SF0750DRA180M5 KIT6									
0.732		18.60	DA1860M-GM	SF0750DRA180M5 KIT7									
0.736		18.70	DA1870M-GM	SF0750DRA180M5 KIT8									
0.740		18.80	DA1880M-GM	SF0750DRA180M5 KIT9									
0.744		18.90	DA1890M-GM	SF0750DRA180M5 KIT10									

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

5D

DRA 5D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC in	DC mm	DCON (h6)	OAL	LFS	LU	LS					
SF0750-DRA190M-5	0.748	19.00							DA1900M-GM	PR1535	SF0750DRA190M5 KIT1	\$390.00
	0.750	19.05							DA1905M-GM		SF0750DRA190M5 KIT2	
	0.752	19.10							DA1910M-GM		SF0750DRA190M5 KIT3	
	0.756	19.20							DA1920M-GM		SF0750DRA190M5 KIT4	
	0.760	19.30							DA1930M-GM		SF0750DRA190M5 KIT5	
	0.764	19.40	0.750	7.047	5.079	3.937	1.969	0.984	DA1940M-GM		SF0750DRA190M5 KIT6	
	0.768	19.50							DA1950M-GM		SF0750DRA190M5 KIT7	
	0.772	19.60							DA1960M-GM		SF0750DRA190M5 KIT8	
	0.776	19.70							DA1970M-GM		SF0750DRA190M5 KIT9	
	0.780	19.80							DA1980M-GM		SF0750DRA190M5 KIT10	
	0.783	19.90							DA1990M-GM		SF0750DRA190M5 KIT11	
SF1000-DRA200M-5	0.787	20.00							DA2000M-GM	PR1535	SF1000DRA200M5 KIT1	\$440.00
	0.791	20.10							DA2010M-GM		SF1000DRA200M5 KIT2	
	0.795	20.20							DA2020M-GM		SF1000DRA200M5 KIT3	
	0.799	20.30							DA2030M-GM		SF1000DRA200M5 KIT4	
	0.803	20.40							DA2040M-GM		SF1000DRA200M5 KIT5	
	0.807	20.50	1.000	7.520	5.315	4.134	2.205	1.260	DA2050M-GM		SF1000DRA200M5 KIT6	
	0.811	20.60							DA2060M-GM		SF1000DRA200M5 KIT7	
	0.813	20.64							DA2064M-GM		SF1000DRA200M5 KIT8	
	0.815	20.70							DA2070M-GM		SF1000DRA200M5 KIT9	
	0.819	20.80							DA2080M-GM		SF1000DRA200M5 KIT10	
	0.823	20.90							DA2090M-GM		SF1000DRA200M5 KIT11	
SF1000-DRA210M-5	0.827	21.00	1.000	7.756	5.551	4.331	2.205	1.260	DA2100M-GM	PR1535	SF1000DRA210M5 KIT1	\$440.00
	0.846	21.50							DA2150M-GM		SF1000DRA210M5 KIT2	
SF1000-DRA220M-5	0.866	22.00							DA2200M-GM	PR1535	SF1000DRA220M5 KIT1	\$450.00
	0.875	22.23	1.000	8.031	5.827	4.528	2.205	1.260	DA2223M-GM		SF1000DRA220M5 KIT2	
SF1000-DRA230M-5	0.886	22.50							DA2250M-GM	PR1535	SF1000DRA220M5 KIT3	\$480.00
	0.906	23.00							DA2300M-GM		SF1000DRA230M5 KIT1	
	0.925	23.50	1.000	8.268	6.063	4.724	2.205	1.260	DA2350M-GM		SF1000DRA230M5 KIT2	
SF1000-DRA240M-5	0.937	23.81							DA2381M-GM	PR1535	SF1000DRA230M5 KIT3	\$490.00
	0.945	24.00							DA2400M-GM		SF1000DRA240M5 KIT1	
	0.965	24.50	1.000	8.504	6.299	4.921	2.205	1.260	DA2450M-GM		SF1000DRA240M5 KIT2	
SF1000-DRA250M-5	0.984	25.00							DA2500M-GM	PR1535	SF1000DRA250M5 KIT1	\$530.00
	1.000	25.40	1.000	8.740	6.535	5.116	2.205	1.260	DA2540M-GM		SF1000DRA250M5 KIT2	
	1.004	25.50							DA2550M-GM		SF1000DRA250M5 KIT3	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

8D

DRA 8D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0375-DRA080M-8	0.313	7.94	0.375	4.764	2.677	1.575	080	DA0794M-GM	PR1535	SS0375DRA080M8 KIT1	\$310.00
	0.315	8.00						DA0800M-GM		SS0375DRA080M8 KIT2	
	0.319	8.10						DA0810M-GM		SS0375DRA080M8 KIT3	
	0.322	8.18						DA0818M-GM		SS0375DRA080M8 KIT4	
	0.323	8.20						DA0820M-GM		SS0375DRA080M8 KIT5	
	0.327	8.30						DA0830M-GM		SS0375DRA080M8 KIT6	
	0.331	8.40						DA0840M-GM		SS0375DRA080M8 KIT7	
	SS0375-DRA085M-8	0.335						8.50		0.375	
0.339		8.60	DA0860M-GM	SS0375DRA085M8 KIT2							
0.343		8.70	DA0870M-GM	SS0375DRA085M8 KIT3							
0.346		8.80	DA0880M-GM	SS0375DRA085M8 KIT4							
0.350		8.90	DA0890M-GM	SS0375DRA085M8 KIT5							
SS0375-DRA090M-8		0.354	9.00	0.375	5.118	2.992	1.575	090	DA0900M-GM		PR1535
	0.358	9.10	DA0910M-GM						SS0375DRA090M8 KIT2		
	0.362	9.20	DA0920M-GM						SS0375DRA090M8 KIT3		
	0.366	9.30	DA0930M-GM						SS0375DRA090M8 KIT4		
	0.370	9.40	DA0940M-GM						SS0375DRA090M8 KIT5		
	SS0500-DRA095M-8	0.374	9.50						0.500	5.512	
0.375		9.53	DA0953M-GM	SS0500DRA095M8 KIT2							
0.378		9.60	DA0960M-GM	SS0500DRA095M8 KIT3							
0.382		9.70	DA0970M-GM	SS0500DRA095M8 KIT4							
0.386		9.80	DA0980M-GM	SS0500DRA095M8 KIT5							
0.390		9.90	DA0990M-GM	SS0500DRA095M8 KIT6							
SS0500-DRA100M-8	0.394	10.00	0.500	5.669	3.307	1.772	100	DA1000M-GM	PR1535	SS0500DRA100M8 KIT1	\$310.00
	0.398	10.10						DA1010M-GM		SS0500DRA100M8 KIT2	
	0.402	10.20						DA1020M-GM		SS0500DRA100M8 KIT3	
	0.406	10.30						DA1030M-GM		SS0500DRA100M8 KIT4	
	0.409	10.40						DA1040M-GM		SS0500DRA100M8 KIT5	
SS0500-DRA105M-8	0.413	10.50	0.500	5.866	3.465	1.772	105	DA1050M-GM	PR1535	SS0500DRA105M8 KIT1	\$330.00
	0.417	10.60						DA1060M-GM		SS0500DRA105M8 KIT2	
	0.421	10.70						DA1070M-GM		SS0500DRA105M8 KIT3	
	0.422	10.72						DA1072M-GM		SS0500DRA105M8 KIT4	
	0.425	10.80						DA1080M-GM		SS0500DRA105M8 KIT5	
	0.429	10.90						DA1090M-GM		SS0500DRA105M8 KIT6	
SS0500-DRA110M-8	0.433	11.00	0.500	6.063	3.622	1.772	110	DA1100M-GM	PR1535	SS0500DRA110M8 KIT1	\$330.00
	0.437	11.10						DA1110M-GM		SS0500DRA110M8 KIT2	
	0.441	11.20						DA1120M-GM		SS0500DRA110M8 KIT3	
	0.445	11.30						DA1130M-GM		SS0500DRA110M8 KIT4	
	0.449	11.40						DA1140M-GM		SS0500DRA110M8 KIT5	

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

8D

DRA 8D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0500-DRA115M-8	0.453	11.50	0.500	6.260	3.780	1.772	115	DA1150M-GM	PR1535	SS0500DRA115M8 KIT1	\$330.00
	0.457	11.60						DA1160M-GM		SS0500DRA115M8 KIT2	
	0.461	11.70						DA1170M-GM		SS0500DRA115M8 KIT3	
	0.465	11.80						DA1180M-GM		SS0500DRA115M8 KIT4	
	0.469	11.90						DA1190M-GM		SS0500DRA115M8 KIT5	
SS0625-DRA120M-8	0.472	12.00	0.625	6.535	3.937	1.890	120	DA1200M-GM	PR1535	SS0625DRA120M8 KIT1	\$330.00
	0.476	12.10						DA1210M-GM		SS0625DRA120M8 KIT2	
	0.480	12.20						DA1220M-GM		SS0625DRA120M8 KIT3	
	0.484	12.30						DA1230M-GM		SS0625DRA120M8 KIT4	
	0.488	12.40						DA1240M-GM		SS0625DRA120M8 KIT5	
SS0625-DRA125M-8	0.492	12.50	0.625	6.732	4.094	1.890	125	DA1250M-GM	PR1535	SS0625DRA125M8 KIT1	\$330.00
	0.496	12.60						DA1260M-GM		SS0625DRA125M8 KIT2	
	0.500	12.70						DA1270M-GM		SS0625DRA125M8 KIT3	
	0.504	12.80						DA1280M-GM		SS0625DRA125M8 KIT4	
	0.508	12.90						DA1290M-GM		SS0625DRA125M8 KIT5	
SS0625-DRA130M-8	0.512	13.00	0.625	6.890	4.252	1.890	130	DA1300M-GM	PR1535	SS0625DRA130M8 KIT1	\$330.00
	0.516	13.10						DA1310M-GM		SS0625DRA130M8 KIT2	
	0.520	13.20						DA1320M-GM		SS0625DRA130M8 KIT3	
	0.524	13.30						DA1330M-GM		SS0625DRA130M8 KIT4	
	0.528	13.40						DA1340M-GM		SS0625DRA130M8 KIT5	
SS0625-DRA135M-8	0.531	13.50	0.625	7.087	4.409	1.890	135	DA1350M-GM	PR1535	SS0625DRA135M8 KIT1	\$330.00
	0.535	13.60						DA1360M-GM		SS0625DRA135M8 KIT2	
	0.539	13.70						DA1370M-GM		SS0625DRA135M8 KIT3	
	0.543	13.80						DA1380M-GM		SS0625DRA135M8 KIT4	
	0.547	13.90						DA1390M-GM		SS0625DRA135M8 KIT5	
SS0625-DRA140M-8	0.551	14.00	0.625	7.244	4.567	1.890	140	DA1400M-GM	PR1535	SS0625DRA140M8 KIT1	\$330.00
	0.555	14.10						DA1410M-GM		SS0625DRA140M8 KIT2	
	0.559	14.20						DA1420M-GM		SS0625DRA140M8 KIT3	
	0.563	14.30						DA1430M-GM		SS0625DRA140M8 KIT4	
	0.567	14.40						DA1440M-GM		SS0625DRA140M8 KIT5	
SS0625-DRA145M-8	0.571	14.50	0.625	7.441	4.724	1.890	145	DA1450M-GM	PR1535	SS0625DRA145M8 KIT1	\$330.00
	0.575	14.60						DA1460M-GM		SS0625DRA145M8 KIT2	
	0.578	14.68						DA1468M-GM		SS0625DRA145M8 KIT3	
	0.579	14.70						DA1470M-GM		SS0625DRA145M8 KIT4	
	0.583	14.80						DA1480M-GM		SS0625DRA145M8 KIT5	
	0.590	14.90						DA1490M-GM		SS0625DRA145M8 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

8D

DRA 8D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS0625-DRA150M-8	0.591	15.00	0.625	7.835	5.039	1.890	150	DA1500M-GM	PR1535	SS0625DRA150M8 KIT1	\$350.00
	0.594	15.10						DA1510M-GM		SS0625DRA150M8 KIT2	
	0.598	15.20						DA1520M-GM		SS0625DRA150M8 KIT3	
	0.602	15.30						DA1530M-GM		SS0625DRA150M8 KIT4	
	0.606	15.40						DA1540M-GM		SS0625DRA150M8 KIT5	
	0.610	15.50						DA1550M-GM		SS0625DRA150M8 KIT6	
	0.614	15.60						DA1560M-GM		SS0625DRA150M8 KIT7	
	0.618	15.70						DA1570M-GM		SS0625DRA150M8 KIT8	
	0.622	15.80						DA1580M-GM		SS0625DRA150M8 KIT9	
	0.625	15.88						DA1588M-GM		SS0625DRA150M8 KIT10	
	0.626	15.90						DA1590M-GM		SS0625DRA150M8 KIT11	
	SS0750-DRA160M-8	0.630						16.00		0.750	
0.634		16.10	DA1610M-GM	SS0750DRA160M8 KIT2							
0.638		16.20	DA1620M-GM	SS0750DRA160M8 KIT3							
0.642		16.30	DA1630M-GM	SS0750DRA160M8 KIT4							
0.646		16.40	DA1640M-GM	SS0750DRA160M8 KIT5							
0.650		16.50	DA1650M-GM	SS0750DRA160M8 KIT6							
0.654		16.60	DA1660M-GM	SS0750DRA160M8 KIT7							
0.656		16.67	DA1667M-GM	SS0750DRA160M8 KIT8							
0.657		16.70	DA1670M-GM	SS0750DRA160M8 KIT9							
0.661		16.80	DA1680M-GM	SS0750DRA160M8 KIT10							
0.665		16.90	DA1690M-GM	SS0750DRA160M8 KIT11							
SS0750-DRA170M-8		0.669	17.00	0.750	8.661	5.669	1.969	170	DA1700M-GM		PR1535
	0.673	17.10	DA1710M-GM						SS0750DRA170M8 KIT2		
	0.677	17.20	DA1720M-GM						SS0750DRA170M8 KIT3		
	0.681	17.30	DA1730M-GM						SS0750DRA170M8 KIT4		
	0.685	17.40	DA1740M-GM						SS0750DRA170M8 KIT5		
	0.687	17.46	DA1746M-GM						SS0750DRA170M8 KIT6		
	0.689	17.50	DA1750M-GM						SS0750DRA170M8 KIT7		
	0.693	17.60	DA1760M-GM						SS0750DRA170M8 KIT8		
	0.697	17.70	DA1770M-GM						SS0750DRA170M8 KIT9		
	0.701	17.80	DA1780M-GM						SS0750DRA170M8 KIT10		
	0.705	17.90	DA1790M-GM						SS0750DRA170M8 KIT11		
	SS0750-DRA180M-8	0.709	18.00						0.750	9.055	
0.713		18.10	DA1810M-GM	SS0750DRA180M8 KIT2							
0.717		18.20	DA1820M-GM	SS0750DRA180M8 KIT3							
0.720		18.30	DA1830M-GM	SS0750DRA180M8 KIT4							
0.724		18.40	DA1840M-GM	SS0750DRA180M8 KIT5							
0.728		18.50	DA1850M-GM	SS0750DRA180M8 KIT6							
0.732		18.60	DA1860M-GM	SS0750DRA180M8 KIT7							
0.736		18.70	DA1870M-GM	SS0750DRA180M8 KIT8							
0.740		18.80	DA1880M-GM	SS0750DRA180M8 KIT9							
0.744		18.90	DA1890M-GM	SS0750DRA180M8 KIT10							

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

8D

DRA 8D Kits (Straight Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Straight



For PL dimension, reference insert dimension table.



Pick 1 Drill Body Part Number	Dimension (in)						Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LU	LS					
	in	mm									
SS1000-DRA190M-8	0.748	19.00	1.000	9.409	6.299	2.205	190	DA1900M-GM	PR1535	SS1000DRA190M8 KIT1	\$420.00
	0.750	19.05						DA1905M-GM		SS1000DRA190M8 KIT2	
	0.752	19.10						DA1910M-GM		SS1000DRA190M8 KIT3	
	0.756	19.20						DA1920M-GM		SS1000DRA190M8 KIT4	
	0.760	19.30						DA1930M-GM		SS1000DRA190M8 KIT5	
	0.764	19.40						DA1940M-GM		SS1000DRA190M8 KIT6	
	0.768	19.50						DA1950M-GM		SS1000DRA190M8 KIT7	
	0.772	19.60						DA1960M-GM		SS1000DRA190M8 KIT8	
	0.776	19.70						DA1970M-GM		SS1000DRA190M8 KIT9	
	0.780	19.80						DA1980M-GM		SS1000DRA190M8 KIT10	
	0.783	19.90						DA1990M-GM		SS1000DRA190M8 KIT11	
	SS1000-DRA200M-8	0.787						20.00		1.000	
0.791		20.10	DA2010M-GM	SS1000DRA200M8 KIT2							
0.795		20.20	DA2020M-GM	SS1000DRA200M8 KIT3							
0.799		20.30	DA2030M-GM	SS1000DRA200M8 KIT4							
0.803		20.40	DA2040M-GM	SS1000DRA200M8 KIT5							
0.807		20.50	DA2050M-GM	SS1000DRA200M8 KIT6							
0.811		20.60	DA2060M-GM	SS1000DRA200M8 KIT7							
0.813		20.64	DA2064M-GM	SS1000DRA200M8 KIT8							
0.815		20.70	DA2070M-GM	SS1000DRA200M8 KIT9							
0.819		20.80	DA2080M-GM	SS1000DRA200M8 KIT10							
0.823		20.90	DA2090M-GM	SS1000DRA200M8 KIT11							
SS1000-DRA210M-8		0.827	21.00	1.000	10.354	6.929	2.205	210	DA2100M-GM		PR1535
	0.846	21.50	DA2150M-GM						SS1000DRA210M8 KIT2		
SS1000-DRA220M-8	0.866	22.00	1.000	10.748	7.244	2.205	220	DA2200M-GM	PR1535	SS1000DRA220M8 KIT1	\$490.00
	0.875	22.23						DA2223M-GM		SS1000DRA220M8 KIT2	
	0.886	22.50						DA2250M-GM		SS1000DRA220M8 KIT3	
SS1000-DRA230M-8	0.906	23.00	1.000	11.102	7.559	2.205	230	DA2300M-GM	PR1535	SS1000DRA230M8 KIT1	\$540.00
	0.925	23.50						DA2350M-GM		SS1000DRA230M8 KIT2	
	0.937	23.81						DA2381M-GM		SS1000DRA230M8 KIT3	
SS1000-DRA240M-8	0.945	24.00	1.000	11.457	7.874	2.205	240	DA2400M-GM	PR1535	SS1000DRA240M8 KIT1	\$540.00
	0.965	24.50						DA2450M-GM		SS1000DRA240M8 KIT2	
SS1000-DRA250M-8	0.984	25.00	1.000	11.969	8.189	2.205	250	DA2500M-GM	PR1535	SS1000DRA250M8 KIT1	\$600.00
	1.000	25.40						DA2540M-GM		SS1000DRA250M8 KIT2	
	1.004	25.50						DA2550M-GM		SS1000DRA250M8 KIT3	

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

8D

DRA 8D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



Pick 1 Drill Body Part Number	Dimension (in)							Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price	
	DC		DCON (h6)	OAL	LFS	LU	LS						DCSFMS
	in	mm											
SF0500-DRA080M-8	0.313	7.94	0.500	4.961	3.189	2.677	1.772	0.630	080	PR1535	DA0794M-GM	SF0500DRA080M8 KIT1	\$320.00
	0.315	8.00									DA0800M-GM	SF0500DRA080M8 KIT2	
	0.319	8.10									DA0810M-GM	SF0500DRA080M8 KIT3	
	0.322	8.18									DA0818M-GM	SF0500DRA080M8 KIT4	
	0.323	8.20									DA0820M-GM	SF0500DRA080M8 KIT5	
	0.327	8.30									DA0830M-GM	SF0500DRA080M8 KIT6	
	0.331	8.40									DA0840M-GM	SF0500DRA080M8 KIT7	
	SF0500-DRA085M-8	0.335									8.50	0.500	
0.339		8.60	DA0860M-GM	SF0500DRA085M8 KIT2									
0.343		8.70	DA0870M-GM	SF0500DRA085M8 KIT3									
0.346		8.80	DA0880M-GM	SF0500DRA085M8 KIT4									
0.350		8.90	DA0890M-GM	SF0500DRA085M8 KIT5									
SF0500-DRA090M-8		0.354	9.00	0.500	5.315	3.543	2.992	1.772	0.630	090	PR1535		DA0900M-GM
	0.358	9.10	DA0910M-GM									SF0500DRA090M8 KIT2	
	0.362	9.20	DA0920M-GM									SF0500DRA090M8 KIT3	
	0.366	9.30	DA0930M-GM									SF0500DRA090M8 KIT4	
	0.370	9.40	DA0940M-GM									SF0500DRA090M8 KIT5	
	SF0500-DRA095M-8	0.374	9.50									0.500	5.512
0.375		9.53	DA0953M-GM	SF0500DRA095M8 KIT2									
0.378		9.60	DA0960M-GM	SF0500DRA095M8 KIT3									
0.382		9.70	DA0970M-GM	SF0500DRA095M8 KIT4									
0.386		9.80	DA0980M-GM	SF0500DRA095M8 KIT5									
0.390		9.90	DA0990M-GM	SF0500DRA095M8 KIT6									
SF0625-DRA100M-8	0.394	10.00	0.625	5.787	3.898	3.307	1.890	0.787	100	PR1535	DA1000M-GM	SF0625DRA100M8 KIT1	\$320.00
	0.398	10.10									DA1010M-GM	SF0625DRA100M8 KIT2	
	0.402	10.20									DA1020M-GM	SF0625DRA100M8 KIT3	
	0.406	10.30									DA1030M-GM	SF0625DRA100M8 KIT4	
	0.409	10.40									DA1040M-GM	SF0625DRA100M8 KIT5	
SF0625-DRA105M-8	0.413	10.50	0.625	5.984	4.094	3.465	1.890	0.787	105	PR1535	DA1050M-GM	SF0625DRA105M8 KIT1	\$350.00
	0.417	10.60									DA1060M-GM	SF0625DRA105M8 KIT2	
	0.421	10.70									DA1070M-GM	SF0625DRA105M8 KIT3	
	0.422	10.72									DA1072M-GM	SF0625DRA105M8 KIT4	
	0.425	10.80									DA1080M-GM	SF0625DRA105M8 KIT5	
	0.429	10.90									DA1090M-GM	SF0625DRA105M8 KIT6	
SF0625-DRA110M-8	0.433	11.00	0.625	6.181	4.291	3.622	1.890	0.787	110	PR1535	DA1100M-GM	SF0625DRA110M8 KIT1	\$350.00
	0.437	11.10									DA1110M-GM	SF0625DRA110M8 KIT2	
	0.441	11.20									DA1120M-GM	SF0625DRA110M8 KIT3	
	0.445	11.30									DA1130M-GM	SF0625DRA110M8 KIT4	
	0.449	11.40									DA1140M-GM	SF0625DRA110M8 KIT5	

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

8D

DRA 8D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC in	DC mm	DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
SF0625-DRA115M-8	0.453	11.50	0.625	6.378	4.488	3.780	1.890	0.787	115	DA1150M-GM	PR1535	SF0625DRA115M8 KIT1	\$350.00
	0.457	11.60								DA1160M-GM		SF0625DRA115M8 KIT2	
	0.461	11.70								DA1170M-GM		SF0625DRA115M8 KIT3	
	0.465	11.80								DA1180M-GM		SF0625DRA115M8 KIT4	
	0.469	11.90								DA1190M-GM		SF0625DRA115M8 KIT5	
SF0625-DRA120M-8	0.472	12.00	0.625	6.535	4.646	3.937	1.890	0.787	120	DA1200M-GM	PR1535	SF0625DRA120M8 KIT1	\$350.00
	0.476	12.10								DA1210M-GM		SF0625DRA120M8 KIT2	
	0.480	12.20								DA1220M-GM		SF0625DRA120M8 KIT3	
	0.484	12.30								DA1230M-GM		SF0625DRA120M8 KIT4	
	0.488	12.40								DA1240M-GM		SF0625DRA120M8 KIT5	
SF0625-DRA125M-8	0.492	12.50	0.625	6.732	4.843	4.094	1.890	0.787	125	DA1250M-GM	PR1535	SF0625DRA125M8 KIT1	\$350.00
	0.496	12.60								DA1260M-GM		SF0625DRA125M8 KIT2	
	0.500	12.70								DA1270M-GM		SF0625DRA125M8 KIT3	
	0.504	12.80								DA1280M-GM		SF0625DRA125M8 KIT4	
	0.508	12.90								DA1290M-GM		SF0625DRA125M8 KIT5	
SF0625-DRA130M-8	0.512	13.00	0.625	6.890	5.000	4.252	1.890	0.787	130	DA1300M-GM	PR1535	SF0625DRA130M8 KIT1	\$350.00
	0.516	13.10								DA1310M-GM		SF0625DRA130M8 KIT2	
	0.520	13.20								DA1320M-GM		SF0625DRA130M8 KIT3	
	0.524	13.30								DA1330M-GM		SF0625DRA130M8 KIT4	
	0.528	13.40								DA1340M-GM		SF0625DRA130M8 KIT5	
SF0625-DRA135M-8	0.531	13.50	0.625	7.087	5.197	4.409	1.890	0.787	135	DA1350M-GM	PR1535	SF0625DRA135M8 KIT1	\$350.00
	0.535	13.60								DA1360M-GM		SF0625DRA135M8 KIT2	
	0.539	13.70								DA1370M-GM		SF0625DRA135M8 KIT3	
	0.543	13.80								DA1380M-GM		SF0625DRA135M8 KIT4	
	0.547	13.90								DA1390M-GM		SF0625DRA135M8 KIT5	
SF0625-DRA140M-8	0.551	14.00	0.625	7.244	5.354	4.567	1.890	0.787	140	DA1400M-GM	PR1535	SF0625DRA140M8 KIT1	\$350.00
	0.555	14.10								DA1410M-GM		SF0625DRA140M8 KIT2	
	0.559	14.20								DA1420M-GM		SF0625DRA140M8 KIT3	
	0.563	14.30								DA1430M-GM		SF0625DRA140M8 KIT4	
	0.567	14.40								DA1440M-GM		SF0625DRA140M8 KIT5	
SF0625-DRA145M-8	0.571	14.50	0.625	7.441	5.551	4.724	1.890	0.787	145	DA1450M-GM	PR1535	SF0625DRA145M8 KIT1	\$350.00
	0.575	14.60								DA1460M-GM		SF0625DRA145M8 KIT2	
	0.578	14.68								DA1468M-GM		SF0625DRA145M8 KIT3	
	0.579	14.70								DA1470M-GM		SF0625DRA145M8 KIT4	
	0.583	14.80								DA1480M-GM		SF0625DRA145M8 KIT5	
	0.590	14.90								DA1490M-GM		SF0625DRA145M8 KIT6	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

8D

DRA 8D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0750-DRA150M-8	0.591	15.00	0.750	7.913	5.945	5.039	1.969	0.984	150	PR1535	DA1500M-GM	SF0750DRA150M8 KIT1	\$370.00
	0.594	15.10									DA1510M-GM	SF0750DRA150M8 KIT2	
	0.598	15.20									DA1520M-GM	SF0750DRA150M8 KIT3	
	0.602	15.30									DA1530M-GM	SF0750DRA150M8 KIT4	
	0.606	15.40									DA1540M-GM	SF0750DRA150M8 KIT5	
	0.610	15.50									DA1550M-GM	SF0750DRA150M8 KIT6	
	0.614	15.60									DA1560M-GM	SF0750DRA150M8 KIT7	
	0.618	15.70									DA1570M-GM	SF0750DRA150M8 KIT8	
	0.622	15.80									DA1580M-GM	SF0750DRA150M8 KIT9	
	0.625	15.88									DA1588M-GM	SF0750DRA150M8 KIT10	
	0.626	15.90									DA1590M-GM	SF0750DRA150M8 KIT11	
	SF0750-DRA160M-8	0.630									16.00	0.750	
0.634		16.10	DA1610M-GM	SF0750DRA160M8 KIT2									
0.638		16.20	DA1620M-GM	SF0750DRA160M8 KIT3									
0.642		16.30	DA1630M-GM	SF0750DRA160M8 KIT4									
0.646		16.40	DA1640M-GM	SF0750DRA160M8 KIT5									
0.650		16.50	DA1650M-GM	SF0750DRA160M8 KIT6									
0.654		16.60	DA1660M-GM	SF0750DRA160M8 KIT7									
0.656		16.67	DA1667M-GM	SF0750DRA160M8 KIT8									
0.657		16.70	DA1670M-GM	SF0750DRA160M8 KIT9									
0.661		16.80	DA1680M-GM	SF0750DRA160M8 KIT10									
0.665		16.90	DA1690M-GM	SF0750DRA160M8 KIT11									
SF0750-DRA170M-8		0.669	17.00	0.750	8.661	6.693	5.669	1.969	0.984	170	PR1535		DA1700M-GM
	0.673	17.10	DA1710M-GM									SF0750DRA170M8 KIT2	
	0.677	17.20	DA1720M-GM									SF0750DRA170M8 KIT3	
	0.681	17.30	DA1730M-GM									SF0750DRA170M8 KIT4	
	0.685	17.40	DA1740M-GM									SF0750DRA170M8 KIT5	
	0.687	17.46	DA1746M-GM									SF0750DRA170M8 KIT6	
	0.689	17.50	DA1750M-GM									SF0750DRA170M8 KIT7	
	0.693	17.60	DA1760M-GM									SF0750DRA170M8 KIT8	
	0.697	17.70	DA1770M-GM									SF0750DRA170M8 KIT9	
	0.701	17.80	DA1780M-GM									SF0750DRA170M8 KIT10	
	0.705	17.90	DA1790M-GM									SF0750DRA170M8 KIT11	
	SF0750-DRA180M-8	0.709	18.00									0.750	9.055
0.713		18.10	DA1810M-GM	SF0750DRA180M8 KIT2									
0.717		18.20	DA1820M-GM	SF0750DRA180M8 KIT3									
0.720		18.30	DA1830M-GM	SF0750DRA180M8 KIT4									
0.724		18.40	DA1840M-GM	SF0750DRA180M8 KIT5									
0.728		18.50	DA1850M-GM	SF0750DRA180M8 KIT6									
0.732		18.60	DA1860M-GM	SF0750DRA180M8 KIT7									
0.736		18.70	DA1870M-GM	SF0750DRA180M8 KIT8									
0.740		18.80	DA1880M-GM	SF0750DRA180M8 KIT9									
0.744		18.90	DA1890M-GM	SF0750DRA180M8 KIT10									

Applicable Insert Information  Page 56~57

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

8D

DRA 8D Kits (Flange Shank)


Kit includes (1) Drill and (1) Insert

Choose your Drill Size and Insert Size

FREE 
Next Day
Drop Shipping

See Page 3

Flange



Pick 1 Drill Body Part Number	Dimension (in)								Seat Size	Pick 1 Applicable Insert	Insert Grade	Kit Part Number (Use when Ordering)	U.S. Kit Price
	DC		DCON (h6)	OAL	LFS	LU	LS	DCSFMS					
	in	mm											
SF0750-DRA190M-8	0.748	19.00	0.750	9.409	7.441	6.299	1.969	0.984	190	DA1900M-GM	PR1535	SF0750DRA190M8 KIT1	\$430.00
	0.750	19.05								DA1905M-GM		SF0750DRA190M8 KIT2	
	0.752	19.10								DA1910M-GM		SF0750DRA190M8 KIT3	
	0.756	19.20								DA1920M-GM		SF0750DRA190M8 KIT4	
	0.760	19.30								DA1930M-GM		SF0750DRA190M8 KIT5	
	0.764	19.40								DA1940M-GM		SF0750DRA190M8 KIT6	
	0.768	19.50								DA1950M-GM		SF0750DRA190M8 KIT7	
	0.772	19.60								DA1960M-GM		SF0750DRA190M8 KIT8	
	0.776	19.70								DA1970M-GM		SF0750DRA190M8 KIT9	
	0.780	19.80								DA1980M-GM		SF0750DRA190M8 KIT10	
	0.783	19.90								DA1990M-GM		SF0750DRA190M8 KIT11	
	SF1000-DRA200M-8	0.787								20.00		1.000	
0.791		20.10	DA2010M-GM	SF1000DRA200M8 KIT2									
0.795		20.20	DA2020M-GM	SF1000DRA200M8 KIT3									
0.799		20.30	DA2030M-GM	SF1000DRA200M8 KIT4									
0.803		20.40	DA2040M-GM	SF1000DRA200M8 KIT5									
0.807		20.50	DA2050M-GM	SF1000DRA200M8 KIT6									
0.811		20.60	DA2060M-GM	SF1000DRA200M8 KIT7									
0.813		20.64	DA2064M-GM	SF1000DRA200M8 KIT8									
0.815		20.70	DA2070M-GM	SF1000DRA200M8 KIT9									
0.819		20.80	DA2080M-GM	SF1000DRA200M8 KIT10									
0.823		20.90	DA2090M-GM	SF1000DRA200M8 KIT11									
SF1000-DRA210M-8		0.827	21.00	1.000	10.354	8.150	6.929	2.205	1.260	210	DA2100M-GM		PR1535
	0.846	21.50	DA2150M-GM								SF1000DRA210M8 KIT2		
SF1000-DRA220M-8	0.866	22.00	1.000	10.748	8.543	7.244	2.205	1.260	220	DA2200M-GM	PR1535	SF1000DRA220M8 KIT1	\$520.00
	0.875	22.23								DA2223M-GM		SF1000DRA220M8 KIT2	
SF1000-DRA230M-8	0.886	22.50	1.000	11.102	8.898	7.559	2.205	1.260	230	DA2250M-GM	PR1535	SF1000DRA220M8 KIT3	\$560.00
	0.906	23.00								DA2300M-GM		SF1000DRA230M8 KIT1	
	0.925	23.50								DA2350M-GM		SF1000DRA230M8 KIT2	
SF1000-DRA240M-8	0.937	23.81	1.000	11.457	9.252	7.874	2.205	1.260	240	DA2381M-GM	PR1535	SF1000DRA230M8 KIT3	\$570.00
	0.945	24.00								DA2400M-GM		SF1000DRA240M8 KIT1	
	0.965	24.50								DA2450M-GM		SF1000DRA240M8 KIT2	
SF1000-DRA250M-8	0.984	25.00	1.000	11.811	9.606	8.189	2.205	1.260	250	DA2500M-GM	PR1535	SF1000DRA250M8 KIT1	\$620.00
	1.000	25.40								DA2540M-GM		SF1000DRA250M8 KIT2	
	1.004	25.50								DA2550M-GM		SF1000DRA250M8 KIT3	

Applicable Insert Information  Page 56~57

KYOCERA Precision Tools, Inc.

P: 800.823.7284 • F: 828.692.1344 • E: ctsales@kyocera.comOfficial Website: www.kyoceraprecisiontools.com • Distributor Website: mykpti.kyocera.com


HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

DRA Inserts

Cutting Diameter $\varnothing 0.313" \sim \varnothing 0.528"$ ($\varnothing 7.94\text{mm} \sim \varnothing 13.40\text{mm}$)

k8 Tolerance

DC (in)	k8 (in)	DC (mm)	k8 (mm)
0.313 ~ 0.394	+0.0009 0	7.94 ~ 10.00	+0.022 0
0.394 ~ 0.709	+0.0011 0	10.10 ~ 18.00	+0.027 0
0.713 ~ 1.004	+0.0013 0	18.10 ~ 25.50	+0.033 0

k8 is the dimension tolerance of the insert.
It is not the tolerance of the cutting diameter.

1st Recommendation Grade

PR1535 MEGACOAT NANO

For Stable Machining of Steel and Stainless Steel

Part Number	Dimensions			Grade	Seat Size	Applicable Toolholder
	DC		PL (in)	PR1535		
	in	mm				
DA0794M-GM	0.313	7.94	0.053	●	080	SS0375-DRA080M-○ SF0500-DRA080M-○
DA0800M-GM	0.315	8.00	0.053	●		
DA0810M-GM	0.319	8.10	0.054	●		
DA0818M-GM	0.322	8.18	0.054	●		
DA0820M-GM	0.323	8.20	0.055	●		
DA0830M-GM	0.327	8.30	0.055	●		
DA0840M-GM	0.331	8.40	0.056	●		
DA0850M-GM	0.335	8.50	0.057	●	085	SS0375-DRA085M-○ SF0500-DRA085M-○
DA0860M-GM	0.339	8.60	0.057	●		
DA0870M-GM	0.343	8.70	0.058	●		
DA0880M-GM	0.346	8.80	0.059	●		
DA0890M-GM	0.350	8.90	0.060	●		
DA0900M-GM	0.354	9.00	0.060	●	090	SS0375-DRA090M-○ SF0500-DRA090M-○
DA0910M-GM	0.358	9.10	0.061	●		
DA0920M-GM	0.362	9.20	0.061	●		
DA0930M-GM	0.366	9.30	0.062	●		
DA0940M-GM	0.370	9.40	0.063	●		
DA0950M-GM	0.374	9.50	0.063	●	095	SS0500-DRA095M-○ SF0500-DRA095M-○
DA0953M-GM	0.375	9.53	0.064	●		
DA0960M-GM	0.378	9.60	0.064	●		
DA0970M-GM	0.382	9.70	0.065	●		
DA0980M-GM	0.386	9.80	0.066	●		
DA0990M-GM	0.390	9.90	0.066	●		
DA1000M-GM	0.394	10.00	0.067	●	100	SS0500-DRA100M-○ SF0625-DRA100M-○
DA1010M-GM	0.398	10.10	0.068	●		
DA1020M-GM	0.402	10.20	0.068	●		
DA1030M-GM	0.406	10.30	0.069	●		
DA1040M-GM	0.409	10.40	0.070	●		

Part Number	Dimensions			Grade	Seat Size	Applicable Toolholder
	DC		PL (in)	PR1535		
	in	mm				
DA1050M-GM	0.413	10.50	0.071	●	105	SS0500-DRA105M-○ SF0625-DRA105M-○
DA1060M-GM	0.417	10.60	0.071	●		
DA1070M-GM	0.421	10.70	0.072	●		
DA1072M-GM	0.422	10.72	0.072	●		
DA1080M-GM	0.425	10.80	0.073	●		
DA1090M-GM	0.429	10.90	0.073	●	110	SS0500-DRA110M-○ SF0625-DRA110M-○
DA1100M-GM	0.433	11.00	0.074	●		
DA1110M-GM	0.437	11.10	0.074	●		
DA1120M-GM	0.441	11.20	0.075	●		
DA1130M-GM	0.445	11.30	0.076	●		
DA1140M-GM	0.449	11.40	0.076	●	115	SS0500-DRA115M-○ SF0625-DRA115M-○
DA1150M-GM	0.453	11.50	0.077	●		
DA1160M-GM	0.457	11.60	0.078	●		
DA1170M-GM	0.461	11.70	0.079	●		
DA1180M-GM	0.465	11.80	0.079	●		
DA1190M-GM	0.469	11.90	0.080	●	120	SS0625-DRA120M-○ SF0625-DRA120M-○
DA1200M-GM	0.472	12.00	0.080	●		
DA1210M-GM	0.476	12.10	0.081	●		
DA1220M-GM	0.480	12.20	0.081	●		
DA1230M-GM	0.484	12.30	0.082	●		
DA1240M-GM	0.488	12.40	0.083	●	125	SS0625-DRA125M-○ SF0625-DRA125M-○
DA1250M-GM	0.492	12.50	0.083	●		
DA1260M-GM	0.496	12.60	0.084	●		
DA1270M-GM	0.500	12.70	0.085	●		
DA1280M-GM	0.504	12.80	0.086	●		
DA1290M-GM	0.508	12.90	0.086	●	130	SS0625-DRA130M-○ SF0625-DRA130M-○
DA1300M-GM	0.512	13.00	0.087	●		
DA1310M-GM	0.516	13.10	0.087	●		
DA1320M-GM	0.520	13.20	0.088	●		
DA1330M-GM	0.524	13.30	0.089	●		
DA1340M-GM	0.528	13.40	0.089	●		

● : Standard Item

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

DRA Inserts (Continued)

Cutting Diameter Ø0.531" ~ Ø1.004" (Ø13.50mm ~ Ø25.50mm)

Part Number	Dimensions			Grade	Seat Size	Applicable Toolholder
	DC		PL (in)	PR1535		
	in	mm				
DA1350M-GM	0.531	13.50	0.090	●	135	SS0625-DRA135M-○ SF0625-DRA135M-○
DA1360M-GM	0.535	13.60	0.091	●		
DA1370M-GM	0.539	13.70	0.092	●		
DA1380M-GM	0.543	13.80	0.092	●		
DA1390M-GM	0.547	13.90	0.093	●		
DA1400M-GM	0.551	14.00	0.092	●	140	SS0625-DRA140M-○ SF0625-DRA140M-○
DA1410M-GM	0.555	14.10	0.092	●		
DA1420M-GM	0.559	14.20	0.093	●		
DA1430M-GM	0.563	14.30	0.094	●		
DA1440M-GM	0.567	14.40	0.094	●		
DA1450M-GM	0.571	14.50	0.095	●	145	SS0625-DRA145M-○ SF0625-DRA145M-○
DA1460M-GM	0.575	14.60	0.096	●		
DA1468M-GM	0.578	14.68	0.096	●		
DA1470M-GM	0.579	14.70	0.097	●		
DA1480M-GM	0.583	14.80	0.097	●		
DA1490M-GM	0.587	14.90	0.098	●	150	SS0625-DRA150M-○ SF0750-DRA150M-○
DA1500M-GM	0.591	15.00	0.099	●		
DA1510M-GM	0.594	15.10	0.100	●		
DA1520M-GM	0.598	15.20	0.101	●		
DA1530M-GM	0.602	15.30	0.101	●		
DA1540M-GM	0.606	15.40	0.102	●		
DA1550M-GM	0.610	15.50	0.103	●		
DA1560M-GM	0.614	15.60	0.103	●		
DA1570M-GM	0.618	15.70	0.104	●		
DA1580M-GM	0.622	15.80	0.105	●		
DA1588M-GM	0.625	15.88	0.106	●		
DA1590M-GM	0.626	15.90	0.106	●		
DA1600M-GM	0.630	16.00	0.106	●		
DA1610M-GM	0.634	16.10	0.107	●		
DA1620M-GM	0.638	16.20	0.107	●		
DA1630M-GM	0.642	16.30	0.108	●		
DA1640M-GM	0.646	16.40	0.109	●		
DA1650M-GM	0.650	16.50	0.110	●		
DA1660M-GM	0.654	16.60	0.110	●		
DA1667M-GM	0.656	16.67	0.111	●		
DA1670M-GM	0.657	16.70	0.111	●		
DA1680M-GM	0.661	16.80	0.112	●		
DA1690M-GM	0.665	16.90	0.112	●		
DA1700M-GM	0.669	17.00	0.113	●	170	SS0750-DRA170M-○ SF0750-DRA170M-○
DA1710M-GM	0.673	17.10	0.113	●		
DA1720M-GM	0.677	17.20	0.114	●		
DA1730M-GM	0.681	17.30	0.115	●		
DA1740M-GM	0.685	17.40	0.116	●		
DA1746M-GM	0.687	17.46	0.116	●		
DA1750M-GM	0.689	17.50	0.116	●		SS0750-DRA170M-○ SF0750-DRA170M-○
DA1760M-GM	0.693	17.60	0.117	●		
DA1770M-GM	0.697	17.70	0.118	●		
DA1780M-GM	0.701	17.80	0.118	●		
DA1790M-GM	0.705	17.90	0.119	●		

Part Number	Dimensions			Grade	Seat Size	Applicable Toolholder
	DC		PL (in)	PR1535		
	in	mm				
DA1800M-GM	0.709	18.00	0.120	●	180	SS0750-DRA180M-○ SF0750-DRA180M-○
DA1810M-GM	0.713	18.10	0.120	●		
DA1820M-GM	0.717	18.20	0.121	●		
DA1830M-GM	0.720	18.30	0.122	●		
DA1840M-GM	0.724	18.40	0.122	●		
DA1850M-GM	0.728	18.50	0.123	●		
DA1860M-GM	0.732	18.60	0.124	●		
DA1870M-GM	0.736	18.70	0.125	●		
DA1880M-GM	0.740	18.80	0.125	●		
DA1890M-GM	0.744	18.90	0.126	●		
DA1900M-GM	0.748	19.00	0.126	●	190	SS1000-DRA190M-○ SF0750-DRA190M-○
DA1905M-GM	0.750	19.05	0.127	●		
DA1910M-GM	0.752	19.10	0.127	●		
DA1920M-GM	0.756	19.20	0.128	●		
DA1930M-GM	0.760	19.30	0.129	●		
DA1940M-GM	0.764	19.40	0.129	●		
DA1950M-GM	0.768	19.50	0.130	●		
DA1960M-GM	0.772	19.60	0.131	●		
DA1970M-GM	0.776	19.70	0.132	●		
DA1980M-GM	0.780	19.80	0.132	●		
DA1990M-GM	0.783	19.90	0.133	●	200	SS1000-DRA200M-○ SF1000-DRA200M-○
DA2000M-GM	0.787	20.00	0.133	●		
DA2010M-GM	0.791	20.10	0.134	●		
DA2020M-GM	0.795	20.20	0.134	●		
DA2030M-GM	0.799	20.30	0.135	●		
DA2040M-GM	0.803	20.40	0.136	●		
DA2050M-GM	0.807	20.50	0.136	●		
DA2060M-GM	0.811	20.60	0.137	●		
DA2064M-GM	0.813	20.64	0.137	●		
DA2070M-GM	0.815	20.70	0.138	●		
DA2080M-GM	0.819	20.80	0.139	●	210	SS1000-DRA210M-○ SF1000-DRA210M-○
DA2090M-GM	0.823	20.90	0.139	●		
DA2100M-GM	0.827	21.00	0.140	●		
DA2150M-GM	0.846	21.50	0.143	●		
DA2200M-GM	0.866	22.00	0.146	●	220	SS1000-DRA220M-○ SF1000-DRA220M-○
DA2223M-GM	0.875	22.23	0.148	●		
DA2250M-GM	0.886	22.50	0.150	●		
DA2300M-GM	0.906	23.00	0.153	●	230	SS1000-DRA230M-○ SF1000-DRA230M-○
DA2350M-GM	0.925	23.50	0.156	●		
DA2381M-GM	0.937	23.81	0.158	●		
DA2400M-GM	0.945	24.00	0.159	●	240	SS1000-DRA240M-○ SF1000-DRA240M-○
DA2450M-GM	0.965	24.50	0.163	●		
DA2500M-GM	0.984	25.00	0.165	●	250	SS1000-DRA250M-○ SF1000-DRA250M-○
DA2540M-GM	1.000	25.40	0.168	●		
DA2550M-GM	1.004	25.50	0.169	●		

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.comOfficial Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF



NEW

JCT Series

Jet Coolant Through Holders

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

Turning
Double-Clamp JCT

Grooving / Cut-off
KGD-JCT

Small Parts Turning
Screw-Clamp JCT

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Unique Coolant Systems for Various Machining Applications


Turning Double-Clamp-JCT Page 60~67

Multiple Coolant Streams

Superior chip control performance with longer tool life and high-speed machining capability

Promo Lineup

DCLN-JCT
DDJN-JCT



HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF


Grooving / Cut-Off KGD-JCT Page 74~77

Discharges Two Coolant Streams

One coolant stream towards the rake face of the insert for chip control and one towards the flank surface for cooling of the cutting edge

Promo Lineup

Edge Widths: 0.0787" - 1.000" (20mm - 25.4mm)
Groove Widths: 0.118" - 0.157" (3mm - 4mm)




Turning Screw-Clamp-JCT Page 72~73

Double Coolant Holes

Double coolant holes provide coolant toward the cutting edge surface of the insert

Promo Lineup

SCLC-JCT
SDJC-JCT
SVJB-JCT





CAST IRON TURNING KITS

CA310
High-Speed Continuous
CA315
General Use

CA3-SERIES INSERTS AND DOUBLE-CLAMP HOLDER KITS

Promo Code: **KY0-CA3-KIT**

CA3-Series for Reliable and Efficient Cast Iron Turning


Improved Coating Adhesion Prevents Chipping and Provides Stable Machining

CA310

for High-Speed Continuous Machining

Focused on wear resistance for machining gray cast iron through the deposition of a thickened alumina coating layer

Gray Cast Iron **1st Recommendation CA310**




CA315

for General Machining

Excellent performance for machining gray & nodular cast iron by optimizing the total coating layer thickness


Nodular Cast Iron **1st Recommendation CA315**



Innovative Coating Layers

Superior Hardness and Toughness with Excellent Fracture and Wear Resistance

Recommended K-Series Chipbreakers



First Recommendation

KH Chipbreaker (For Interrupted to Heavily Interrupted)

Good for Heavily Interrupted Machining
Focus on High Stability with Flat Land

KG Chipbreaker (for Continuous to Interrupted)

For Various Cast Iron Machining Applications
Chipping Resistance is Improved Despite Having a Positive Land




All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Cast Iron Turning Kits

Includes (1) Toolholder and (10) Inserts

Choose your Toolholder, Insert Chipbreaker, and Insert Grade



FREE 
Next Day
Drop Shipping

See Page 3

Pick 1 Toolholder Part Number		Shank Size (Square)	Overall Length	Insert Part Number	Pick 1 Chipbreaker	Pick 1 Insert Grade	U.S. Kit Price			
NEW  Coolant Through JCT	DCLNR 12-4BJCT	0.750"	4.500"	CNMG 432	KG (for Continuous to Interrupted)	CA310 (for High-Speed Continuous Machining)	\$220.00			
	DCLNL 12-4BJCT									
	DCLNR 16-4DJCT	1.000"	6.000"				\$240.00			
	DCLNL 16-4DJCT									
 Standard	DCLNR 12-4B	0.750"	4.500"				DNMG 432	KH (for Interrupted to Heavily Interrupted)	CA315 (for General Machining)	\$120.00
	DCLNL 12-4B									
	DCLNR 16-4D	1.000"	6.000"							\$130.00
	DCLNL 16-4D									
NEW  Coolant Through JCT	DDJNR 12-4BJCT	0.750"	4.500"	WNMG 432						\$240.00
	DDJNL 12-4BJCT									
	DDJNR 16-4DJCT	1.000"	6.000"							\$260.00
	DDJNL 16-4DJCT									
 Standard	DDJNR 12-4B	0.750"	4.500"							\$130.00
	DDJNL 12-4B									
	DDJNR 16-4D	1.000"	6.000"							\$140.00
	DDJNL 16-4D									
 Standard	DWLNR 12-4B	0.750"	4.500"							\$120.00
	DWLNL 12-4B									
	DWLNR 16-4D	1.000"	6.000"							\$130.00
	DWLNL 16-4D									

CA3-Series Inserts

Usage Classification

- ★ Roughing / 1st Choice
☆ Roughing / 2nd Choice

K

Gray Cast Iron

Ductile Cast Iron

★

☆

★

Insert		Part Number	Dimensions (in)				CVD Coating	
			IC	Thickness	Hole	Corner-R (RE)	CA310	CA315
Sharp Edge		CNMG 432KG	1/2	3/16	0.203	1/32	●	●
Roughing		CNMG 432KH					●	●
Sharp Edge		DNMG 432KG	1/2	3/16	0.203	1/32	●	●
Roughing		DNMG 432KH					●	●
Sharp Edge		WNMG 432KG	1/2	3/16	0.203	1/32	●	●
Roughing		WNMG 432KH					●	●

* No chipbreaker or geometry substitutions

* JCT coolant piping hardware must be purchased separately

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF



STEEL TURNING KITS

CA025P

Next Generation CVD

NEXT GENERATION CVD FOR STEEL TURNING


Promo Code: **KYO-CA025P-KIT**

Improved Wear Resistance with New CVD Grade for Steel

Thickened Alumina with Good Thermal Resistance (Twice as thick as conventional coating)

Improved Plastic Deformation Resistance by Increased Temperature Strength

Wear Resistance Comparison (Internal Evaluation)



CA025P (50.4 min)



Good Surface Condition

Competitor A (29.4 min)



Competitor B (42 min)



Cutting Conditions : $V_c = 980 \text{ sfm}$, $D.O.C. = 0.059''$, $f = 0.012 \text{ ipr}$, Wet Workpiece : 4137

CA025P Maintains Smooth and Flat Surface with Stable Tool Life

Wear Comparison (Internal Evaluation) Cutting Time 25.2 min

CA025P



Stable Wear on Surface


Competitor A





Unstable Wear Pattern

Cutting Conditions : $V_c = 980 \text{ sfm}$, $D.O.C. = 0.059''$, $f = 0.012 \text{ ipr}$, Wet Workpiece : 4137

Plastic Deformation Comparison under High Temperature (Internal Evaluation) Comparison with Competitor A



Insert Grade and Chipbreaker Applications



PG Chipbreaker (Medium-Roughing)

Stable Machining and Good Chip Control in a Wide Range of Applications

PQ Chipbreaker (Finishing-Medium)

Reduces Chip Clogging and Resistance at High Feed Rates


All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Steel Turning Kits

Includes (1) Toolholder and (10) Inserts

Choose your Toolholder and Insert Chipbreaker



FREE 
Next Day
Drop Shipping

See Page 3

Pick 1 Toolholder Part Number		Shank Size (Square)	Overall Length	Insert Part Number	Pick 1 Chipbreaker	Insert Grade	U.S. Kit Price
 Coolant Through JCT	DCLNR 12-4BJCT	0.750"	4.500"	CNMG 432		CA025P (for General Machining)	\$220.00
	DCLNL 12-4BJCT						
	DCLNR 16-4DJCT	1.000"	6.000"				\$240.00
	DCLNL 16-4DJCT						
 Standard	DCLNR 12-4B	0.750"	4.500"				
	DCLNL 12-4B	1.000"	6.000"				\$120.00
	DCLNR 16-4D						
	DCLNL 16-4D						
 Coolant Through JCT	DDJNR 12-4BJCT	0.750"	4.500"	DNMG 432			\$240.00
	DDJNL12-4BJCT						
	DDJNR 16-4DJCT	1.000"	6.000"				\$260.00
	DDJNL 16-4DJCT						
 Standard	DDJNR 12-4B	0.750"	4.500"				
	DDJNL 12-4B						1.000"
	DDJNR 16-4D						
	DDJNL 16-4D						
 Standard	DWLNR 12-4B	0.750"	4.500"	WNMG 432			
	DWLNL 12-4B				1.000"	6.000"	\$120.00
	DWLNR 16-4D						
	DWLNL 16-4D						

CA025P Inserts

Usage Classification

★ Roughing / 1st Choice ☆ Roughing / 2nd Choice		P	Carbon Steel / Alloy Steel				★
			Mold Steel				★
Insert		Part Number	Dimensions (in)				CVD Coating
			IC	Thickness	Hole	Corner-R (RE)	CA025P
Medium-Roughing		CNMG 432PG	1/2	3/16	0.203	1/32	●
Finishing-Medium		CNMG 432PQ					●
Medium-Roughing		DNMG 432PG	1/2	3/16	0.203	1/32	●
Finishing-Medium		DNMG 432PQ					●
Medium-Roughing		WNMG 432PG	1/2	3/16	0.203	1/32	●
Finishing-Medium		WNMG 432PQ					●

* No chipbreaker or geometry substitutions

* JCT coolant piping hardware must be purchased separately

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

STAINLESS STEEL TURNING KITS

CA6515
High-Speed Continuous
CA6525
General Use


CA65-SERIES INSERTS AND DOUBLE-CLAMP HOLDER KITS

Promo Code: **KYO-CA65-KIT**

Excellent Fracture Toughness and Machining Stability


Low Cutting Resistance and Reduced Adhesion and Edge Buildup

CA6526 Cutting Performance



Cutting Conditions: $V_c = 330$ sfm, D.O.C. = 0.02", $f = 0.012$ ipr, Wet
Workpiece Material: 304 SS, Insert: CNMG432 PR1125, 4 Grooves

Grade Application Range



Insert Grade and Chipbreaker Applications



High Performance Chipbreakers for Various Machining Applications

MS Chipbreaker

- First recommendation for medium to roughing
- Positive land
- Tough cutting edge
- Good chip control

MQ Chipbreaker

- For finishing to medium
- Large rake angle with circular edge line
- Low cutting force and good chip control




All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Stainless Steel Turning Kits

Includes (1) Toolholder and (10) Inserts

Choose your Toolholder, Insert Chipbreaker, and Insert Grade



FREE 
Next Day
Drop Shipping

See Page 3

Pick 1 Toolholder Part Number		Shank Size (Square)	Overall Length	Insert Part Number	Pick 1 Chipbreaker	Pick 1 Insert Grade	U.S. Kit Price	
 Coolant Through JCT	DCLNR 12-4BJCT	0.750"	4.500"	CNMG 432		CA6515 (for High-Speed Continuous Machining)	\$220.00	
	DCLNL 12-4BJCT							
	DCLNR 16-4DJCT						1.000"	
	DCLNL 16-4DJCT							\$240.00
 Standard	DCLNR 12-4B	0.750"	4.500"					\$120.00
	DCLNL 12-4B							
	DCLNR 16-4D						1.000"	
	DCLNL 16-4D							\$130.00
 Coolant Through JCT	DDJNR 12-4BJCT	0.750"	4.500"	DNMG 432	MU (for Finishing-Medium)	CA6525 (for General Machining)	\$240.00	
	DDJNL12-4BJCT							
	DDJNR 16-4DJCT						1.000"	
	DDJNL 16-4DJCT							\$260.00
 Standard	DDJNR 12-4B	0.750"	4.500"					\$130.00
	DDJNL 12-4B							
	DDJNR 16-4D						1.000"	
	DDJNL 16-4D							\$140.00
 Standard	DWLNR 12-4B	0.750"	4.500"	WNMG 432			\$120.00	
	DWLNL 12-4B							
	DWLNR 16-4D						1.000"	
	DWLNL 16-4D							\$130.00

CA65-Series Inserts

Usage Classification

★ Roughing / 1st Choice		M	Stainless Steel				★	★
☆ Roughing / 2nd Choice		S	Heat Resistant Alloy (Ni-base)				☆	☆
Insert		Part Number	Dimensions (in)				CVD Coating	
			IC	Thickness	Hole	Corner-R (RE)	CA6515	CA6525
Medium- Roughing		CNMG 432MS	1/2	3/16	0.203	1/32	●	●
Finishing- Medium		CNMG 432MU					●	●
Medium- Roughing		DNMG 432MS	1/2	3/16	0.203	1/32	●	●
Finishing- Medium		DNMG 432MU					●	●
Medium- Roughing		WNMG 432MS	1/2	3/16	0.203	1/32	●	●
Finishing- Medium		WNMG 432MU					●	●

* No chipbreaker or geometry substitutions

* JCT coolant piping hardware must be purchased separately

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF



HEAT-RESISTANT ALLOY TURNING KITS

PR005S
High-Speed Continuous
PR015S
General Use

PRO-SERIES INSERTS AND DOUBLE-CLAMP HOLDER KITS

Promo Code: **KYO-PRO-KIT**

Newly Developed Substrate Helps to Reduce Sudden Fracture and Notch Wear

Improved thermal conductivity by optimum distribution of WC coarse grains

Resists heat concentration at the cutting edge to promote stable machining


PR005S

Hard, Wear-resistant Grade for High-speed Machining



PR015S

General Purpose Grade with Excellent Wear Resistance and Stability

Fracture Resistance Comparison (Internal Evaluation)




Cutting Conditions: $V_c = 80 \text{ sfm}$, $D.O.C. = 0.039"$, $f = 0.004 \text{ ipr}$, Wet
CNMG432 Type Workpiece: Nickel-based Superalloy Cylindrical Workpiece with 1 Flat Face




Improved Wear Resistance with MEGACOAT HARD Coating

Coating Film Property (Internal Evaluation)



Excellent wear resistance with high-hardness resists boundary damage with improved thermal properties

Wear Resistance Comparison (Internal Evaluation)



Machining Time: 3.5 min
Competitor D could only reach 2.6 minutes.

PR005S



Cutting Conditions: $V_c = 200 \text{ sfm}$, $D.O.C. = 0.039"$, $f = 0.008 \text{ ipr}$, Wet, CNMG432 Type
Workpiece: Nickel-based Superalloy


All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Heat-Resistant Alloy Turning Kits

Includes (1) Toolholder and (10) Inserts

Choose your Toolholder, Insert Chipbreaker, and Insert Grade



FREE 
Next Day
Drop Shipping

See Page 3

Pick 1 Toolholder Part Number		Shank Size (Square)	Overall Length	Insert Part Number	Pick 1 Chipbreaker	Pick 1 Insert Grade	U.S. Kit Price			
 Coolant Through JCT	DCLNR 12-4BJCT	0.750"	4.500"	CNMG 432	MS (for Medium-Roughing)	PR0055 (for High-Speed Continuous Machining)	\$220.00			
	DCLNL 12-4BJCT									
	DCLNR 16-4DJCT	1.000"	6.000"				\$240.00			
	DCLNL 16-4DJCT									
	DCLNR 12-4B	0.750"	4.500"				DNMG 432	SQ (for Finishing-Medium)	PR0155 (for General Machining)	\$120.00
	DCLNL 12-4B									
	DCLNR 16-4D	1.000"	6.000"							\$130.00
	DCLNL 16-4D									
 Coolant Through JCT	DDJNR 12-4BJCT	0.750"	4.500"	WNMG 432	MS (for Medium-Roughing)					\$240.00
	DDJNL12-4BJCT									
	DDJNR 16-4DJCT	1.000"	6.000"							\$260.00
	DDJNL 16-4DJCT									
	DDJNR 12-4B	0.750"	4.500"							\$130.00
	DDJNL 12-4B									
	DDJNR 16-4D	1.000"	6.000"							\$140.00
	DDJNL 16-4D									
	DWLNR 12-4B	0.750"	4.500"							\$120.00
	DWLNL 12-4B									
	DWLNR 16-4D	1.000"	6.000"							\$130.00
	DWLNL 16-4D									

PRO-Series Inserts

Usage Classification

★ Roughing / 1st Choice ☆ Roughing / 2nd Choice		M	Stainless Steel					★
		S	Heat Resistant Alloy (Ni-base)				★	★
			Titanium Alloy (Ti-6Al-4V)					★
Insert		Part Number	Dimensions (in)				MEGACOAT HARD	
			IC	Thickness	Hole	Corner-R (RE)	PR0055	PR0155
Medium-Roughing		CNMG 432MS	1/2	3/16	0.203	1/32	●	●
Finishing-Medium		CNMG 432SQ					●	●
Medium-Roughing		DNMG 432MS	1/2	3/16	0.203	1/32	●	●
Finishing-Medium		DNMG 432SQ					●	●
Medium-Roughing		WNMG 432MS	1/2	3/16	0.203	1/32	●	●

● : Standard Item

* No chipbreaker or geometry substitutions

* JCT coolant piping hardware must be purchased separately

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF



**BUY 20
GET 10 | FREE**

CCX

CVD Coated Cermet for
Finishing Steel and Cast Iron

INDUSTRY LEADING CVD COATED CERMET TECHNOLOGY


Promo Code: **KYO-CCX-FREE**

Excellent High-Speed Finishing Leads to Greater Productivity


Superior wear resistance with unique cermet grade and thickened CVD coating

Finishing available at a higher speed range

Wide range of cutting speeds from general to high-speed
provides long tool life in finishing applications



CVD Cermet Application Map



Combination of Cermet and a CVD Coating Provides High-Speed Machining

Newly developed unique cermet grade with thick CVD coating which is difficult to accomplish using conventional technology
High speed machining and long tool life with superior wear and chipping resistance

Thickened CVD Coated Cermet


Improved wear resistance with thicker
coating than PVD

Al_2O_3 layer provides excellent crater wear
resistance

Newly Developed Unique Cermet Grade

Specialized high-strength micro grain cermet
including a high metal content binder phase

High wear and fracture resistance



CCX Image






All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Negative Inserts

FREE Next Day Drop Shipping See Page 3

Shape Right-hand Shown	Part Number	Dimensions (in)				CVD Coated Cermet
		IC	Thickness	Hole Diameter	Corner-R (RE)	CCX
 Finishing	CNMG 4305PP	1/2	3/16	0.203	0.008	●
	431PP				1/64	●
	432PP				1/32	●
	433PP				3/64	●
 Finishing-Medium	CNMG 431PQ	1/2	3/16	0.203	1/64	●
	432PQ				1/32	●
	433PQ				3/64	●
 Finishing-Medium	CNMG 331HQ	3/8	3/16	0.150	1/64	●
	332HQ				1/32	●
	CNMG 431HQ	1/2	3/16	0.203	1/64	●
	432HQ				1/32	●
 Finishing / Small D.O.C.	CNMG 431XF	1/2	3/16	0.203	1/64	●
	432XF				1/32	●
 Low Carbon Steel / Finishing	CNMG 431XP	1/2	3/16	0.203	1/64	●
	432XP				1/32	●
 Low Carbon Steel / Medium	CNMG 431XQ	1/2	3/16	0.203	1/64	●
	432XQ				1/32	●
 Cast Iron	CNMG 431	1/2	3/16	0.203	1/64	●
	432				1/32	●
	433				3/64	●
 Cast Iron (Without Chipbreaker)	CNMA 431	1/2	3/16	0.203	1/64	●
	432				1/32	●
 Finishing	DNMG 4305PP	1/2	3/16	0.203	0.008	●
	431PP				1/64	●
	432PP				1/32	●
	433PP				3/64	●
 Finishing-Medium	DNMG 4405PP	1/2	1/4	0.203	0.008	●
	441PP				1/64	●
	442PP				1/32	●
	443PP				3/64	●
 Finishing-Medium	DNMG 431PQ	1/2	3/16	0.203	1/64	●
	432PQ				1/32	●
	433PQ				3/64	●
	DNMG 441PQ				1/64	●
	442PQ	1/2	1/4	0.203	1/32	●
	443PQ				3/64	●

Shape Right-hand Shown	Part Number	Dimensions (in)				CVD Coated Cermet
		IC	Thickness	Hole Diameter	Corner-R (RE)	CCX
 Finishing-Medium	DNMG 3305HQ	3/8	3/16	0.150	0.008	●
	331HQ				1/64	●
	DNMG 431HQ	1/2	3/16	0.203	1/64	●
	432HQ				1/32	●
 Finishing / Small D.O.C.	433HQ	1/2	1/4	0.203	3/64	●
	DNMG 441HQ				1/64	●
	442HQ	1/2	1/4	0.203	1/32	●
	443HQ				3/64	●
 Low Carbon Steel / Finishing	DNMG 431XF	1/2	3/16	0.203	1/64	●
	432XF				1/32	●
 Low Carbon Steel / Medium	DNMG 431XP	1/2	3/16	0.203	1/64	●
	432XP				1/32	●
 Cast Iron	DNMG 441XP	1/2	1/4	0.203	1/64	●
	442XP				1/32	●
 Low Carbon Steel / Medium	DNMG 431XQ	1/2	3/16	0.203	1/64	●
	432XQ				1/32	●
 Cast Iron (Without Chipbreaker)	DNMG 432	1/2	3/16	0.203	1/32	●
	DNMA 432				1/32	●
 Finishing-Medium	SNMG 431PQ	1/2	3/16	0.203	1/64	●
	432PQ				1/32	●
 Finishing-Medium	SNMG 431HQ	1/2	3/16	0.203	1/64	●
	432HQ				1/32	●
	433HQ				3/64	●
 Low Carbon Steel / Finishing	SNMG 432XP	1/2	3/16	0.203	1/32	●
 Low Carbon Steel / Medium	SNMG 432XQ	1/2	3/16	0.203	1/32	●
 Low Carbon Steel / Roughing	SNMG 432XS	1/2	3/16	0.203	1/32	●

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.comOfficial Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

Negative Inserts

FREE Next Day Drop Shipping

See Page 3



Shape Right-hand Shown	Part Number	Dimensions (in)				CVD Coated Cermet
		IC	Thickness	Hole Diameter	Corner-R (RE)	
 Cast Iron	SNMG 432	1/2	3/16	0.203	1/32	●
 Finishing	TNMG 3305PP	3/8	3/16	0.150	0.008	●
	331PP				1/64	●
	332PP				1/32	●
	333PP				3/64	●
 Finishing-Medium	TNMG 331PQ	3/8	3/16	0.150	1/64	●
	332PQ				1/32	●
	333PQ				3/64	●
 Finishing-Medium	TNMG 231HQ	1/4	3/16	0.089	1/64	●
	232HQ				1/32	●
	TNMG 331HQ	3/8	3/16	0.150	1/64	●
	332HQ				1/32	●
 Finishing / Small D.O.C.	TNMG 331XF	3/8	3/16	0.150	1/64	●
	332XF				1/32	●
 Low Carbon Steel / Finishing	TNMG 331XP	3/8	3/16	0.150	1/64	●
	332XP				1/32	●
 Low Carbon Steel / Medium	TNMG 331XQ	3/8	3/16	0.150	1/64	●
	332XQ				1/32	●
 Cast Iron	TNMG 331	3/8	3/16	0.150	1/64	●
	332				1/32	●
 Cast Iron (Without Chipbreaker)	TNMA 331	3/8	3/16	0.150	1/64	●
	332				1/32	●
 Finishing	VNMG 3305PP	3/8	3/16	0.150	0.008	●
	331PP				1/64	●
	332PP				1/32	●
	333PP				3/64	●
 Finishing-Medium	VNMG 331¹/₂-VC	3/8	3/16	0.150	1/64	●
	332¹/₂-VC				1/32	●
	333¹/₂-VC				3/64	●

Shape Right-hand Shown	Part Number	Dimensions (in)				CVD Coated Cermet
		IC	Thickness	Hole Diameter	Corner-R (RE)	
 Finishing-Medium	VNMG 331PQ	3/8	3/16	0.150	1/64	●
	332PQ				1/32	●
	333PQ				3/64	●
 Finishing-Medium	VNMG 331HQ	3/8	3/16	0.150	1/64	●
	332HQ				1/32	●
	333HQ				3/64	●
 Finishing-Medium	VNMG 331VF	3/8	3/16	0.150	1/64	●
	332VF				1/32	●
 Cast Iron	VNMG 332	3/8	3/16	0.150	1/32	●
 Finishing	WNMG 4305PP	1/2	3/16	0.203	0.008	●
	431PP				1/64	●
	432PP				1/32	●
	433PP				3/64	●
 Finishing-Medium	WNMG 431PQ	1/2	3/16	0.203	1/64	●
	432PQ				1/32	●
 Finishing-Medium	WNMG 331HQ	3/8	3/16	0.150	1/64	●
	332HQ				1/32	●
	WNMG 431HQ	1/2	3/16	0.203	1/64	●
	432HQ				1/32	●
 Low Carbon Steel / Finishing	WNMG 431XP	1/2	3/16	0.203	1/64	●
	432XP				1/32	●
 Low Carbon Steel / Medium	WNMG 431XQ	1/2	3/16	0.203	1/64	●
	432XQ				1/32	●
 Cast Iron	WNMG 432	1/2	3/16	0.203	1/32	●
 Cast Iron (Without Chipbreaker)	WNMA 432	1/2	3/16	0.203	1/32	●

● : Standard Item

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Positive Inserts

FREE Next Day Drop Shipping

See Page 3



Shape Right-hand Shown	Part Number	Dimensions (in)					CVD Coated Cermet
		IC	Thickness	Hole Diameter	Corner-R (RE)	Relief Angle	
 Finishing	CCMT 21505PP	1/4	3/32	0.110	0.008	7°	●
	2151PP				1/64		●
	CCMT 32505PP	3/8	5/32	0.173	0.008	7°	●
	3251PP				1/64		●
	3252PP				1/32		●
 Finishing-Medium	CCMT 21505GK	1/4	3/32	0.110	0.008	7°	●
	2151GK				1/64		●
	CCMT 32505GK	3/8	5/32	0.173	0.008	7°	●
	3251GK				1/64		●
	CCMT 431GK	1/2	4.76	0.217	1/64	7°	●
 Finishing-Medium	432GK				1/32		●
	CCMT 21505HQ	1/4	3/32	0.110	0.008	7°	●
	2151HQ				1/64		●
	CCMT 32505HQ	3/8	5/32	0.173	0.008	7°	●
	3251HQ				1/64		●
 Medium	3252HQ				1/32		●
	CCMT 3252	3/8	5/32	0.173	1/32	7°	●
	CPMT 251505PP				0.008	11°	●
	25151PP	5/16	3/32	0.130	1/64		●
	CPMT 3205PP	3/8	7/32	0.173	0.008	11°	●
 Finishing	321PP				1/64		●
	322PP				1/32		●
	CPMH 25151HQ	5/16	3/32	0.138	1/64	11°	●
	25152HQ				1/32		●
	CPMH 321HQ	3/8	1/8	0.177	1/64	11°	●
 Finishing-Medium	322HQ				1/32		●
	CPMH 25151	5/16	3/32	0.138	1/64	11°	●
	25152				1/32		●
	CPMH 321	3/8	1/8	0.177	1/64	11°	●
	322				1/32		●
 Medium	CPMT 25151XP	5/16	3/32	0.130	1/64	11°	●
	CPMT 321XP	3/8	1/8	0.173	1/64	11°	●
	322XP				1/32		●
	CPMT 321XQ	3/8	1/8	0.173	1/64	11°	●
	322XQ				1/32		●
 Low Carbon Steel / Finishing	DCMT 21505PP	1/4	3/32	0.110	0.008	7°	●
	2151PP				1/64		●
	DCMT 32505PP	3/8	5/32	0.173	0.008	7°	●
	3251PP				1/64		●
	3252PP				1/32		●
 Low Carbon Steel / Medium	DCMT 21505GK	1/4	3/32	0.110	0.008	7°	●
	2151GK				1/64		●
	DCMT 2152GK	1/4	3/32	0.110	1/64	7°	●
	2152GK				1/32		●
	DCMT 32505GK	3/8	5/32	0.173	0.008	7°	●
 Finishing-Medium	3251GK				1/64		●
	3252GK				1/32		●
 Finishing-Medium	DCMT 21505HQ	1/4	3/32	0.110	0.008	7°	●
	2151HQ				1/64		●
	2152HQ	1/4	3/32	0.110	1/64	7°	●
	2152HQ				1/32		●
	DCMT 32505HQ	3/8	5/32	0.173	0.008	7°	●
 Medium	3251HQ				1/64		●
	3252HQ				1/32		●
	DCMT 3252	3/8	5/32	0.173	1/32	7°	●
	DCMT 2151XP	1/4	3/32	0.110	1/64	7°	●
	DCMT 32505XP	3/8	5/32	0.173	0.008	7°	●
 Low Carbon Steel / Finishing	3251XP				1/64		●
	3252XP				1/32		●
	DCMT 3251XQ	3/8	5/32	0.173	1/64	7°	●
	3252XQ				1/32		●
	SPM 423	3/64	1/8	—	3/64	11°	●
 No Chipbreaker	TBMT 12105DP	5/32	1.59	0.091	0.008	5°	●
	1211DP				1/64		●
	TCMT 181505HQ	7/32	3/32	0.098	0.008	7°	●
	18151HQ				1/64		●
	TCMT 21505HQ	1/4	3/32	0.110	0.008	7°	●
 Finishing	2151HQ				1/64		●
	2152HQ				1/32		●
	TCMT 3251HQ	3/8	5/32	0.173	1/64	7°	●
	3252HQ				1/32		●
	3253HQ				3/64		●
 Finishing-Medium	TPMT 181505PP	5.56	3/32	0.110	0.008	11°	●
	18151PP				1/64		●
	TPMT 2205PP	1/4	1/8	0.130	0.008	11°	●
	221PP				1/64		●
	222PP				1/32		●
 Finishing	TPMT 181505HQ	5.56	3/32	0.110	0.008	11°	●
	18151HQ				1/64		●
	TPMT 2205HQ	1/4	1/8	0.130	0.008	11°	●
	221HQ				1/64		●
	222HQ				1/32		●
 Finishing-Medium	TPMT 3205HQ	3/8	1/8	0.173	0.008	11°	●
	321HQ				1/64		●
	322HQ				1/32		●
	TPMT 221XP	1/4	1/8	0.130	1/64	11°	●
	222XP				1/32		●
 Low Carbon Steel / Finishing	TPMT 321XP	3/8	1/8	0.173	1/64	11°	●
	322XP				1/32		●
	TPMT 321XP	3/8	1/8	0.173	1/64	11°	●
	322XP				1/32		●
	TPMT 321XP	3/8	1/8	0.173	1/64	11°	●
	322XP				1/32		●

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.comOfficial Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

NEW

JCT-SERIES SMALL PARTS TURNING KITS

Screw Clamp JCT

Coolant Through Holders

PR1725

for Small Parts Steel and Stainless


JCT-SERIES COOLANT THROUGH HOLDER AND PR1725 INSERTS KITS

Promo Code: **KYO-PR1725-KIT**

JCT-Series Coolant Through Holders for Small Parts Machining

Double Coolant Holes


Double coolant hole design provides coolant to the insert cutting edge surface



Superior Chip Control

Provides stable chip curls for superior chip control

The cutting edge stays cool increasing tool life



PR1725 for Small Parts Steel and Stainless Steel Machining


MEGACOAT NANO PLUS

AlTiN/AlCrN Nano laminated film with superior wear resistance and adhesion resistance


Excellent surface finish and long tool life

REDUCES CRACKING


Reduces abnormal damage such as chipping because of increased lamination layer with a thinner gap than conventional coatings




Wear Coefficient Comparison (Internal evaluation)





Great performance in both steel and stainless steel from low to high speed machining



PR1725 : 1st Recommendation for Steel



PR1725 : For general purpose high-speed machining




All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.



Small Parts Turning Kits

Includes (1) Toolholder and (10) Inserts
Choose your Toolholder and Insert



FREE 
Next Day
Drop Shipping

See Page 3

Pick 1 Toolholder Part Number	Shank Size (Rectangle)	Overall Length	Pick 1 Insert Part Number	Insert Grade	U.S. Kit Price
 Coolant Through JCT	SCLCR 62-3FFJCT	0.500" x 0.750"	4.750"	PR1725 (General Machining in Steel and Stainless Steel)	\$250.00
	SCLCR 82.5-3FFJCT	0.625" x 1.000"	4.750"		\$280.00
 Coolant Through JCT	SDJCR 62-3FFJCT	0.500" x 0.750"	4.750"		\$250.00
	SDJCR 82.5-3FFJCT	0.625" x 1.000"	4.750"		\$280.00
 Coolant Through JCT	SVJBR 62-2FFJCT	0.500" x 0.750"	4.750"		\$250.00
	SVJBR 82.5-2FFJCT	0.625" x 1.000"	4.750"		\$280.00

PR1725 Inserts

Usage Classification

★ 1st Choice	P	Carbon Steel / Alloy Steel					★
☆ 2nd Choice	M	Stainless Steel					☆
Insert	Part Number	Dimensions (in)					MEGACOAT NANO PLUS
		IC	Thickness	Hole	Corner-R (RE)	Relief Angle	PR1725
 Finishing Sharp Edge / Polished	CCGT 32502MFP-SK	3/8	5/32	0.173	< 0.004	7°	●
	32505MFP-SK				< 0.008		
	3251MFP-SK				< 1/64		
 Finishing Sharp Edge / Polished	DCGT 32502MFP-SK	3/8	5/32	0.173	< 0.004	7°	●
	32505MFP-SK				< 0.008		
	3251MFP-SK				< 1/64		
 Finishing-Medium Sharp Edge	VBET 22013MR-Y	1/4	1/8	0.110	< 0.002	5°	●
	2202MR-Y				< 0.004		
	2205MR-Y				< 0.008		
	221MR-Y				< 1/64		

* Insert with corner R (RE) dimension expressed with less than sign (e.g. < 0.008) indicates models with minus tolerance.

* No chipbreaker, geometry, or grade substitutions

* JCT coolant piping hardware must be purchased separately

● : Standard Item

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-SPEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF



KGD-JCT
Coolant Through

KGD-S
SwitchBlade Style

KGD
Integral Style

KGD GROOVING & CUT-OFF SYSTEM

Promo Code: **KYO-KGD-FREE**

Buy 30 Inserts
FREE
SwitchBlade
KGD Holder

Buy 30 Inserts
FREE
Coolant Through
KGD-JCT Holder

Buy 20 Inserts
FREE
Integral
KGD Holder


KGD-JCT NEW

Coolant-Through Holders for External Grooving and Cut-Off

Discharges Coolant in Two Directions

Discharges coolant in two directions toward both the rake surface and the flank face of the insert

Excellent chip control and long tool life





Superior Cooling of the Cutting Edge for Long Tool Life

Coolant towards the rake surface and the flank face of the insert
Directing coolant towards the cutting edge lengthens tool life

KGD-JCT

Competitor E




After Machining 39 min



Defect

Wear Resistance Comparison (Internal Evaluation)



Cutting Conditions: $V_c = 590$ sfm, $f = 0.006$ ipr, $d = 0.354$ ", Wet
Edge Width 0.158" Workpiece: 4131 Grooving

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

Integral Type and SwitchBlade Type Toolholders for Various Applications

Good Chip Control

Reduces damage of cutting edge caused by crushing chips

Comprehensive Toolholder Lineup

Integral and SwitchBlade style holders available

Long Tool Life and Stable Machining of Various Workpieces

MEGACOAT NANO grade PR1535 is used to machine various materials from steel to stainless steel

Integral Type



Integral Type for Small Dia. Grooving & Cut-Off



SwitchBlade Type



Integral Style: Toolholders with a wide lineup of inserts for various groove widths and depths


SwitchBlade Style: Toolholders with replaceable blades for various types of grooving and cut-off operations

Integral vs. SwitchBlade Selection Guide

Integral	SwitchBlade
• Various toolholder lineup Available for various grooving depths (shallow /medium / deep) Optimum overhang length • Available for low-rigidity machines and workpieces • For small machines with limited work space (Automatic lathe, small lathe, etc.)	• Good for high-mix low-volume production Good for various groove widths by replacing blades • Good for difficult-to-cut material Tough cutting conditions Toolholder cost reduction with replaceable blades • Face grooving is possible by changing blade * Be sure to check the hand compatibility of the blade and toolholder

MEGACOAT / MEGACOAT NANO Coating Technology for Long Tool Life

Coating Properties



PR1535 (MEGACOAT NANO)
For machining of stainless steel

PR1225 (MEGACOAT)
For Steel Grooving and Cut-off

KGD-S 0° SwitchBlade Holders

Buy **30** Inserts and Receive a **FREE** Holder
Insert sizes may be mixed-and-matched but must fit chosen holder



FREE 
Next Day
Drop Shipping

See Page 3

Shank Angle	Width (in)	Unit Part Number (Toolholder + Blade)	Stock		Dimensions (in)			Insert Width CW (in)		Applicable Inserts See ➡ Page 79
			R	L	Shank Size (Square)	Overall Length	MAX Groove Depth	MIN	MAX	
0°	0.079 (2mm)	KGD $\frac{R}{L}$ 12X-2T17S	●	●	0.75	4.80	0.669 (17mm)	0.079 (2mm)	0.118 (3mm)	GDM2420N020-GM GDM3020N020-GM GDM3020N040-GM
		16X-2T17S	●	●	1.00	5.78				
	0.118 (3mm)	KGD $\frac{R}{L}$ 12X-3T10S	●	●	0.75	4.52	0.394 (10mm)	0.118 (3mm)	0.157 (4mm)	GDM3020N020-GM GDM3020N040-GM GDM4020N020-GM GDM4020N080-GM
		16X-3T10S	●	●	1.00	5.51				
		KGD $\frac{R}{L}$ 12X-3T20S	●	●	0.75	4.92	0.787 (20mm)			
		16X-3T20S	●	●	1.00	5.90				
	0.157 (4mm)	KGD $\frac{R}{L}$ 12X-4T10S	●	●	0.75	4.52	0.394 10mm)	0.157 (4mm)	0.197 (5mm)	GDM4020N020-GM GDM4020N080-GM GDM5020N040-GM
		16X-4T10S	●	●	1.00	5.51				
		KGD $\frac{R}{L}$ 12X-4T20S	●	●	0.75	4.92	0.787 (20mm)			
		16X-4T20S	●	●	1.00	5.90				
		KGD $\frac{R}{L}$ 12X-4T25S	●	●	0.75	5.11	0.984 (25mm)			
		16X-4T25S	●	●	1.00	6.10				
	0.197 (5mm)	KGD $\frac{R}{L}$ 12X-5T10S	●	●	0.75	4.52	0.394 (10mm)	0.197 (5mm)	0.236 (6mm)	GDM5020N040-GM GDM6020N040-GM GDM6020N080-GM
		16X-5T10S	●	●	1.00	5.51				
		KGD $\frac{R}{L}$ 12X-5T25S	●	●	0.75	5.11	0.984 (25mm)			
		16X-5T25S	●	●	1.00	6.10				

● : Standard Item

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only.
Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.



KGD-JCT Coolant Through Integral Holders

Buy **30** Inserts and Receive a **FREE** Holder
Insert sizes may be mixed-and-matched but must fit chosen holder



FREE
Next Day
Drop Shipping
See Page 3

Width (in)	Toolholder Part Number	Stock		Dimensions (in)			Insert Width CW (in)		Applicable Inserts See Page 79
		R	L	Shank Size (Square)	Overall Length	MAX Groove Depth	MIN	MAX	
0.118 (3mm)	KGD 12-3T20JCT	●	●	0.75	5.00	0.787 (20mm)	0.118 (3mm)	0.157 (4mm)	GDM3020N020-GM GDM3020N040-GM GDM4020N020-GM GDM4020N080-GM
	16-3T20JCT	●	●	1.00	5.00				
0.157 (4mm)	KGD 12-4T20JCT	●	●	0.75	5.00	0.787 (20mm)	0.157 (4mm)	0.197 (5mm)	GDM4020N020-GM GDM4020N080-GM GDM5020N040-GM
	16-4T20JCT	●	●	1.00	5.00				
	KGD 16-4T25.4JCT	●	●	1.00	5.00	1.000 (25.4mm)			


* JCT coolant piping hardware must be purchased separately

● : Standard Item

Case Studies

Ring - 5120 (Equivalent)

Vc = 525 sfm
(n = 3,200 rpm)
D.O.C. = 0.098"
f = 0.0028 ipr
Wet (Water Soluble), Normal Pressure
KGDR2020K-3T10JCT
GDM3020M-025PM PR1225



Tool Life

KGD-JCT
(Internal Coolant)

9,000 pcs / edge

↑ x1.5

Competitor H
(External Coolant)


6,000 pcs / edge

Change to KGD-JCT (internal coolant) from Competitor H (external coolant) extended tool life by 1.5 times.

(User Evaluation)

Valve - Free Cutting Steel

Vc = 525 sfm
D.O.C. = 0.551"
f = 0.0047-0.0059 ipr
Wet (Water Soluble), Normal Pressure
KGDR2525K-3T20JCT
GDM3020M-040GM PR1535



Tool Life

KGD-JCT
(Internal Coolant)

1,000 pcs / edge

Competitor I
(Internal Coolant)

1,000 pcs / edge

KGD-JCT maintained stable machining for the required number of pieces
Better chip control and surface finish

(User Evaluation)

Chip Control
Good

Surface Finish
Good

KGD Integral Holders

Buy **20** Inserts and Receive a **FREE** Holder
Insert sizes may be mixed-and-matched but must fit chosen holder



FREE 
Next Day
Drop Shipping

See Page 3

Width (in)	Toolholder Part Number	Stock		Dimensions (in)			Insert Width CW (in)		Applicable Inserts See ➡ Page 79
		R	L	Shank Size (Square)	Overall Length	MAX Groove Depth	MIN	MAX	
0.079 (2mm)	KGD $\frac{R}{L}$ 12-2T17	●	●	0.75	4.92	0.669 (17mm)	0.079 (2mm)	0.118 (3mm)	GDM2420N020-GM GDM3020N020-GM GDM3020N040-GM
	16-2T17	●	●	1.00	5.90				
0.118 (3mm)	KGD $\frac{R}{L}$ 12-3T10	●	●	0.75	4.92	0.394 (10mm)	0.118 (3mm)	0.157 (4mm)	GDM3020N020-GM GDM3020N040-GM GDM4020N020-GM GDM4020N080-GM
	16-3T10	●	●	1.00	5.90				
	KGD $\frac{R}{L}$ 12-3T20	●	●	0.75	4.92	0.787 (20mm)			
	16-3T20	●	●	1.00	5.90				
0.157 (4mm)	KGD $\frac{R}{L}$ 12-4T10	●	●	0.75	4.92	0.394 (10mm)	0.157 (4mm)	0.197 (5mm)	GDM4020N020-GM GDM4020N080-GM GDM5020N040-GM
	16-4T10	●	●	1.00	5.90				
	KGD $\frac{R}{L}$ 12-4T20	●	●	0.75	4.92	0.787 (20mm)			
	16-4T20	●	●	1.00	5.90				
	KGD $\frac{R}{L}$ 16-4T25	●	●	1.00	5.90				
0.197 (5mm)	KGD $\frac{R}{L}$ 12-5T10	●	●	0.75	4.92	0.394 (10mm)	0.197 (5mm)	0.236 (6mm)	GDM5020N040-GM GDM6020N040-GM GDM6020N080-GM
	16-5T10	●	●	1.00	5.90				
	KGD $\frac{R}{L}$ 12-5T17	●	●	0.75	4.92	0.669 (17mm)			
	16-5T17	●	●	1.00	5.90				
	KGD $\frac{R}{L}$ 16-5T25	●	●	1.00	5.90				
0.236 (6mm)	KGD $\frac{R}{L}$ 16-6T15	●	●	1.00	5.90	0.590 (15mm)	0.236 (6mm)	0.236 (6mm)	GDM6020N040GM GDM6020N080GM
	16-6T30	●	●	1.00	5.90	1.181 (30mm)			
0.315 (8mm)	KGD $\frac{R}{L}$ 16-8T25	●	●	1.00	5.90	0.984 (25mm)	0.315 (8mm)	0.315 (8mm)	GDM8030N080GM


● : Standard Item

All 2020 Winter / Spring Offers Valid through June 30, 2020

All promotional items are available exclusively through Authorized North American Kyocera Precision Tool Distributors. FREE UPS Red shipping for continental U.S. only. Please use specified Promo Code or Kit Part Number when placing orders. To locate a distributor visit www.kyoceraprecisiontools.com/locate. Prices shown valid in U.S. only.

KGD Integral Holders for Small Parts

Buy **20** Inserts and Receive a **FREE** Holder
Insert sizes may be mixed-and-matched but must fit chosen holder



FREE 
Next Day
Drop Shipping

See Page 3



Width (in)	Toolholder Part Number	Stock		Dimensions (in)			Insert Width CW (in)		Applicable Inserts See Below
		R	L	Shank Size (Square)	Overall Length	Cut-Off Dia.	MIN	MAX	
0.059 (1.5mm)	KGD  6-1.5JX	●	●	0.375	4.75	0.787	-	0.059 (1.5mm)	GDM1516N-003PF
	8-1.5JX	●	●	0.500	4.75	0.944			
0.079 (2mm)	KGD  6-2JX	●	●	0.375	4.75	0.787	0.079 (2mm)	0.118 (3mm)	GDM2020N-003 PF GDM2420N020-GM GDM3020N-003PF GDM3020N020-GM GDM3020N040-GM
	8-2JX	●	●	0.500	4.75	0.944			
	10-2JX	●	●	0.625	4.75	1.259			
0.118 (3mm)	KGD  8-3JX	●	●	0.500	4.75	0.944	0.118 (3mm)	0.157 (4mm)	GDM3020N-003PF GDM3020N020-GM GDM3020N040-GM GDM4020N020-GM GDM4020N080-GM
	10-3JX	●	●	0.625	4.75	1.259			

KGD Inserts

Usage Classification

- : Light Interruption / 1st Choice
- ⊙ : Light Interruption / 2nd Choice

P	Carbon Steel / Alloy Steel
M	Stainless Steel
S	Titanium Alloy (Ti-6Al-4V)

Insert		Part Number		Dimensions (in)					MEGACOAT NANO	MEGACOAT	
				CW			RE	INSL	S	PR1535	PR1225
				inch	mm	Tolerance					
 Low-Feed Rate Cut-Off		GDM 1516N-003PF	0.059	1.5	±0.0016	0.0012	0.630	0.146	●	●	
		2020N-003PF	0.079	2.0		0.0012	0.787	0.169	●	●	
		2520N-003PF	0.098	2.5		0.0012			●	●	
		3020N-003PF	0.118	3.0		0.0012			●	●	
 General Purpose		GDM 2420N-020GM	0.094	2.4	±0.0012	0.008	0.787	0.169	●	●	
		3020N-020GM	0.118	3.0		0.008			●	●	
		3020N-040GM	0.118	3.0		0.016			●	●	
		4020N-020GM	0.157	4.0		0.008			●	●	
		4020N-040GM	0.157	4.0		0.016			●	●	
		4020N-080GM	0.157	4.0		0.032			●	●	
		5020N-040GM	0.197	5.0	±0.0016	0.016			●	●	
		5020N-080GM	0.197	5.0		0.032			●	●	
		6020N-040GM	0.236	6.0		0.016			●	●	
		6020N-080GM	0.236	6.0		0.032			●	●	
		8030N-080GM	0.315	8.0		±0.0020	0.032	1.181	0.217	●	●

● : Standard Item | Inserts sold in 10-piece packs

KYOCERA Precision Tools, Inc.

P : 800.823.7284 • F : 828.692.1344 • E : ctsales@kyocera.com

Official Website : www.kyoceraprecisiontools.com • Distributor Website : mykpti.kyocera.com

HIGH-FEED MILLING

DRILLING

TURNING

GROOVING & CUT-OFF

NEW MACHINE?



GET DEEP DISCOUNTS

*on indexable and solid round products used
to tool-up a new machining center*

*Contact your local distributor for pricing on available items
and start building your package today!*

www.kyoceraprecisiontools.com/locate



KYOCERA Precision Tools, Inc.

102 Industrial Park Road
Hendersonville, NC 28792
Customer Service | 800.823.7284 - Option 1
Technical Support | 800.823.7284 - Option 2



Official Website | www.kyoceraprecisiontools.com
Distributor Website | mykpti.kyocera.com
Email | cuttingtools@kyocera.com



©KYOCERA Precision Tools, Inc.